

Comet 67P/Churyumov-Gerasimenko: Nuclear Properties and Heliocentric-Distance Dependent Activity.
D. H. Wooden¹, Michael S. Kelley², Charles E. Woodward³, David E. Harker³, Hermann Boehnhardt⁴, Cecilia Tubiana⁴, Dina Prialnik,¹NASA Ames Research Center, MS 245-3, Moffett Field, CA 94035-1000, USA (dwooden@mac.com, Diane.H.Wooden@nasa.gov), ²Dept. of Physics, U. Central Florida, 4000 Central Florida Blvd. M. A. P. Bldg, Orlando, FL, 32816-2385, ³Dept. of Astronomy, U. Minnesota, 116 Church St., Minneapolis, MN, 55455, ³Center for Astrophysics and Space Sciences, U. of California, San Diego, 9500 Gilman Drive #0424, La Jolla, CA 92093-0424, ⁴MPI fur Sonnensystemforschung, Max-Planck Str. 2, 37191 Katlenburg-Lindau, Germany, ⁵Dept. of Geophysics and Planetary Sciences, Tel Aviv University, Israel

Spitzer MIPS and IRS observations of comet

67P: We report on the nuclear properties of comet 67P derived from DDT light curve observations and discuss comae activity from GO programs studying the heliocentric-distance dependent activity of the comet spanning Cycles 3 and 4. We will show data through 2008 June, if the data is released soon enough to be shown at ACM 2008.