

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

~~REFERENCE COPY~~
~~PLEASE~~
~~DO NOT REMOVE~~

FILE COPY

INTERAGENCY REPORT: ASTROGEOLOGY 58

Television Cartography

by

R. M. Batson

September 1973

Prepared under JPL Contract W0-8122

This report is preliminary and has not
been edited or reviewed for conformity
with U.S. Geological Survey standards
and nomenclature.

Prepared by the Geological Survey for the
National Aeronautics and Space
Administration

INTERAGENCY REPORT: ASTROGEOLOGY 58

Television Cartography

by

R. M. Batson

September 1973

Prepared under JPL Contract WO-8122

CONTENTS

	Page
List of Illustrations	iii
Introduction	1
Image Processing	2
Mosaics	3
Airbrush Enhancement	12
Conclusions	31
Acknowledgements	31
Bibliography	33

ILLUSTRATIONS

	Page
Figure 1. A "raw" picture received from Mariner 9	4
2. "Shading corrected" picture received from Mariner 9	5
3. High-pass filtered picture	6
4. "Reduced Data Record" (RDR) picture	7
5. Map projection processing	8
6a. The actual shape that should be assumed by a single picture element in a hypothetical transformation	9
6b. The picture element of 6a represented by four picture elements in the transformation array	9
6c. The picture element of 6a represented by many picture elements in the transformation array	9
7. "Shading corrected" version of a Mariner 9 picture	10
8. "Sun-angle corrected" version of the picture in fig. 7	11
9a. "Variable-scale" mosaic of the Tharsis (MC 9) quadrangle of Mars	13
9b. "Variable-scale" mosaic of the Syrtis Major (MC 13) quadrangle of Mars	14

ILLUSTRATIONS (Cont.)

	Page
Figure 10a. Uncontrolled mosaic of the Tharsis quadrangle of Mars	15
10b. Uncontrolled mosaic of the Syrtis Major quadrangle of Mars	16
10c. The computed footprint shape of a Mariner 9 picture (DAS 6895738) to which the high-pass filtered version of that picture was fitted for making uncontrolled mosaics	17
11a. Semicontrolled mosaic of the Tharsis quadrangle of Mars	18
11b. Semicontrolled mosaic of the Syrtis Major quadrangle of Mars	19
11c. The computed shape of the footprint of Mariner 9 picture (DAS 6895738) superimposed on the scaled and transformed version of that picture	20
12. Controlled mosaic of the Tharsis quadrangle of Mars	21
13. Unretouched photomosaic of the Tharsis quadrangle of Mars	22
14. First stage of retouching. Light toned areas on the mosaic have been darkened with the airbrush	23
15. Negative copy of the first stage of retouching. Light toned areas on the negative are darkened with the airbrush	24
16. Final retouched copy of the mosaic, with uniform tone throughout.	25
17. Shaded relief map of the Syrtis Major quadrangle of Mars	26
18. Light and dark markings on the Syrtis Major quadrangle	27
19. Composite print of topography and markings on the Syrtis Major quadrangle	28
20. A section of the mosaic of the Syrtis Major quadrangle of Mars	29
21. A section of an airbrush drawing of the area of the Syrtis Major quadrangle shown in fig. 20	30

INTRODUCTION

The purpose of this paper is to illustrate the processing of digital television pictures into base maps. In this context, a base map is defined as a pictorial representation of planetary surface morphology accurately reproduced on standard map projections. Topographic contour lines, albedo or geologic overprints may be superimposed on these base maps. The compilation of geodetic map controls, the techniques of mosaic compilation, computer processing and airbrush enhancement, and the compilation of contour lines are discussed elsewhere by the originators of these techniques. A bibliography of applicable literature is included for readers interested in more detailed discussions.

The mapping of Mars with data from spacecraft sensors alone is unique in the history of cartography. Many sensors were used for measurement of topography and the Martian geoid. Television pictures, however, revealed for the first time the surface morphology of the planet, and are the sole sources of data for planimetric delineation of that surface.

A Mariner television picture is an array of numbers representing image brightness of points within the image array. The original picture is recorded on magnetic tape and reconstituted as a photographic image with special video to film convertors. The picture data sets contain far more information than can be printed on film or photographic paper. New or newly modified cartographic techniques are therefore utilized in conjunction with traditional ones for television cartography. These include the use of computers to enhance and transform pictures geometrically, and the use of an airbrush to retouch mosaics or to draw shaded relief maps. These techniques were developed by a number of people (not including the author), and are described here only in general terms.

A requirement for completing the Mars mapping within a very short time resulted in the production of several generations of map products. During Mariner 9 mission operations, crude, quick-look products were required for sequence analysis and for finding the coordinates of areas of special interest for taking higher resolution pictures. Prior to completion of a preliminary net of horizontal control points, and of a set of geometrically corrected pictures, improved map products were required for preliminary scientific analysis and reporting. Even after the control net and picture processing was completed a long delay time was inevitable in making final products, requiring yet another generation of mosaics so that geologists could begin compiling their maps. It was during this stage of mosaicking that the need for custom processing of particular pictures was identified. Final mosaics were carefully controlled geometrically, and provided the control upon which the published shaded relief maps are based.

IMAGE PROCESSING

Picture data from Mariner television cameras lend themselves to computer processing of various kinds. As received from the spacecraft, and prior to reconstitution as photographic images, the pictures are arrays of numbers specifying image point brightness. In the Mariner 9 mission, these arrays were modified mathematically for a variety of special purposes. Many versions of each picture were made routinely because

- 1) Incoming data was processed as quickly as possible for preliminary analysis. Sophisticated processing could not be performed without falling behind the data acquisition rate. Preliminary enhancements were therefore done with minimum processing for mission operations use.
- 2) There is more information in the digital picture data than can be reproduced in a single photographic image.

Even the more sophisticated processes applied to the pictures after mission operations may therefore require more than one kind of enhancement.

Figures 1 through 7 are examples of the various kinds of computer enhanced pictures that were routinely produced and used in Mars cartography with Mariner 9 pictures.

Custom processing of selected frames is often required for special purpose mapping because production processing of digital pictures results in some loss of image details. This loss was usually considered acceptable for 1:5,000,000 Mars mapping, but 1:1,000,000 maps must show all available image information to be useful. Much of the resolution loss resulting from geometric transformation can be avoided if the picture is transformed to a larger array of image points than the untransformed image array. This condition is illustrated in fig. 6.

Occasionally, standard processing results in tone and contrast mismatch between overlapping pictures in a mosaic. This can be corrected by modifying the parameters used to enhance contrast in one or both of the pictures, and reprocessing the pictures.

A correction for variation of picture density caused by variation in solar illumination is required if surface albedo markings are to be portrayed accurately on maps. The ways in which Martian surface materials reflect light are not fully understood, but reasonable empirical models can be used for removing the gross effects of sun angle variation from a picture. Figure 7 is a small scale Mariner 9 picture that is uncorrected for sun angle variation. Figure 8 is the same picture with the correction made.

MOSAICS

Four generations of mosaics of Mariner 9 pictures were made to satisfy the requirements of mission operations sequence anal-




Figure 1.--A "raw" picture received from Mariner 9. The image signal from the Martian surface occupies a narrow band within the very broad dynamic range of the camera. Furthermore, tonal variations caused by variable density across the video tube are greater than those in the target. An unenhanced "raw" image with such low contrast has virtually no cartographic utility. (Picture DAS 6895738)




Figure 2.--"Shading corrected" picture received from Mariner 9. The known shading characteristics of the Mariner 9 camera have been subtracted from the picture. The contrast of the picture was then enhanced to utilize the full tonal range available in the photographic print. Although pictures processed in this way show surface albedo markings undistorted by camera shading, variation in solar incidence angle across the scene usually causes shading that is much greater than these albedo variations. (DAS 6895738)




Figure 4.--"Reduced Data Record" (RDR) picture. Reseau marks, geometric distortions and camera shading have been removed from these pictures and the contrast enhanced. The RDR processing was intended to produce optimum enhancement of pictures for general purpose interpretation. (DAS 6895738)




Figure 5.--Map projection processing. The RDR pictures were high-pass filtered and geometrically transformed to a Mercator, Lambert conformal, or Polar stereographic projection, as appropriate. The transformed pictures were intended primarily for making mosaics. The fine detail is degraded as a result of the geometric processing because individual elements are averaged in generating the transformed output. (DAS 6895738)




Figure 6a.--The dark area represents the actual shape that should be assumed by a single picture element in a hypothetical transformation.

6b.--The picture element of 6a is represented by four picture elements in the transformation array. The shape and density of the original picture element is lost.

6c.--The picture element of 6a is represented by many picture elements in the transformation array. Its shape and density is diffused, but not lost.




Figure 7.--"Shading-corrected" version of a Mariner 9 picture.
The wide variation in illumination between the sunlit
limb of Mars and the terminator obscures the surface
mottling. (DAS 12994387)




Figure 8.--"Sun-angle corrected" version of the picture in fig. 7.

ysis, preliminary scientific analysis of the Martian surface, preliminary geologic mapping, and to provide a geometrically accurate base for final topographic and geologic mapping. Figures 9 through 12 are examples of these mosaics.

AIRBRUSH ENHANCEMENT

An essential stage in television cartography is performed with a tiny spraygun called an airbrush. This stage is required because it is not economically feasible to perform certain important processing functions in a computer. These functions include:

- 1) eliminating distracting picture edge effects in mosaics
- 2) compositing all available image data into a single pictorial representation of the planetary surface
- 3) separating relief from light and dark markings, so that colored geologic overprints may be superimposed without color distortion caused by tonal variation in the base map.

Simple airbrush enhancement of mosaics is a useful and inexpensive technique for cosmetic improvement of mosaics. Mosaic artifacts can be reduced, and image enhancement can be performed, although image enhancement if carried out in detail, quickly becomes as expensive as totally redrawing the map with the airbrush. Figures 13 through 16 illustrate the effect of the airbrush enhancement technique.

Enhancing mosaics is a means of providing useful interim cartographic products quickly, before the final maps are complete. The final maps are shaded relief drawings in which all the processing functions listed above are performed. Figures 17 through 19 are examples of airbrush drawings.

An airbrush drawing is a marked improvement over a mosaic because it incorporates all information visible on all enhancements of all pictures of a given area. Figures 20 and 21 show the difference between a mosaic and an airbrush drawing.




Figure 9a.--"Variable-scale" mosaic of the Tharsis (MC 9) quadrangle of Mars. "Variable-scale" mosaics were made during the Mariner 9 mission with contact prints from the 70mm video film recorder at JPL. High-pass filtered and vertical AGC enhancements were used in this mosaic. Horizontal placement of pictures was made solely with reference to picture footprints predicted in sequence planning (the POGASIS program). These mosaics were the earliest cartographic products from Mariner 9, and were used to review existing photo coverage and to plan subsequent data gathering.





Figure 9b.--"Variable-scale" mosaic of the Syrtis Major (MC 13) quadrangle of Mars.




Prepared in cooperation with Jet Propulsion Laboratory, California Institute of Technology and National Aeronautics and Space Administration, under JPL contract number 49-0112

This mosaic was made with uncorrected Mariner 9 computer enhanced pictures (original automatic gain to control horizontal scale) for a "best fit" based on spacecraft tracking data. Discrepancies between image positions are as large as one degree in latitude and one degree in longitude.




IDENTIFICATION NUMBER OF PICTURES IN THE MOSAIC

Index	Production	WTS	WTS	Label	Production	WTS	WTS
1	181	1518	11	12	181	1518	11
2	181	1518	11	13	181	1518	11
3	181	1518	11	14	181	1518	11
4	181	1518	11	15	181	1518	11
5	181	1518	11	16	181	1518	11
6	181	1518	11	17	181	1518	11
7	181	1518	11	18	181	1518	11
8	181	1518	11	19	181	1518	11
9	181	1518	11	20	181	1518	11
10	181	1518	11	21	181	1518	11
11	181	1518	11	22	181	1518	11
12	181	1518	11	23	181	1518	11
13	181	1518	11	24	181	1518	11
14	181	1518	11	25	181	1518	11
15	181	1518	11	26	181	1518	11
16	181	1518	11	27	181	1518	11
17	181	1518	11	28	181	1518	11
18	181	1518	11	29	181	1518	11
19	181	1518	11	30	181	1518	11
20	181	1518	11	31	181	1518	11
21	181	1518	11	32	181	1518	11
22	181	1518	11	33	181	1518	11
23	181	1518	11	34	181	1518	11
24	181	1518	11	35	181	1518	11
25	181	1518	11	36	181	1518	11
26	181	1518	11	37	181	1518	11
27	181	1518	11	38	181	1518	11
28	181	1518	11	39	181	1518	11
29	181	1518	11	40	181	1518	11
30	181	1518	11	41	181	1518	11
31	181	1518	11	42	181	1518	11
32	181	1518	11	43	181	1518	11
33	181	1518	11	44	181	1518	11
34	181	1518	11	45	181	1518	11
35	181	1518	11	46	181	1518	11
36	181	1518	11	47	181	1518	11
37	181	1518	11	48	181	1518	11
38	181	1518	11	49	181	1518	11
39	181	1518	11	50	181	1518	11
40	181	1518	11	51	181	1518	11
41	181	1518	11	52	181	1518	11
42	181	1518	11	53	181	1518	11
43	181	1518	11	54	181	1518	11
44	181	1518	11	55	181	1518	11
45	181	1518	11	56	181	1518	11
46	181	1518	11	57	181	1518	11
47	181	1518	11	58	181	1518	11
48	181	1518	11	59	181	1518	11
49	181	1518	11	60	181	1518	11
50	181	1518	11	61	181	1518	11
51	181	1518	11	62	181	1518	11
52	181	1518	11	63	181	1518	11
53	181	1518	11	64	181	1518	11
54	181	1518	11	65	181	1518	11
55	181	1518	11	66	181	1518	11
56	181	1518	11	67	181	1518	11
57	181	1518	11	68	181	1518	11
58	181	1518	11	69	181	1518	11
59	181	1518	11	70	181	1518	11
60	181	1518	11	71	181	1518	11
61	181	1518	11	72	181	1518	11
62	181	1518	11	73	181	1518	11
63	181	1518	11	74	181	1518	11
64	181	1518	11	75	181	1518	11
65	181	1518	11	76	181	1518	11
66	181	1518	11	77	181	1518	11
67	181	1518	11	78	181	1518	11
68	181	1518	11	79	181	1518	11
69	181	1518	11	80	181	1518	11
70	181	1518	11	81	181	1518	11
71	181	1518	11	82	181	1518	11
72	181	1518	11	83	181	1518	11
73	181	1518	11	84	181	1518	11
74	181	1518	11	85	181	1518	11
75	181	1518	11	86	181	1518	11
76	181	1518	11	87	181	1518	11
77	181	1518	11	88	181	1518	11
78	181	1518	11	89	181	1518	11
79	181	1518	11	90	181	1518	11
80	181	1518	11	91	181	1518	11
81	181	1518	11	92	181	1518	11
82	181	1518	11	93	181	1518	11
83	181	1518	11	94	181	1518	11
84	181	1518	11	95	181	1518	11
85	181	1518	11	96	181	1518	11
86	181	1518	11	97	181	1518	11
87	181	1518	11	98	181	1518	11
88	181	1518	11	99	181	1518	11
89	181	1518	11	100	181	1518	11
90	181	1518	11	101	181	1518	11
91	181	1518	11	102	181	1518	11
92	181	1518	11	103	181	1518	11
93	181	1518	11	104	181	1518	11
94	181	1518	11	105	181	1518	11
95	181	1518	11	106	181	1518	11
96	181	1518	11	107	181	1518	11
97	181	1518	11	108	181	1518	11
98	181	1518	11	109	181	1518	11
99	181	1518	11	110	181	1518	11
100	181	1518	11	111	181	1518	11
101	181	1518	11	112	181	1518	11
102	181	1518	11	113	181	1518	11
103	181	1518	11	114	181	1518	11
104	181	1518	11	115	181	1518	11
105	181	1518	11	116	181	1518	11
106	181	1518	11	117	181	1518	11
107	181	1518	11	118	181	1518	11
108	181	1518	11	119	181	1518	11
109	181	1518	11	120	181	1518	11
110	181	1518	11	121	181	1518	11
111	181	1518	11	122	181	1518	11
112	181	1518	11	123	181	1518	11
113	181	1518	11	124	181	1518	11
114	181	1518	11	125	181	1518	11
115	181	1518	11	126	181	1518	11
116	181	1518	11	127	181	1518	11
117	181	1518	11	128	181	1518	11
118	181	1518	11	129	181	1518	11
119	181	1518	11	130	181	1518	11
120	181	1518	11	131	181	1518	11
121	181	1518	11	132	181	1518	11
122	181	1518	11	133	181	1518	11
123	181	1518	11	134	181	1518	11
124	181	1518	11	135	181	1518	11
125	181	1518	11	136	181	1518	11
126	181	1518	11	137	181	1518	11
127	181	1518	11	138	181	1518	11
128	181	1518	11	139	181	1518	11
129	181	1518	11	140	181	1518	11
130	181	1518	11	141	181	1518	11
131	181	1518	11	142	181	1518	11
132	181	1518	11	143	181	1518	11
133	181	1518	11	144	181	1518	11
134	181	1518	11	145	181	1518	11
135	181	1518	11	146	181	1518	11
136	181	1518	11	147	181	1518	11
137	181	1518	11	148	181	1518	11
138	181	1518	11	149	181	1518	11
139	181	1518	11	150	181	1518	11
140	181	1518	11	151	181	1518	11
141	181	1518	11	152	181	1518	11
142	181	1518	11	153	181	1518	11
143	181	1518	11	154	181	1518	11
144	181	1518	11	155	181	1518	11
145	181	1518	11	156	181	1518	11
146	181	1518	11	157	181	1518	11
147	181	1518	11	158	181	1518	11
148	181	1518	11	159	181	1518	11
149	181	1518	11	160	181	1518	11
150	181	1					



This mosaic is made with computer-enhanced, unrectified
Aerobee 3 pictures provided by the Jet Propulsion Labora-
tory, Mission and Test Team System (MTS). The original
McGraw-Hill Data Central (form 502) version is used. The
pictures were taken for a test run of the U.S. Geologi-
cal Survey using spacecraft tracking data. Discrepancies
between image positions are as large as one degree in
latitude and longitude.




Prepared under JPL contract 90-0122



IDENTIFICATION NUMBERS OF PICTURES IN THE MOSAIC

Label	Resolution	MTS	File No.	Time	Resolution	MTS	File No.
1	500	4218	15	00:00:00	25	114	4122
2	500	4218	26	00:00:00	25	114	4122
3	500	4218	29	00:00:00	25	114	4122
4	500	4218	32	00:00:00	25	114	4122
5	500	4218	35	00:00:00	25	114	4122
6	500	4218	38	00:00:00	25	114	4122
7	500	4218	41	00:00:00	25	114	4122
8	500	4218	44	00:00:00	25	114	4122
9	500	4218	47	00:00:00	25	114	4122
10	500	4218	50	00:00:00	25	114	4122
11	500	4218	53	00:00:00	25	114	4122
12	500	4218	56	00:00:00	25	114	4122
13	500	4218	59	00:00:00	25	114	4122
14	500	4218	62	00:00:00	25	114	4122
15	500	4218	65	00:00:00	25	114	4122
16	500	4218	68	00:00:00	25	114	4122
17	500	4218	71	00:00:00	25	114	4122
18	500	4218	74	00:00:00	25	114	4122
19	500	4218	77	00:00:00	25	114	4122
20	500	4218	80	00:00:00	25	114	4122
21	500	4218	83	00:00:00	25	114	4122
22	500	4218	86	00:00:00	25	114	4122
23	500	4218	89	00:00:00	25	114	4122
24	500	4218	92	00:00:00	25	114	4122
25	500	4218	95	00:00:00	25	114	4122
26	500	4218	98	00:00:00	25	114	4122
27	500	4218	101	00:00:00	25	114	4122
28	500	4218	104	00:00:00	25	114	4122
29	500	4218	107	00:00:00	25	114	4122
30	500	4218	110	00:00:00	25	114	4122
31	500	4218	113	00:00:00	25	114	4122
32	500	4218	116	00:00:00	25	114	4122
33	500	4218	119	00:00:00	25	114	4122
34	500	4218	122	00:00:00	25	114	4122
35	500	4218	125	00:00:00	25	114	4122
36	500	4218	128	00:00:00	25	114	4122



MARS CHART
MC-13
UNCONTROLLED PHOTOMOSAIC
MARCH 1972

Figure 10b.--Uncontrolled mosaic of the Syrtis Major quadrangle of Mars.




Figure 10c.--The computed footprint shape of a Mariner 9 picture (DAS 6895738) to which the high-pass filtered version of that picture was fitted for making uncontrolled mosaics.



This mosaic is made with computer enhanced Mariner 4 pictures, rectified and tied to a Mercator projection. Computer processing was performed by the Ames Research Laboratory (ARL) for the Jet Propulsion Laboratory (JPL). Processing included contrast enhancement and histogram equalization to equalize contrast and to correct for banding and other variations. Photographic reproductions of the mosaic were prepared from the JPL master negative tapes and rescaled by the U.S. Geological Survey.

Relative horizontal placement of pictures is controlled by spacecraft tracking data, with adjustment to fit the Mariner 4 control set of Mars, 1972 (Greeley, R.C., 1972; Mariner 4 control set of Mars, August, 1972; Reed Corp., 1972-1974) where available. Horizontal adjustment of pictures was also performed. Pictures are shown at the correct latitudes and longitudes of the control points identified and numbered on sheet (Table 1). Picture corners are used to identify the edges of the mosaic which. Standard deviation of these elements does not exceed 5 m. The projection is based on a theoretical dynamical ellipticity of 1/102. The scale is based on an equatorial radius of 3392.4 km.





Prepared under JPL contract 80-0122




IDENTIFICATION NUMBERS OF PICTURES IN THE MOSAIC

Picture No.	Picture No.	Picture No.	Picture No.
1	11	21	31
2	12	22	32
3	13	23	33
4	14	24	34
5	15	25	35
6	16	26	36
7	17	27	37
8	18	28	38
9	19	29	39
10	20	30	40
11	21	31	41
12	22	32	42
13	23	33	43
14	24	34	44
15	25	35	45
16	26	36	46
17	27	37	47
18	28	38	48
19	29	39	49
20	30	40	50
21	31	41	51
22	32	42	52
23	33	43	53
24	34	44	54
25	35	45	55
26	36	46	56
27	37	47	57
28	38	48	58
29	39	49	59
30	40	50	60
31	41	51	61
32	42	52	62
33	43	53	63
34	44	54	64
35	45	55	65
36	46	56	66
37	47	57	67
38	48	58	68
39	49	59	69
40	50	60	70
41	51	61	71
42	52	62	72
43	53	63	73
44	54	64	74
45	55	65	75
46	56	66	76
47	57	67	77
48	58	68	78
49	59	69	79
50	60	70	80
51	61	71	81
52	62	72	82
53	63	73	83
54	64	74	84
55	65	75	85
56	66	76	86
57	67	77	87
58	68	78	88
59	69	79	89
60	70	80	90
61	71	81	91
62	72	82	92
63	73	83	93
64	74	84	94
65	75	85	95
66	76	86	96
67	77	87	97
68	78	88	98
69	79	89	99
70	80	90	100



**THARSIS
MC-9**
M5M 15/12 5M
SEMICONROLLED PHOTOMOSAIC
FEBRUARY 1973

Figure 11a.--Semicontrolled mosaic of the Tharsis quadrangle of Mars. "Semicontrolled" mosaics were made with enhanced pictures geometrically transformed to the appropriate map projections. Horizontal placement was controlled by available preliminary primary control points. Where these points were not available, images on adjacent pictures were matched and adjusted to fit spacecraft tracking data (SEDR). These mosaics were made for detailed scientific analysis as an intermediate stage prior to completion of final maps.




This mosaic was made with Mariner 9 pictures provided by the Jet Propulsion Laboratory (JPL), California Institute of Technology. The image processing Laboratory (JPL) at JPL processed the digital pictures to remove image artifacts and geometric distortions, to enhance high-frequency topographic detail while retaining low-frequency albedo variations, and to produce the mosaic in a Mercator projection. The U.S. Geological Survey has outlined the areas outlined around the mosaic to indicate coverage and tone of each picture and to show the mosaic's location on the planet. Photographic reproductions of the pictures were prepared from the magnetic tape and mosaicked by the U.S. Geological Survey.

Primary horizontal control points, where available, controlled the placement of pictures. Where these points were not available, picture placements were controlled by stereo pair matching data and by matching images to existing maps. The mosaic is based on an assumed spheroidal shape of 3959.6 km. and has a scale of 1:5,000,000. The mosaic dimensions and positions of the primary control points, shown by broken circles (1/4 in. size) given by Davies and Archer (1973).

Atmospheric haze is shown on this mosaic. The projection is based on a spheroidal spheroid of radius of 3959.6 km. The scale is based on an assumed spheroid of 3959.6 km.

Selected References

- Brown, R. M., 1973. Cartographic products from the Mariner 9 mission. (in press).
- Davies, M. E., and Archer, G. W., 1973. Martian surface coordinates. (in press).





Prepared under JPL contract J0-8122




IDENTIFICATION NUMBERS OF PICTURES IN THE MOSAIC

Index No.	PIX. No.	Index No.	PIX. No.
1	0248029	21	0248043
2	0248031	22	0248045
3	0248033	23	0248047
4	0248035	24	0248049
5	0248037	25	0248051
6	0248039	26	0248053
7	0248041	27	0248055
8	0248043	28	0248057
9	0248045	29	0248059
10	0248047	30	0248061
11	0248049	31	0248063
12	0248051	32	0248065
13	0248053	33	0248067
14	0248055	34	0248069
15	0248057	35	0248071
16	0248059	36	0248073
17	0248061	37	0248075
18	0248063	38	0248077
19	0248065	39	0248079
20	0248067	40	0248081



**SYRTIS MAJOR
MC-13
M 5M 15/292 SM
SEMICONTROLLED PHOTOMOSAIC
FEBRUARY 1973**

Figure 11b.--Semicontrolled mosaic of the Syrtis Major quadrangle of Mars.



```

MARINER 9 148A25/27  YR 72 DAY 27 GMT 034515 DAS TIME 06895738
PICTURE NUMBER 04532  EXP TIME 48 MSEC  FILTER PDS 5
ALT 2736 KM  APPROX WIDTH 659 KM  APPROX HT 531 KM
VIEW ZENITH ANGLE 17.3  SOLAR ZENITH ANGLE 69.4  PHASE ANGLE 83.6
LONGITUDE-CENTER 131.8  CORNERS 137.5 125.2 138.8 126.6
LATITUDE--CENTER 21.8  CORNERS 26.6 25.3 17.4 16.4
*GEOA - *FICOR71

```

Figure 11c.--The computed shape of the footprint of Mariner 9 picture 6895738, superimposed on the scaled and transformed version of that picture. The footprints were drawn by connecting their computed corner points with straight lines and therefore do not match the picture edges. The corner points of the pictures are defined as the corner reseau points, which are not precisely in the corners of the picture images.



Figure 13.--Unretouched photomosaic of the Tharsis Quadrangle of Mars.




Figure 14.--First stage of retouching. Light toned areas on the mosaic have been darkened with the airbrush.



Figure 15.--Negative copy of the first stage of retouching.
Light toned areas on the negative are darkened with the
airbrush.



Figure 16.--Final retouched copy of the mosaic with uniform tone throughout.




Figure 17.--Shaded relief map of the Syrtis Major quadrangle of Mars. This version, from which all non-topographic image information has been excluded, is a suitable base for colored geologic overprints. The illustrator has examined all available computer processed versions of all Mariner 9 pictures of the area, and added many details not visible in the mosaic. Contrast is exaggerated, but relative contrast values have been carefully preserved.





Figure 18.--Light and dark markings on the Syrtis Major quadrangle. These markings are taken solely from Mariner 9 pictures, and differ significantly from earth-based observation of the area. This difference is caused by cloud cover, wind generated patterns altered by the great dust storm of 1971, and by the vast increase in resolution over the Earth-based observations. Separating drawings of markings from drawings of topography permits independent revision of one without modification of the other.






Figure 19.--Composite print of topography and markings on the Syrtis Major quadrangle.



Figure 20.--A section of the mosaic of the Syrtis Major quadrangle of Mars. The best available pictures were used, but even they show only part of the surface information available on other pictures. For example, computer processing that enhanced topography in the pictures subdued, but did not eliminate, surface markings and non-topographic tonal variation. The mosaic is not a suitable base for colored geologic overprints because the colors are distorted by variation on the base tone.




Figure 21.--A section of an airbrush drawing of the area of the Syrtis Major quadrangle shown in fig. 20. Many details not visible in the mosaic have been added through examination of all available pictures of the area.

CONCLUSIONS

The combination of traditional mapping and mosaicking methods with computer processing of digital images and airbrush enhancement is a new cartographic technique and one that is applicable to all planetary mapping with Mariner type spacecraft. The cartography of Mars with Mariner 9 pictures has been the proving ground for the processes illustrated here, but the methods are under continuing development, particularly in the area of computer processing. Mosaics have been assembled entirely within the computer; the day may not be far off when this will be done routinely. We may expect to see more and more sophisticated picture enhancement in the computer.

All phases of television cartography require human interaction. Even in computer processing, few operations are fully automated, nor are they likely to be in the near future. What is probable is that cartographers, mosaickers and illustrators will begin spending less and less time at their drafting tables and more and more time at television display consoles of computers.

ACKNOWLEDGEMENTS

Initial processing of Mariner 9 pictures was done by personnel of the Jet Propulsion Laboratory (JPL) with the Mission Test Computer (MTC), Mission Test and Video System (MTVS). This organization produced figures 1 through 3, figure 7, and the pictures in figures 9 and 10.

The RDR, map projection processing, and much of the custom processing of Mariner 9 pictures was done by the Image Processing Laboratory (IPL) of JPL. This organization produced figures 4 and 5, the pictures in figures 11 through 16, and the pictures in figure 20.

Further custom processing and substantial contributions to the techniques of image processing for television cartography were made by L. A. Soderblom and the image processing unit at

the U.S. Geological Survey's Center of Astrogeology. This group produced the picture in figure 8.

The Illustrations unit at the Center of Astrogeology is responsible for the final formatting and reproduction for limited distribution of map products. The key personnel in this effort were R. D. Carroll and W. E. Miller.

The Cartographic unit at the Center of Astrogeology, under the direction of the author, is responsible for compilation of the map products illustrated here, with the exception of the controlled mosaic of figure 12. Projection computation and plotting were done by K. B. Larson. Mosaics were made by V. S. Reed, R. L. Tyner, and V. C. Cheeseman. The airbrush touchup and drawings were done by P. M. Bridges.

Personnel of U.S. Geological Survey's Special Map Center at Reston, Va. compiled the controlled mosaic of figures 12 through 16.

BIBLIOGRAPHY OF MARS CARTOGRAPHY

The Mariner 9 mission

Masursky, Harold, et. al., Television experiment for Mariner Mars 1971, Icarus, 12, 10, 1970.

Masursky, Harold, An overview of geologic results from Mariner 9, J. Geophys. Res., 78, 4009, 1973.

Miscellaneous Cartography

Batson, R. M., Cartographic products from the Mariner 9 mission, J. Geophys. Res., 78, 4424, 1973.

Batson, R. M., Mars Cartography: The 1:5,000,000 map series, U.S. Geological Survey Interagency Report: Astrogeology 56, Sept., 1973.

Inge, J. L., Principles of Lunar Illustrations, ACIC Ref. Publ. RP-72-1, United States Air Force, 1972.

Inge, J. L., and Baum, W. A., A comparison of Martian albedo features with topography, Icarus, 19, 323, 1973.

MacDonald, T. L., The origins of Martian nomenclature, Icarus, 15, 233, 1971.

de Vaucouleurs, Gerard, et. al., Preliminary albedo map of the south polar region, J. Geophys. Res., 78, 4436, 1973.

Image Processing

Levinthal, E. C., et. al., Mariner 9 - Image processing and products, Icarus, 18, 75, 1973.

Geodesy

Davies, M. E., and Arthur, D. W. G., Martian surface coordinates, J. Geophys. Res., 78, 4395, 1973.

Davies, M. E., Mariner 9 Control Net of Mars: June, 1973, Rand R-1309-JPL Rand Corporation, Santa Monica, Calif., 1973.

Lorell, Jack, et. al., Gravity field of Mars from Mariner 9 tracking data, Icarus, 18, 304, 1973.

Lorell, Jack, and Shapiro, I., The Mariner 9 celestial mechanics experiment: A status report, J. Geophys. Res., 78, 4327, 1973.

de Vaucouleurs, G., Davies, M. E., and Sturms, F. M., The Mariner 9 areographic coordinate system, J. Geophys. Res., 78, 4395, 1973.

Topographic measurement

Blasius, K. R., A study of Martian topography by analytic photogrammetry, J. Geophys. Res., 78, 4411, 1973.

Cain, D. L., et. al., Approximations to the mean surface of Mars and Mars atmosphere using Mariner 9 occultations, J. Geophys. Res., 78, 4352, 1973.

Conrath B., et. al., Atmospheric and surface properties of Mars obtained by infrared spectroscopy on Mariner 9, J. Geophys. Res., 78, 4268, 1973.

Downs, G. S., et. al., Mars radar observations, A preliminary report, Science, 174, 1324, 1971.

Goldstein, R. M., et. al., Preliminary radar results of Mars, Radio Sci., 5, 475, 1970.

Hord, C. W., et. al., Ultraviolet spectroscopy experiment for Mariner Mars 1971, Icarus, 13, 63, 1970.

Hord, C. W., et. al., Mariner 9 ultraviolet spectrometer experiment: photometry and topography of Mars, Icarus, 17, 443, 1972.

Kieffer, H. H., et. al., Preliminary report on infrared radiometric measurements from the Mariner 9 spacecraft, J. Geophys. Res., 78, 4291, 1973.

Kliore, A. J., et. al., Atmosphere and topography of Mars from Mariner 9 radio occultation measurements, Icarus, 17, 484, 1972.

Kliore, A. J., et. al., S band radio occultation measurements of the atmosphere and topography of Mars with Mariner 9: Extended mission coverage of polar and intermediate latitudes, J. Geophys. Res., 78, 4331, 1973.

Pettengill, G. H., et. al., Radar measurements of Martian topography, Astron. J., 74, 461, 1969.

Pettengill, G. H., et. al., Martian craters and a scarp as seen by radar, Science, 174, 13211, 1971.

Rogers, A. E., et. al., Radar measurements of the surface topography and roughness of Mars, Radio Sci., 5, 465, 1970.

Wu, S. S. C., et. al., Photogrammetric evaluation of Mariner 9 photography, J. Geophys. Res., 78, 4405, 1973.