NATIONAL AERONAUTICS AND SPACE ADMINISTRATION

Ranger VII Photographs of the Moon Part III: Camera "P" Series

PHOTOGRAPHIC EDITION

JET PROPULSION LABORATORY
CALIFORNIA INSTITUTE OF TECHNOLOGY
February 10, 1965

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION

Ranger VII Photographs of the Moon Part III: Camera "P" Series


PHOTOGRAPHIC EDITION

JET PROPULSION LABORATORY
CALIFORNIA INSTITUTE OF TECHNOLOGY
February 10, 1965


Jet Propulsion Laboratory California Institute of Technology

Prepared under Contract No. NAS 7-100 National Aeronautics and Space Administration

Ranger VII Photographs of the Moon Part III: Camera "P" Series



View of impact area under illumination conditions encountered by Ranger VII*



Enlarged view of impact area under full-Moon illumination*

*Photographs courtesy Lunar and Planetary Laboratory, University of Arizona, Tucson, Arizona

FOREWORD

This volume is the third and last in the series presenting Ranger VII photographs of the Moon. The first two volumes* contain all of the photographs taken by the A and B cameras. Part III includes 758 of the more than 3900 photographs taken with the four partial-scan P cameras.

Because of the high picture-taking rate of the P cameras, there is redundancy in the photographs taken with these cameras. In addition, the A and B cameras cover much of the same areas at similar resolutions. The frames presented in this volume were selected so that the sampling increases with the proximity of the spacecraft to the Moon. All of the last 70 frames are included. Each frame contains a photograph from each of the four P cameras. The fast cycling rate of the P cameras allowed a dozen photographs to be taken after the last A camera photograph. These last 12 pictures represent the highest resolution achieved by *Ranger VII*.

The last ten frames in this atlas are duplicates of photographs 181–190, with digital computer processing employed to reduce coherent noise and suppress the camera reticles.** A slight amount of filtering was used to bring out high-frequency detail. The computer processed data were taken directly from the magnetic tapes and then digitized for application to the computer.

An attempt has been made to remove the camera reticles, but there remains a residue from the removal process. In addition to small portions of the reticles, there are vertical and horizontal lines in varying degrees on most of the pictures which were introduced by the computer

processing. Other less significant effects are visible upon close examination; the unprocessed photographs can be used as a guide for questionable detail.

This volume completes the set of atlases which has been prepared in order to provide the scientific community with the photographic results of the Ranger VII mission. The Ranger Experimenter team has prepared a project report[†] on their analyses and interpretations of the Ranger VII photographic data. The Experimenter team has as its members the following scientists:

Principal Investigator

Dr. Gerard P. Kuiper, Director, Lunar and Planetary Laboratory, University of Arizona, Tucson, Arizona.

Co-experimenters

Mr. R. L. Heacock, Chief, Lunar and Planetary Instruments Section, Jet Propulsion Laboratory, Pasadena, California.

Dr. E. M. Shoemaker, Chief, Astrogeology Branch, U. S. Geological Survey, Flagstaff Arizona

Dr. H. C. Urey, Professor at Large, School of Science and Engineering, University of California at La Jolla, California.

Mr. E. A. Whitaker, Research Associate, Lunar and Planetary Laboratory, University of Arizona, Tucson, Arizona.

^{*}Ranger VII, Photographs of the Moon, Part I: Camera "A" Series, August 27, 1964; Ranger VII Photographs of the Moon, Part II: Camera "B" Series, December 15, 1964.

^{**}Ranger VII, Part I: Mission Description and Performance, Technical Report No. 32-700, December 15, 1964.

[†]R. L. Heacock, G. P. Kuiper, E. M. Shoemaker, H. G. Urey, and E. A. Whitaker, Ranger VII, Part II. Experimenters' Analyses and Interpretations, Technical Report No. 32-700, February 10, 1965.

ACKNOWLEDGEMENTS

The lunar photographs contained in this atlas are one significant result of the National Aeronautics and Space Administration's Lunar and Planetary Programs—specifically the *Ranger* project. This project is being managed for NASA by the Jet Propulsion Laboratory, California Institute of Technology, which is directed by Dr. W. H. Pickering.

The Ranger team includes members from several of the NASA centers, numerous industrial concerns, universities, and other Government agencies. The many elements of the team are widely dispersed throughout the United States, and additionally include tracking stations at Johannesburg, South Africa, and Woomera, Australia, operated by the respective governments of these countries.

The Ranger VII mission was a classic "textbook" operation. The precision with which it was executed and the high quality of the results are due to the excellent and dedicated manner in which each member of the team did his job. To name all of the organizations and individuals contributing to the project is, regrettably, an impossible task. However, the man responsible for guiding their efforts toward a single purpose, Mr. H. M. Schurmeier, the JPL Ranger Project Manager, should be mentioned.


In addition to the organizations and people referred to above who were directly involved in the mission, credit is due to a number of individuals who made significant contributions during the early years of the project and have since moved on to other tasks.

NASA is indebted, as will be the many scientists and engineers who will use these pictures, to each member of this team. To them goes the credit for the outstanding success that has been achieved. It is, therefore, to all of the participants in the *Ranger* project, both past and present, that this atlas is dedicated.

HOMER E. NEWELL
Associate Administrator for
Space Science and Applications
National Aeronautics and
Space Administration

CONTENTS

I.	Introduction	•				•				*	٠	٠		٠	(4)		1
II.	Ranger VII Mission Description and	Tre	aje	ctor	у		٠	12	1.5		*				(*)		2
Ш.	Impact-Area Selection and Camera	Te	rmi	na	A	igr	nm	ent				ě.		•	130		6
IV.	Television System Description										¥						9
	A. Cameras																9
	B. Receiving and Recording Equipment				٠						4			٠			9
	C. Camera Calibration	v		è					¥		¥	k	è		**	100	10
	D. Film Recording and Processing .	× ;		×	٠	(*)		**			•	×	100	A.	(20)		11
٧.	Camera P Table of Values	×		ě	¥			×	14	ı:¥		£	*:		٠		11
Ref	erences																27
Kei	erences					*	•		•	•		2	•	:# <u>:</u>			21
		TA	BL	ES													
1.	Camera characteristics				×.		•		×	•							9
2.	Preliminary table of values																15
	Control and the Control and the Control and Control an																
	,	EIG	UF	EC													
			,,,	LJ													
1.	Lunar encounter geometry		N	÷		e	140	:*:						v		H•	3
2.	Spacecraft coordinate system			×	•	٠	•			×	×		*2				4
3.	Ranger VII camera fields of view					140	0.00										5
	(a) Cameras A and B					*				*					90	٠	5
	(b) Cameras P ₁ and P ₂				*	*	(4)	•	•	×		è	٠		*	*	6
	(c) Cameras P ₃ and P ₄		*				٠					•				100	6
4.	Ranger VII preflight analysis, camera A	fig	ure	of r	ner	it co	onto	urs				*	*	ĕ	٠	•	7
5.	Ranger VII preflight analysis, camera B	figu	re (of n	eri	t co	nto	urs	90	*	15	.*.		(*)	(%)	i.ec	7
6.	Typical light-transfer characteristics .		•		•	٠		1.5	•		×	ž	ř	•	٠		10
7.	Typical sine-wave response	٠	•	•		٠	•	gr)	2.0		•		•			145	10
8.	Camera nesting and coverage	075															10
	 a. Nesting of four P camera photograph b. Early P camera photograph 	ns	•	•		55						•	¥.	•	160	197	12 13
•			51			(3.0)	•		155	•	•				1.83	135	14
	Scale dimensions	*					•		•	•							
10.	Altitude and range definition		4		*		100		•	•	*	*	(6)				14
	Panger VII photometric geometry																14



I. INTRODUCTION*

The development of the basic Ranger spacecraft system was initiated in 1959. The spacecraft was conceived as a fully attitude-stabilized platform from which lunar or planetary observations could be made by mounting alternate payloads on top of the basic spacecraft. A new concept involving a parking orbit was also proposed in order to permit maximum payloads to be injected on the most efficient lunar or planetary trajectory. The technique involves two burns of the second stage of the Atlas/Agena B launch vehicle to compensate for the nonideal geographical location of the launch pad and provide a more practical daily launch window.

The advantages to be gained from an attitude-stabilized spacecraft configuration include:

- Maximum effectiveness in generating power by accurately pointing solar panels at the Sun.
- 2. Establishment of an accurate angle-reference system for use as a coordinate system in which to perform a midcourse maneuver to trim the flight path and as a reference for terminal orientation.
- Provision of maximum communications by accurately pointing a high-gain antenna at the Earth.
- Feasibility of using scientific instruments which require direction determination and/or control to make their observations.

The nominal sequence of spacecraft operation after separation from the Agena B involves extending the solar panels and pointing the roll axis at the Sun for maximum solar power. The attitude-control system uses inputs from optical sensors to control small cold-gas jets to obtain and maintain proper attitude orientation. When the spacecraft is sufficiently far from the Earth, the antenna hinge angle is nominally set to point the optical Earth sensor and the high-gain antenna at the Earth. The control jets roll the spacecraft until the optical Earth sensor locks onto the Earth and high-gain directional

communication is made possible. Establishing Sun and Earth orientation in this manner provides full attitude stabilization for the cruise mode.

The midcourse maneuver is performed by establishing an appropriate pointing direction relative to the Sun–spacecraft–Earth coordinate system and firing a midcourse rocket engine to obtain the desired velocity increment. A radio-command system transmits the angles and velocity-increment requirements to the spacecraft. The commands are stored and acted upon in a controlled sequence using a gyrostabilized reference system to achieve the required orientation. Once the midcourse maneuver is complete, the spacecraft automatically resumes the cruise-mode orientation.

The spacecraft has the ability to perform a limited angular orientation in a terminal-maneuver sequence if required. The principal constraint upon orientation geometry involves maintaining the high-gain antenna pointed at the Earth.

The Ranger Block III project (consisting of Rangers VI through IX) was initiated in mid-1961. The objective of high-resolution photographs of the lunar surface could conceptually be achieved through any of several approaches, ranging from systems using long focallength optics to a technique involving a retro firing sequence. The approach which was selected used more conventional techniques and available technology. A high-power transmitter was used to provide sufficient video bandwidth for a rapid framing sequence of television pictures to impact. Two separate channels were proposed for redundancy and to permit both narrow- and wide-angle camera coverage.

The camera fields of view were arranged to provide overlapping coverage so that, with a nominal terminal orientation, a nesting sequence of photographs would be obtained from at least one of the wide-angle cameras. The narrow-angle camera frame sequence is over ten times faster than the wide-angle camera sequence to permit operation closer to the surface for higher resolution. The final design of the system included two cameras in the wide-angle system and four cameras in the narrow-angle system.

^{*}The sections that follow were prepared by Gerald M. Smith, Donald E. Willingham and William E. Kirhofer of the Jet Propulsion Laboratory, California Institute of Technology.

II. RANGER VII MISSION DESCRIPTION AND TRAJECTORY

Ranger VII was launched from Cape Kennedy on July 28, 1964, at 16:50:08 GMT, after a very smooth countdown with no unscheduled holds. The launch resulted in a trajectory which would impact the far side of the Moon. The necessary midcourse maneuver was then calculated and executed to impact the desired target area. During the launch, all booster-vehicle and spacecraft events occurred as planned. The initial boost placed the Agena B and spacecraft in a parking orbit over the Atlantic Ocean, where the Agena B second burn was initiated. Termination of this boost phase accomplished the injection of the spacecraft into an Earth-Moon transfer orbit. After separation from the Agena, the spacecraft solar panels were extended and Sun and Earth acquisition were accomplished in a normal manner.

Telemetry and doppler velocity data received following the midcourse-motor burn confirmed the desired midcourse correction. The spacecraft then returned to cruise mode by reacquiring the Sun and Earth. Post-midcourse tracking data indicated that the spacecraft would impact the Moon in the target area, 11°South and 21°West selenocentric coordinates.

After the midcourse maneuver, the terminal approach was analyzed considering the angle of illumination of the lunar surface, the direction of the velocity vector of the spacecraft, and the pointing direction of the camera system. It was established that no terminal maneuver was required for the photographic sequence. The wide-angle camera system started taking pictures at 13:08:36 GMT on July $31,\,1964,\,17$ min, 13 sec prior to impact. The narrow-angle system initiated transmission of pictures at 13:12:09 GMT, 13 min, 40 sec prior to impact. Both camera systems operated to impact at 13:25:49 GMT. The last narrow-angle picture was taken at 0.18 sec before impact from an altitude of approximately 480 meters. The area read out covers approximately 30×50 meters and has a surface resolution of about 0.5 meters.

The spacecraft encountered the Moon in direct motion along a hyperbolic trajectory, with incoming asymptote direction at an angle of -5.57° from the lunar equator. The orbit plane was inclined 26.84° to the lunar equator. Thus, the subspacecraft trace on the lunar surface was initially above the lunar equator by approximately 5°

and proceeded in a southeasterly direction, crossing the equator at a selenocentric west longitude of 42.2° in a direction 28.6° south of east some 46 min prior to impact.

At the time of the first wide-angle picture, the spacecraft seleno-centric south latitude and west longitude were 3.3 and 35.9°, respectively. At impact, the velocity vector was 25.8° from the local vertical in a direction, projected into the local horizon, 114.9° east of north. The velocity of the spacecraft at impact was 2.62 km/sec. The encounter geometry illustrated in Fig. 1 relates the trajectory and lunar trace with the lunar area viewed by each wide-angle camera. In addition, Fig. 1 gives the trace on the lunar surface viewed by the optical axis of the wide-angle cameras prior to lunar impact.

During the cruise mode and terminal portion of flight, the Ranger VII spacecraft was stabilized by a cold-gas jet attitude-control system. This system derived its reference from the Sun and Earth. The Sun sensors allowed the spacecraft roll axis to be aligned with the -Z axis toward the Sun. The Earth sensor was used to orient the high-gain antenna toward Earth. This orientation kept the Earth in the -Y, Z plane of the spacecraft. The X, Y, and Z orthogonal coordinate system associated with the spacecraft is defined in Fig. 2.

The reference direction for the camera alignment was 38° from the Z (or roll) spacecraft axis. The optical centers of all the cameras were within 0.5° of the spacecraft Y,Z plane. The relative camera alignment with spacecraft coordinates is shown in Fig. 3.

At lunar encounter, the Moon was very near its third quarter, with the projection of the Sun at a selenocentric north latitude and west longitude of 0.9 and 87.6° , respectively. The lunar libration was such that the projection of the Earth was at a lunar north latitude of 5.8° and west longitude of 5.2° . Thus, with the Sun and Earth as reference, the Y,Z spacecraft plane was then inclined to the lunar equator by approximately 5° . Because the camera axes are nearly contained in the Y,Z spacecraft plane, the cameras were, in general, pointing south of the lunar equatorial plane by approximately 5° . This explains the southerly position from the trajectory trace of the area viewed by the optical centers as illustrated in Fig. 1.




Fig. 1. Lunar encounter geometry



Fig. 2. Spacecraft coordinate system





Fig. 3. Ranger VII camera fields of view (a) Cameras A and B



III. IMPACT-AREA SELECTION AND CAMERA TERMINAL ALIGNMENT

The selection of optimum lunar aiming areas for the Ranger spacecraft requires consideration of lunar topography and photometry, camera characteristics, and spacecraft viewing geometry and trajectories. In addition, possible nonstandard flights (in terms of that desired) offer an infinite number of situations from which the optimum mode of operation must be selected. A quantitative method for quickly arriving at such decisions prior to and during flight is thus a necessity. For this purpose, a mathematical model utilizing a complete camera systems description, a generalized lunar photometric function, a human observer model, and a spacecraft-trajectory description has been developed and programmed into a digital computer (Refs. 1 and 2). Because of simplifying mathematical assumptions and lack of experimental verification prior to the Ranger VII flight, the output of the computer program is considered only a relative indication of system performance. This performance indicator, denoted as the "figure of merit," is an estimate of the smallest surface feature that can be detected by an observer viewing the output 35-mm film positive from the camera system. More explicitly, the figure of merit

is defined as the size of the smallest square element on the lunar surface having representative contrast with the background which can be detected by an observer viewing the 35-mm film.

To specify the contrast of the square surface element and the general surface luminance distribution, one must have knowledge of the lunar photometric properties. In deriving a generalized photometric function, mare observations were selected from the work of Sytinskaya and Sharonov (Ref. 3). These observations were combined and averaged to obtain a generalized reflectivity model as a function of two angles—phase angle and luminance longitude (Ref. 4). With the assumption of photometric uniformity for all levels of resolution and the use of an appropriate solar constant, a prediction of average mare brightness as a function of the above two parameters can be made.

Given the surface photometric characteristics and viewing geometry, the appropriate contrast to be used for calculating the figure of

merit would be that obtained in an average over the most probable surface orientations of lunar relief. For mathematical simplicity, an inverted right-circular cone of given base angle (a computer-program input variable) has been chosen as a representative surface feature. The viewing geometry is, of course, dependent upon the position of the lunar impact area with respect to the terminator, the trajectory characteristics, and the terminal mode orientation of the spacecraft. Hence, the average contrast is strongly dependent upon the position of the point on the lunar surface at which it is calculated.

The 35-mm film transmission distribution produced by the passage of the scene luminance distribution through the camera system can be calculated by use of conventional Fourier-transform techniques. Complete system description requires only the specification of the light-transfer characteristic from scene luminance to output film transmission and the system vertical and horizontal (perpendicular and parallel to the line scan, respectively) spatial sine-wave response functions. By neglecting phase shift, the spatial sine-wave response functions can be approximated by gaussian curves so that each can be specified completely by a gaussian width parameter. The width parameters and light-transfer characteristic of each camera are derived from preflight system calibration. Thus, with the specification of the viewing geometry, the output signal on the 35-mm film can be computed solely as a function of the square surface-element dimension.

The next step is for the human observer to view and interpret the resultant film image. He will, of course, see a certain amount of system

noise contributed primarily by system electronics and film granularity. The root-mean-square noise amplitude as a function of film transmission can be determined experimentally with a micro-densitometer. It has been assumed that the human observer optimizes viewing conditions and makes the image stand out from the background noise as much as possible. Mathematically, the observer is represented as an optimum filter maximizing the image signal-to-background-noise ratio. The characteristics of this optimum filter are completely determined by the film transmission signal, which, in turn, was created by the luminance distribution from the surface element. Hence, the resultant signal-to-noise ratio is dependent only upon the size of the square surface element being viewed. Therefore, specification of the threshold signal-to-noise ratio required for detection (with a given probability) determines the size of the minimum detectable surface element or figure of merit.

Thus, the figure of merit is a measure of the smallest objects detectable in the scene being viewed, incorporating the effects of the environment in which the system must operate, the nature of the scene, the system's inherent parameters, and the human observer capabilities.

During a preflight operational mode, necessary system parameters and encounter geometry are known. With the assumption of a time before impact at which the last picture is taken and the specification of a representative cone base angle, threshold signal-to-noise ratio, and spacecraft terminal-mode orientation, the figure of merit can be




Fig. 4. Ranger VII preflight analysis, camera A figure of merit contours




Fig. 5. Ranger VII preflight analysis, camera B figure of merit contours

calculated as a function of impact latitude and longitude. In addition, the root-mean-square image motion over the camera field of view is calculated for each impact point. Combined contours are then drawn using only the larger of the two values (figure of merit or image motion); where image motion is the larger, the contours are dashed. In practice, two terminal orientations are examined prior to launch: (1) the normal orientation of the central camera reference axis along the trajectory vector, thus minimizing image motion, and (2) the no-terminal-maneuver orientation.

Representative contours are shown in Figs. 4 and 5. It will be noted that the optimum impact area for camera F_B —that is, the contour which indicates the smallest figure-of-merit value—occurs approximately 25° from the terminator, while for camera F_A , the optimum is about 10° from the terminator. Note also the computer-program input parameters indicated on the Figures.

The contours were further superimposed with lunar topographic characteristics (mare impact areas were desired) and predicted mission aiming accuracies to obtain a primary target area of 11°South latitude and 21°West longitude for a July 28 launch. Primary aiming points were selected for the other possible launch dates in the same manner.

After the Ranger VII spacecraft successful launch, injection, and midcourse correction had assured impact in the prelaunch aiming area, the detailed terminal-mode study was begun. In all, seven terminal orientations were examined. The small amount of image motion (0.7 meter in the last P camera frame) and the very desirable surface trace in the no-terminal-maneuver case, combined with the relative insensitivity of the figure of merit to orientation changes within those considered, made the no-terminal-maneuver orientation nearly optimum.

IV. TELEVISION SYSTEM DESCRIPTION

A. Cameras

The Ranger Block III spacecraft television system contains six cameras, divided into two separate channels designated P and F. Each channel is self-contained, with separate power supplies, timers, and transmitters. All six cameras are fundamentally the same, with differences in exposure times, fields of view, lenses, and scan rates distinguishing the individual cameras (Table 1).

Table 1. Camera characteristics

			Ca	mera		
Characteristic	Α	В	Pı	P ₂	P ₃	P ₄
Focal length, mm	25	76	76	76	25	25
f number	1.0	2.0	2.0	2.0	1.0	1.0
Frame time, sec	2.56	2.56	0.2	0.2	0.2	0.2
Horizontal frequency, cps	450	450	1500	1500	1500	1500
Exposure time, msec	5	5	2	2	2	2
Field of view*, deg	25	8.4	2.1	2.1	6.3	6.3
Target size, deg	1.1	11	2.8	2.8	2.8	2.8
Scan lines	1150	1150	300	300	300	300
Time between frames, sec	5.12	5.12	0.84	0.84	0.84	0.84

^{*}The actual field of view is somewhat smaller than the given numbers because of the presence of a mask at the edge of the vidicon target which is used to determine scene black on each scan of the electron beam.

One-inch-diameter vidicons are used for image sensing. Electromagnetically driven slit-type shutters expose the vidicons. The image is focused on the vidicon target through the shutter, which is placed slightly in front of the focal plane. The vidicon target is made up of a layer of photoconductive material, initially charged by scanning with an electron beam. The image formed on the photoconductive surface causes variations in resistance across the surface which are a function of the image brightness. These variations allow a redistribution of the charge which remains after exposure. In the Ranger cameras, the charge pattern formed by the image on the photoconductor remains much longer than in commercial systems, so that the pictures may be taken more slowly. By slowing down the picture-taking rate, it is possible to use a narrow electrical bandwidth, which simplifies the communications problem in transmission of the signal to Earth. After the image has been formed on the photoconductor by operation of the shutter, an electron beam scans the surface and recharges the photoconductor. The variation in charge current is the video signal, which is then amplified several thousand times and sent to the transmitter, where the amplitude variations are converted to frequency variations. The frequency-modulated signal is amplified, and the signals from the two channels are combined and transmitted to Earth through the spacecraft high-gain antenna.

1. F Channel

The F channel has two cameras—the A camera with a 25° field and the B camera with an 8.4° field. Both have 5-msec exposure times; however, the A camera has a 25-mm f/1.0 lens, while the B camera f/2.0 lens is 76 mm. The combined useful operating range of the two cameras is from about 10 to 2500-ft lambert* scene brightness. This large dynamic range allows for the possibility of the spacecraft impacting in a region with poor lighting conditions without appreciable reduction in the quality of the photographs. The electron beam scans an area approximately 11 mm square in 2.5 sec with 1150 lines. The two cameras operate in sequence, so that only one camera is being scanned at a particular time. This allows the signals from the two cameras to be transmitted over a single transmitter. Since each camera requires 2.5 sec to be scanned and then must wait 2.5 sec while the other camera is scanned, there are intervals of about 5 sec between consecutive pictures on a particular camera. During the waiting period, the cameras erase the residual image from the preceding picture and the shutter exposes the vidicon for the next cycle of operation.

2. P Channel

The P channel contains four cameras, designated P1 through P4. The same combination of lens types as in the F channel is used in the P cameras. P1 and P2 use 76-mm f/2.0 lenses, and P3 and P4 use 25-mm f/1.0 lenses, so that the P cameras have the same dynamic range capability as the F cameras. The primary difference between the two sets of cameras is in the scan rates and the portion of the photoconductive target used. The P cameras scan only a 2.8-mm-square segment of the target with 300 scan lines. The time required to scan the area is 0.2 sec. Again, as with the F cameras, only one camera is being scanned at a time, so that all four are coupled into a single transmitter. The time between consecutive pictures on a particular camera is 0.84 sec. Because of the smaller target area of the P cameras, the field of view is correspondingly smaller than that of the F cameras. P₁ and P₂ have approximately 2.1° fields, while the P3 and P4 fields are approximately 6.3°. In addition to the differences described above, the P camera exposure times are shorter than the F exposures. The P shutters are set for a 2-msec exposure to reduce image motion as the spacecraft approaches the lunar surface. The last complete F camera picture is taken between 2.5 and 5 sec before impact, while the last complete P camera picture is taken between 0.2 and 0.4 sec because of the faster cycling rate on the P cameras. Image motion is therefore more severe in the last P camera pictures, and shorter exposure times are required. The sequence for one cycle of operation of the P cameras is P1-P2-P2, so that photographs are taken alternately by a 76-mm lens and a 25-mm lens.

B. Receiving and Recording Equipment

The television signals from the spacecraft are received with 85-ft-diameter antennas at two sites, located about 10 mi apart at Goldstone, California. The signals are amplified and mixed by a local oscillator to reduce the signal center frequency to 30 Mc and then sent to the television receiver. Another mixing operation reduces the $\overline{}$ 1 ft lambert = 1.0764×10^{-3} lamberts.

frequency to 4.5 and 5.5 Mc, respectively, for the two channels. The signal frequency variations are then converted back to amplitude variations in two demodulators (one for each camera channel), whose outputs are the same as the video signals originally generated in the cameras. The video signals are used to control the intensity of an electron beam in a cathode-ray tube, which is scanned in unison with the electron beam in the cameras. The cathode-ray tube reconstructs the original image, which is then photographed on 35-mm film. These recording devices are similar to the commercial kinescopes used for recording television programs on film. Again, there is one recording device for each camera channel, so that two pictures are being recorded at any instant in time, one F camera and one P camera. All the functions discussed above are duplicated at both receiving sites, with one exception. One site utilizes a single film recorder to record the four P cameras, while the other site maintains two film recorders and records both camera channels.

In addition to the film recorders, another means of recording the data is used. The 4.5- and 5.5-Mc signals that go to the demodulators are also sent to another mixer, which reduces the center frequency still further to 500 kc. These signals are recorded on magnetic tape at both sites. Two such recorders are used at each receiving station. In order to obtain film records from the magnetic tapes, they are played through a demodulator, and the video signal is applied to the film recorder as discussed above.

C. Camera Calibration

The calibration of the cameras involves three principal aspects of camera performance: light-transfer characteristic (photometric calibration), sine-wave response (modulation transfer function), and system noise. In addition, data on geometric distortion are obtained.

1. Light-Transfer Characteristic

In order to obtain some absolute photometric information about the lunar surface, camera sensitivity is measured as a function of scene brightness. Using a set of collimators to simulate the scene, the cameras are exposed to various brightness levels before launch, and the camera signal output is recorded on magnetic tape. The magnetic tape is then played back through the recording equipment at Goldstone, and the calibration data are recorded on the same film as the lunar photographs in order to eliminate errors due to differences in film strips processed at different times. The variation in development of a single strip from one end to the other is negligible. The net result, then, is the functional relationship between film density and collimator brightness. In order to account for the differences between the spectral emission characteristics of the collimators and the reflected solar radiation from the lunar scene, a series of spectral measurements is made on all the instrumentation. A correction factor is then calculated to correct the collimator brightness to lunar scene brightness. Reference 5 describes this procedure. Since the photometric calibration is on the same film as the photographic data, it can be carried through subsequent copying operations. A typical light-transfer characteristic of scene brightness vs. negative film density for a 76-mm and a 25-mm camera is shown in Fig. 6. The accuracy of the photometric calibration is limited primarily by vidicon nonuniformities and variations in exposure times, and is expected to be about $\pm 20\%$.




Fig. 6. Typical light-transfer characteristics

2. Sine-Wave Response

In order to obtain the approximate mathematical description of the system required for the figure of merit, it is necessary to determine the sine-wave response of the system. There are a number of ways of obtaining such data. The most direct method is the use of slides with sinusoidal variations in transmission which are then placed in the calibration collimators to illuminate the cameras. A film recording is made, and then the film is scanned with a microphotometer to determine the sine-wave response. A typical response curve is shown in Fig. 7.




Fig. 7. Typical sine-wave response

3. System Noise and Geometric Distortion

Noise is one of the critical parameters of a photographic system which is required to characterize the system. For a television system, it is convenient to combine film granularity with electrical noise generated in the camera and the communication system to obtain an over-all measure of system noise. The over-all noise is measured by scanning a film recording with a microphotometer. The resulting record is then analyzed to calculate the root-mean-square variations in transmission.

Geometric distortion is determined by inserting a slide in the collimators which has been ruled horizontally and vertically. Photographs of the slide are then used to correct the distortion.

D. Film Recording and Processing

Because of the short time duration of the picture-taking sequence, it is prudent to set up the film recorder brightness levels well in advance of the mission. It is necessary, therefore, to make the dynamic range of the recorder correspond to the dynamic range of the camera system. This precludes the optimum setup for the particular lighting conditions of the impact area; however, no information is lost perma-

nently because the magnetic tape can be played back after the mission, with the film recorder setup optimized.

The optimum density range in the film is determined by several practical characteristics of the film recorder, such as cathode-ray tube brightness, resolution, film camera aperture, and the film itself. An analysis of these parameters indicated that a density range of 1.6 from scene black to scene white was the best choice in terms of minimizing the effects of film granularity.

The film used for the Ranger VII mission was Eastman Kodak television recording film, type 5374. The negatives were developed by a commercial film processor to a gamma of 1.4. The processed negatives were then contact printed in a continuous film printer to obtain a master positive. The film used for the positive was Kodak type 5235, a fine-grain panchromatic film. The positive was developed to a gamma of 1.0. The photographs in this atlas were prepared from 8×10 -in. sheets of Kodak Commercial film made from the master positive. The four P camera photographs on each frame were balanced by varying the exposure time for each camera. The 8×10 -in. negatives were then used to contact print the photographs, with some dodging in the contact printer.

V. CAMERA P TABLE OF VALUES

The overlap of the first photograph from each of the four P cameras as they nest with the A and B cameras is indicated in Fig. 8a.* An early P frame is shown in Fig. 8b, with the camera which took each picture identified.

Repetition of some permanent camera surface characteristics will be noted in each frame. These irregularities should be ignored in any photograph interpretation studies.

The parameters listed in the preliminary table of values (Table 2) are defined below:

Spacecraft

Altitude: The distance from the spacecraft to the surface directly below.

Latitude, longitude: The selenocentric position of the point of intersection with the surface of a line connecting the space-craft and the center of the Moon. This defines the surface point directly below the spacecraft.

Photograph

Central reticle: The principal cross mark on the camera face.

Latitude, longitude: The surface point in selenocentric coordinates covered by the central reticle.


Slant range: The distance from the spacecraft to the surface point covered by the central reticle (Fig. 9).

Incidence, phase, emission angles: The emission angle is the angle between the local surface normal and the camera axis. The incidence angle is the angle between the local surface normal and the direction of illumination. The phase angle is measured between the illumination direction and the camera axis. These three angles form the photometric geometry. They can be oriented by noting that the direction of illumination of the observed point is parallel to the line passing through the subsolar point and the Moon center (neglecting parallax) and that the emission angle is measured in the plane formed by the spacecraft surface point and the local normal (Fig. 11). For Ranger VII, the subsolar point was at 0.94° latitude and -87.52° longitude.

Scale (E-W, N-S): The scale dimension for each of the P cameras, defined in Fig. 10, is the surface distance covered by the dimension shown in the Figure by each picture.


Deviation North: Grid north is defined by drawing a straight line from the central reticle parallel to the side reticles or edge of the frame. The deviation is the clockwise rotation from grid north to the direction of true North at the central reticle.

^{*}Photograph courtesy Lunar and Planetary Laboratory, University of Arizona, Tucson, Arizona.




a. Nesting of four P camera photographs

Fig. 8. Camera nesting and coverage



b. Early P camera photograph

Fig. 8. (Cont'd)



SPACECRAFT SURFACE

PHASE ANGLE

EMISSION ANGLE

SURFACE NORMAL

DIRECTION OF ILLUMINATION

OBSERVED POINT

SPACECRAFT TRACE

Fig. 11. Ranger VII photometric geometry

Table 2. Preliminary table of values' a. Camera P₁

	GMT of		Spacecraft			Pho	tograph (centr	ral reticle)			Scal	e, km	
Photo number	frame exposure July 31, 1964	Altitude, km	Latitude, deg	Longitude, deg	Latitude, deg	Longitude, deg	Slant range, km	Incidence angle, deg	Phase angle, deg	Emission angle, deg	E-W	N-S	North, deg
1	13:12:20.40	1702.02	-4.10	-34.21	-13.68	-18.93	1863.32	69.4	39.6	34.5	41.39	20.73	10.96
2	13:12:42.24	1659.83	-4.20	-34.02	-13.65	-18.92	1819.20	69.4	39.6	34.5	40.40	20.24	10.95
3	13:13:02.40	1620.75	-4.29	-33.85	-13.62	-18.91	1778.38	69.4	39.6	34.5	39.50	19.78	10.95
4	13:13:20.88	1584.81	-4.37	-33.68	-13.60	-18.90	1740.72	69.4	39.6	34.5	38.65	19.36	10.95
5	13:13:42.72	1542.19	-4.47	-33.48	-13.56	-18.90	1695.99	69.4	39.6	34.4	37.65	18.87	10.94
6	13:13:59.52	1509.29	-4.55	-33.32	-13.54	-18.85	1661.98	69.5	39.6	34.5	36.92	18.49	10.95
7	13:14:16.32	1476.30	-4.63	-33.16	-13.51	-18.81	1627.90	69.5	39.5	34.6	36.19	18.11	10.96
8	13:14:33.11	1443.20	-4.72	-32.99	-13.48	-18.78	1593.44	69.6	39.5	34.6	35.44	17.73	10.97
9	13:14:49.91	1410.00	-4.80	-32.82	-13.45	-18.75	1558.73	69.6	39.5	34.6	34.68	17.34	10.97
10	13:15:05.03	1380.03	-4.88	-32.67	-13.42	-18.74	1527.34	69.6	39.5	34.6	33.99	16.99	10.97
11	13:15:21.83	1346.63	-4.97	-32.49	-13.38	-18.72	1492.28	69.6	39.5	34.7	33.22	16.60	10.97
12	13:15:35.27	1319.83	-5.04	-32.35	-13.35	-18.71	1464.05	69.6	39.5	34.7	32.59	16.29	10.97
13	13:15:50.39	1289.60	-5.12 -5.22	-32.18 -32.00	-13.32 -13.27	-18.70 -18.69	1432.12	69.6	39.4	34.7	31.89	15.93	10.95
14	13:16:07.19	1255.90	-5.22 -5.30	-32.00 -31.82	200000	-18.69	1396.40	69.6	39.4	34.7	31.09	15.53	10.93
15	13:16:22.31	1225.48	-5.37	-31.69	-13.22 -13.19	-18.69	1364.01	69.6 69.6	39.4 39.4	34.7 34.6	30.37	15.16	10.91
16	13:16:45.83	1177.97	-5.37 -5.44	-31.55	-13.14	-18.70	1313.20	69.6	39.4	34.6	29.24		10.88
18	13:17:02.63	1143.89	-5.54	-31.35	-13.14	-18.70	1276.56	69.6	39.4	34.6	28.41	14.59	10.80
19	13:17:16.06	1116.55	-5.62	-31.18	-13.04	-18.74	1247.03	69.6	39.4	34.5	27.74	13.84	10.80
20	13:17:27.82	1092.55	-5.69	-31.03	-13.00	-18.75	1221.14	69.6	39.4	34.5	27.16	13.55	10.73
21	13:17:41.26	1065.06	-5.78	-30.86	-12.95	-18.78	1191.37	69.5	39.4	34.4	26.49	13.33	10.70
22	13:17:53.02	1040.93	-5.85	-30.71	-12.91	-18.80	1165.24	69.5	39.5	34.4	25.89	12.92	10.66
23	13:18:03.10	1020.20	-5.92	-30.57	-12.87	-18.82	1142.75	69.5	39.5	34.3	25.39	12.66	10.63
24	13:18:16.54	992.49	-6.01	-30.39	-12.82	-18.84	1112.62	69.5	39.5	34.3	24.70	12.32	10.59
25	13:18:26.62	971.65	-6.08	-30.26	-12.79	-18.87	1089.92	69.4	39.5	34.2	24.19	12.07	10.56
26	13:18:36.70	950.77	-6.15	-30.11	-12.75	-18.89	1067.18	69.4	39.5	34.2	23.68	11.81	10.53
27	13:18:45.10	933.33	-6.21	-30.00	-12.71	-18.90	1048.17	69.4	39.5	34.1	23.25	11.60	10.50
28	13:18:56.86	908.85	-6.29	-29.83	-12.67	-18.93	1021.44	69.4	39.5	34.1	22.64	11.30	10.46
29	13:19:06.94	887.82	-6.36	-29.68	-12.63	-18.96	998.41	69.3	39.5	34.0	22.12	11.04	10.43
30	13:19:17.02	866.74	-6.43	-29.53	-12.59	-18.98	975.31	69.3	39.5	33.9	21.60	10.78	10.39
31	13:19:27.10	845.60	-6.51	-29.38	-12.55	-19.01	952.14	69.3	39.6	33.9	21.07	10.52	10.36
32	13:19:37.18	824.42	-6.59	-29.22	-12.51	-19.03	928.93	69.3	39.6	33.8	20.55	10.26	10.32
33	13:19:45:58	806.72	-6.65	-29.09	-12.47	-19.05	909.55	69.2	39.6	33.8	20.12	10.04	10.29
34	13:19:52.30	792.54	-6.70	-28.98	-12.44	-19.07	894.04	69.2	39.6	33.8	19.77	9.87	10.27
35	13:20:02.37	771.22	-6.78	-28.82	-12.40	-19.09	870.67	69.2	39.6	33.7	19.25	9.61	10.23
36	13:20:09.09	756.98	-6.83	-28.71	-12.37	-19.11	855.00	69.2	39.6	33.7	18.90	9.43	10.21
37	13:20:15.81	742.72	-6.89	-28.60	-12.34	-19.13	839.29	69.2	39.6	33.7	18.55	9.25	10.18
38	13:20:22.53	728.43	-6.94	-28.49	-12.31	-19.14	823.56	69.1	39.6	33.6	18.19	9.08	10.16
39	13:20:29.25	714.11	-7.00	-28.38	-12.28	-19.16	807.79	69.1	39.6	33.6	17.84	8.90	10.14
40	13:20:35.97	699.77	-7.05	-28.26	-12.26	-19.18	792.03	69.1	39.6	33.6	17.49	8.73	10.12
41	13:20:44.37	681.81	-7.12	-28.11	-12.22	-19.20	772.28	69.1	39.6	33.5	17.05	8.51	10.09
42	13:20:49.41	671.02	-7.17	-28.03	-12.20	-19.21	760.45	69.1	39.6	33.5	16.79	8.37	10.08
43	13:20:56.13	656.60	-7.23	-27.91	-12.17	-19.22	744.62	69.0	39.6	33.5	16.44	8.20	10.06
44	13:21:01.17	645.77	-7.27	-27.82	-12.15	-19.23	732.71	69.0	39.6	33.5	16.17	8.07	10.05
45	13:21:09.57	627.69	-7.34	-27.66	-12.11	-19.25	712.76	69.0	39.6	33.4	15.73	7.84	10.02
46	13:21:16.29	613.20	-7.40	-27.54	-12.08	-19.27	696.75	69.0	39.6	33.4	15.37	7.67	10.01
47	13:21:23.01	598.68	-7.46	-27.41	-12.06	-19.29	680.71	69.0	39.5	33.4	15.01	7.49	9.99
48	13:21:28.05	587.77	-7.51	-27.32	-12.03	-19.30	668.65	69.0	39.5	33.4	14.75	7.35	9.97
49	13:21:36.45	569.56	-7.59	-27.16	-12.00	-19.33	648.46	68.9	39.5	33.3	14.30	7.13	9.95
50	13:21:43.17	554.96	-7.65	-27.03	-11.97	-19.35	632.25	68.9	39.5	33.3	13.94	6.95	9.93
51	13:21:49.89	540.33	-7.71	-26.90	-11.94	-19.37	615.99	68.9	39.5	33.3	13.57	6.77	9.91
52	13:21:54.93	529.34	-7.76	-26.80	-11.92	-19.39	603.76	68.9	39.5	33.2	13.30	6.64	9.90
53	13:22:05.01	507.32	-7.86	-26.59	-11.87	-19.42	579.19	68.8	39.5	33.2	12.75	6.36	9.88
54	13:22:11.73	492.60	-7.92	-26.46	-11.84	-19.45	562.74	68.8	39.6	33.1	12.39	6.18	9.86
55	13:22:16.77	481.54	-7.97	-26.35	-11.82	-19.47	550.38	68.8	39.6	33.1	12.11	6.04	9.85
56	13:22:23.49	466.77	-8.04	-26.21	-11.79	-19.50	533.84	68.8	39.6	33.1	11.74	5.86	9.83
57	13:22:26.85	459.38	-8.08	-26.14	-11.77	-19.51	525.56	68.7	39.6	33.0	11.56	5.77	9.82
58	13:22:31.89	448.27	-8.13	-26.03	-11.75	-19.53	513.10	68.7	39.6	33.0	11.28	5.63	9.81
59	13:22:36.93	437.15	-8.18	-25.92	-11.72	-19.55	500.61	68.7	39.6	33.0	11.00	5.49	9.79
60	13:22:41.97	426.01	-8.23	-25.81	-11.70	-19.58	488.09	68.7	39.6	32.9	10.72	5.36	9.78
61	13:22:47.01	414.85	-8.29	-25.70	-11.68	-19.60	475.56	68.6	39.6	32.9	10.45	5.22	9.76
62	13:22:53.72	399.95	-8.36	-25.55	-11.64	-19.62	458.83	68.6	39.6	32.9	10.07	5.03	9.75
63	13:22:57.08	392.49	-8.39	-25.47	-11.63	-19.64	450.45	68.6	39.6	32.9	9.89	4.94	9.74
64	13:23:00.44	385.02	-8.43	-25.40	-11.61	-19.65	442.04	68.6	39.6	32.8	9.70	4.85	9.73

^{*}Note: Later orbit determination has shifted the impact point slightly from that given in the A and B camera atlases.

Table 2a. (Cont'd)

	GMT of		Spacecraft			Pho	tograph (cent	ral reticle)			Scal	e, km	
Photo number	frame exposure July 31, 1964	Altitude, km	Latitude, deg	Longitude, deg	Latitude, deg	Longitude, deg	Slant range, km	Incidence angle, deg	Phase angle, deg	Emission angle, deg	E-W	N-S	North, deg
65	13:23:07.16	370.06	-8.50	-25.24	-11.58	-19.68	425.20	68.6	39.6	32.8	9.33	4.66	9.71
66	13:23:12.20	358.81	-8.56	-25.12	-11.55	-19.70	412.53	68.5	39.6	32.8	9.05	4.52	9.70
67	13:23:15.56	351.31	-8.60	-25.04	-11.54	-19.72	404.07	68.5	39.6	32.8	8.86	4.43	9.69
68	13:23:20.60	340.04	-8.65	-24.92	-11.51	-19.74	391.35	68.5	39.6	32.7	8.58	4.29	9.68
69	13:23:22.28	336.28	-8.67	-24.88	-11.50	-19.75	387.10	68.5	39.6	32.7	8.49	4.24	9.68
70	13:23:23.96	332.15	-8.69	-24.84	-11.49	-19.75	382.85	68.5	39.6	32.7	8.39	4.20	9.68
71	13:23:25.64	328.75	-8.71	-24.80	-11.49	19.76	378.59	68.5	39.6	32.7	8.30	4.15	9.67
72 73	13:23:27.32	324.98 321.21	-8.73 -8.75	-24.76 -24.72	-11.48 -11.47	-19.77 -19.78	374.33 370.07	68.5 68.5	39.6 39.6	32.7 32.7	8.21 8.11	4.10	9.67
74	13:23:30.68	317.44	-8.77	-24.68	-11.46	-19.79	365.80	68.4	39.6	32.7	8.02	4.01	9.66
75	13:23:32.36	313.67	-8.79	-24.64	-11.45	-19.79	361.52	68.4	39.6	32.7	7.92	3.96	9.66
76	13:23:34.04	309.89	-8.81	-24.60	-11.44	-19.80	357.24	68.4	39.6	32.7	7.83	3.91	9.66
77	13:23:35.72	306.12	-8.83	-24.56	-11.43	-19.81	352.96	68.4	39.6	32.6	7.73	3.87	9.65
78	13:23:37.40	302.34	-8.85	-24.51	-11.42	-19.82	348.68	68.4	39.6	32.6	7.64	3.82	9.65
79	13:23:39.08	298.56	-8.87	-24.47	-11.42	-19.83	344.39	68.4	39.6	32.6	7.55	3.77	9.64
80	13:23:40.76	294.77	-8.89	-24.43	-11.41	-19.83	340.09	68.4	39.6	32.6	7.45	3.72	9.64
81	13:23:42.44	290.99	-8.91	-24.39	-11.40	-19.84	335.80	68.4	39.5	32.6	7.36	3.68	9.63
82	13:23:44.12	287.20	-8.93	-24.35	-11.39	-19.85	331.49	68.4	39.5	32.6	7.26	3.63	9.63
83	13:23:45.80	283.41	-8.95	-24.30	-11.38	-19.86	327.19	68.4	39.5	32.6	7.17	3.58	9.63
84	13:23:47.48	279.62	-8.97	-24.26	-11.37	-19.87	322.88	68.4	39.5	32.6	7.07	3.54	9.62
85	13:23:49.16	275.83	-8.99	-24.22	-11.36	-19.88	318.56	68.4	39.5	32.6	6.98	3.49	9.62
86	13:23:50.84	272.03	-9.01	-24.18	-11.35	-19.89	314.24	68.3	39.5	32.5	6.88	3.44	9.62
87	13:23:52.52	268.23	-9.03	-24.13	-11.34	-19.89	309.92	68.3	39.5	32.5	6.78	3.39	9.61
88	13:23:54.20	264.43	-9.05	-24.09	-11.34	-19.90	305.59	68.3	39.5	32.5	6.69	3.35	9.61
89	13:23:55.88	260.63	-9.07	-24.05	-11.33	-19.91	301.26	68.3	39.5	32.5	6.59	3.30	9.60
90	13:23:57.56	256.83	-9.09	-24.00	-11.32	-19.92	296.93	68.3	39.5	32.5	6.50	3.25	9.60
91	13:23:59.24	253.02	-9.11	-23.96	-11.31	-19.93	292.59	68.3	39.5	32.5	6.40	3.20	9.60
92	13:24:00.92	249.21	-9.13	-23.91	-11.30	-19.94	288.24	68.3	39.5	32.5	6.31	3.15	9.59
93	13:24:02.60	245.40	-9.15	-23.87	-11.29	-19.95	283.90	68.3	39.5	32.5	6.21	3.11	9.59
94	13:24:04.28	241.59	-9.17	-23.83	-11.28	-19.96	279.54	68.3	39.5	32.5	6.12	3.06	9.58
95	13:24:05.96	237.78	-9.19	-23.78	-11.27	-19.97	275.19	68.3	39.6	32.4	6.02	3.01	9.58
96	13:24:07.64	233.96	-9.21	-23.74	-11.26	-19.98	270.83	68.2	39.6	32.4	5.92	2.96	9.58
97	13:24:09.32	230.14	-9.23	-23.69	-11.25	-19.99	266.46	68.2	39.6	32.4	5.83	2.92	9.57
98 99	13:24:11.00	226.32 222.50	-9.25 -9.28	-23.65 -23.60	-11.24 -11.23	-20.00 -20.01	262.09 257.72	68.2 68.2	39.6 39.6	32.4 32.4	5.73 5.63	2.87	9.57
100	13:24:12.68	218.68	-9.28 -9.30	-23.56	-11.23	-20.01	253.34	68.2	39.6	32.4	5.54	2.77	9.56
101	13:24:14.36	214.85	-9.30 -9.32	-23.51	-11.22	-20.02	248.96	68.2	39.6	32.4	5.44	2.72	9.56
102	13:24:17.72	211.02	-9.34	-23.46	-11.21	-20.04	244.57	68.2	39.6	32.4	5.35	2.68	9.55
103	13:24:19.40	207.19	-9.36	-23.42	-11.20	-20.05	240.18	68.2	39.6	32.3	5.25	2.63	9.55
104	13:24:21.08	203.35	-9.38	-23.37	-11.19	-20.06	235.79	68.2	39.6	32.3	5.15	2.58	9.54
105	13:24:22.76	199.52	-9.40	-23.32	-11.18	-20.07	231.39	68.2	39.6	32.3	5.06	2.53	9.54
106	13:24:24.44	195.68	-9.43	-23.28	-11.17	-20.08	226.99	68.1	39.6	32.3	4.96	2.48	9.54
107	13:24:26.12	191.84	-9.45	-23.23	-11.16	-20.09	222.58	68.1	39.6	32.3	4.86	2.43	9.53
108	13:24:27.80	188.00	-9.47	-23.18	-11.15	-20.10	218.17	68.1	39.6	32.3	4.76	2.39	9.53
109	13:24:29.48	184.16	-9.49	-23.14	-11.14	-20.11	213.76	68.1	39.6	32.3	4.67	2.34	9.52
110	13:24:31.16	180.31	-9.51	-23.09	-11.13	-20.12	209.33	68.1	39.6	32.2	4.57	2.29	9.52
111	13:24:32.84	176.46	-9.54	-23.04	-11.12	-20.13	204.91	68.1	39.6	32.2	4.47	2.24	9.51
112	13:24:34.52	172.61	-9.56	-22.99	-11.11	-20.14	200.47	68.1	39.6	32.2	4.38	2.19	9.51
113	13:24:36.20	168.76	-9.58	-22.95	-11.10	-20.15	196.04	68.1	39.6	32.2	4.28	2.14	9.50
114	13:24:37.88	164.90	-9.60	-22.90	-11.09	-20.16	191.60	68.1	39.6	32.2	4.18	2.09	9.50
115	13:24:39.56	161.04	-9.62	-22.85	-11.08	-20.17	187.16	68.0	39.6	32.2	4.08	2.05	9.49
116	13:24:41.24	157.18	-9.65	-22.80	-11.07	-20.18	182.71	68.0	39.6	32.2	3.99	2.00	9.49
117	13:24:42.92	153.32	-9.67	-22.75	-11.06	-20.19	178.26	68.0	39.6	32.1	3.89	1.95	9.48
118	13:24:44.60	149.46	-9.69	-22.70	-11.05	-20.20	173.80	68.0	39.6	32.1	3.79	1.90	9.48
119	13:24:46.28	145.59	-9.72	-22.65	-11.04	-20.21	169.34	68.0	39.6	32.1	3.69	1.85	9.47
120	13:24:47.96	141.72	-9.74	-22.61	-11.03	-20.22	164.88	68.0	39.6	32.1	3.59	1.80	9.47
121	13:24:49.64	137.85	-9.76	-22.56	-11.02	-20.23	160.42	68.0	39.6	32.1	3.50	1.75	9.47
122	13:24:51.32	133.98	-9.78	-22.51	-11.01	-20.24	155.95	68.0	39.6	32.1	3.40	1.70	9.46
123	13:24:52.16	132.04	-9.80	-22.48	-11.00	-20.25	153.71	68.0	39.6	32.1	3.35	1.68	9.46
124	13:24:53.00	130.10	-9.81	-22.46	-11.00	-20.26	151.47	68.0	39.6	32.1	3.30	1.65	9.46
125	13:24:53.84	128.17	-9.82 -9.83	-22.43	-10.99	-20.26 -20.27	149.23	67.9	39.6	32.1	3.25	1.63	9.46
126 127	13:24:55.52	126.23	-9.83 -9.84	-22.41 -22.38	-10.99 -10.98	-20.27 -20.27	144.75	67.9 67.9	39.6 39.6	32.1 32.0	3.15	1.61	9.46
128	13:24:56.36	122.35	-9.84 -9.85	-22.36	-10.98	-20.27 -20.28	142.51	67.9	39.6	32.0	3.11	1.56	9.45
. 20	13:24:30.30	122.33	7.03	22.30	10.98	20.20	142.51	67.9	37.0	32.0	3.11	1.50	7.43

Table 2a. (Cont'd)

	GMT of		Spacecraft			Pho	tograph (centr	ral reticle)			Scale	, km	Deviation
Photo number	frame exposure July 31, 1964	Altitude, km	Latitude, deg	Longitude, deg	Latitude, deg	Longitude, deg	Slant range, km	Incidence angle, deg	Phase angle, deg	Emission angle, deg	E-W	N-S	North, deg
129	13:24:57.20	120.41	-9.87	-22.33	-10.97	- 20.28	140.26	67.9	39.6	32.0	3.06	1.53	9.45
130	13:24:58.04	118.46	-9.88	-22.30	-10.97	- 20.29	138.02	67.9	39.6	32.0	3.01	1.51	9.45
131	13:24:58.88	116.52	-9.89	-22.28	-10.96	-20.29	135.77	67.9	39.6	32.0	2.96	1.48	9.45
132	13:24:59.72	114.58	-9.90	-22.25	-10.96	-20.30	133.53	67.9	39.6	32.0	2.91	1.46	9.44
133	13:25:00.56	112.64	-9.91	-22.23	-10.95	-20.31	131.28	67.9	39.6	32.0	2.86	1.43	9.44
134	13:25:01.40	110.69	-9.92	-22.20	-10.95	-20.31	129.03	67.9	39.6	32.0	2.81	1.41	9.44
135	13:25:02.24	108.75	-9.94	-22.18	-10.94	-20.32	126.78	67.9	39.6	32.0	2.76	1.38	9.44
136	13:25:03.08	106.80	-9.95	-22.15	-10.93	-20.32	124.53	67.9	39.6	32.0	2.71	1.36	9.44
137	13:25:03.92	104.86	-9.96	-22.13	-10.93	-20.33	122.27	67.9	39.6	32.0	2.66	1.34	9.43
138	13:25:04.76	102.91	-9.97	-22.10	-10.92	-20.33	120.02	67.9	39.6	32.0	2.61	1.31	9.43
139	13:25:05.60	100.97	-9.98	-22.07	-10.92	-20.34	117.76	67.9	39.6	32.0	2.56	1.29	9.43
140	13:25:06.44	99.02	-10.00	-22.05	-10.91	-20.35	115.51	67.9	39.6	32.0	2.52	1.26	9.43
141	13:25:07.28	97.07	-10.01	-22.02	-10.91	-20.35	113.25	67.9	39.6	32.0	2.47	1.24	9.43
142	13:25:08.12	95.12	-10.02	-22.00	-10.90	-20.36 -20.36	110.99	67.8	39.6 39.6	31.9 31.9	2.42	1.21	9.42
143	13:25:08.96	93.17	-10.03	-21.97	-10.90	255,500,600,7	108.73	67.8	39.6	31.9	2.32	1.16	9.42
144	13:25:09.80	91.23	-10.04	-21.94	-10.89	- 20.37	106.47	67.8					
145	13:25:10.64	89.28	-10.06	-21.92	-10.89	- 20.37 - 20.38	104.21	67.8	39.6 39.6	31.9	2.27	1.14	9.42
146	13:25:11.48	87.32	-10.07	-21.89	-10.88	19 - C 20 (19 (19 (19 (19 (19 (19 (19 (19 (19 (19	101.94	67.8	1000 TW-000		100000000000000000000000000000000000000		1990
147	13:25:12.32	85.37	-10.08	-21.86	-10.88	- 20.39	99.68	67.8	39.6	31.9	2.17	1.09	9.41
148	13:25:13.16	83.42	-10.09	-21.84	-10.87	- 20.39	97.41	67.8	39.6	31.9	2.12	(1) 35/37	- USE EASIES
149	13:25:14.00	81.47	-10.10	-21.81	-10.87	-20.40	95.14	67.8	39.6	31.9	2.07	1.04	9.41
150	13:25:14.84	79.52	-10.12	-21.79	-10.86	-20.40	92.87	67.8	39.6	31.9	2.02	0.989	9.41
151	13:25:15.68	77.56	-10.13	-21.76	-10.85	-20.41	90.60	67.8	39.6	31.9	1.97	T 4 SECTION	
152	13:25:16.52	75.61	-10.14	-21.73	-10.85	-20.42	88.33	67.8	39.6	3.19	1.92	0.964	9.40
153	13:25:17.36	73.65	-10.15	-21.71	-10.84	-20.42	86.06	67.8	39.6	31.9	1.87	0.939	9.40
154	13:25:18.20	71.70	-10.17	-21.68	-10.84	-20.43	83.78	67.8	39.6	31.9	1.82	0.915	9.40
155	13:25:19.04	69.74	-10.18	-21.65	-10.83	-20.43	81.51	67.8	39.6	31.9	1.77	0.890	9.40
156	13:25:19.88	67.79	-10.19	-21.62	-10.83	- 20.44	79.23	67.8	39.6	31.9	1.72	0.865	9.39
157	13:25:20.72	65.83	-10.20	-21.60	-10.82	-20.45	76.95	67.8	39.6	31.8	1.67	0.840	9.39
158	13:25:21.56	63.87	-10.21	-20.57	-10.82	-20.45	74.67	39.7	39.6	31.8	1.62	0.815	9.39
159	13:25:22.40	61.91	-10.23	-21.54	-10.81	-20.46	72.39	67.7	39.6	31.8	1.57	0.790	9.39
160	13:25:23.24	59.95	-10.24	-21.52	-10.80	- 20.46	70.11	67.7	39.6	31.8	1.52	0.765	9.38
161	13:25:24.08	58.00	-10.25	-21.49	-10.80	-20.47	67.83	67.7	39.6	31.8	1.48	0.0000000000000000000000000000000000000	1000000
162	13:25:24.92	56.04	-10.26	-21.46	-10.79	-20.48	65.54	67.7	39.6	31.8	1.43	0.715	9.38
163	13:25:25.76	54.07	-10.28	-21.44	-10.79	- 20.48	63.26	67.7	39.6	31.8	1.33	0.665	9.37
164	13:25:26.60	52.11	-10.29	-21.41	-10.78	-20.49	60.97	67.7	39.6	31.8			9.37
165	13:25:27.44	50.15	-10.30	-21.38	-10.78	-20.49	58.68	67.7	39.6	31.8	1.28	0.640	9.37
166	13:25:28.28	48.19	-10.31	-21.35	-10.77	- 20.50	56.39	67.7	39.6	31.8	1.23	0.615	1,575,173
167	13:25:29.12	46.23	-10.33	-21.33	-10.77	-20.51	54.10	67.7	39.6	31.8	1.18	0.590	9.37
168	13:25:29.96	44.26	-10.34	-21.30	-10.76	-20.51	51.81	67.7	39.6	31.8	1.13	0.565	9.36
169	13:25:30.80	42.30	-10.35	-21.27	-10.75	- 20.52	49.52	67.7	39.6	31.8	1.08	0.540	9.36
170	13:25:31.64	40.33	-10.36	-21.24	-10.75	-20.53	47.23	67.7	39.6	31.8	1.03	0.515	9.36
171	13:25:32.48	38.37	-10.38	-21.21	-10.74	-20.53	44.93	67.7	39.6	31.7	0.976	0.490	9.36
172	13:25:33.32	36.40	-10.39	-21.19	-10.74	-20.54	42.63	67.7	39.6	31.7			9.36
173	13:25:34.16	34.44	-10.40	-21.16	-10.73	-20.55	40.33	67.7	39.6	31.7	0.876	0.440	9.35
174	13:25:35.00	32.47	-10.42	-21.13	-10.73	-20.55	38.04	67.6	39.6	31.7	0.826		
175	13:25:35.84	30.50	-10.43	-21.10	-10.72	-20.56	35.73	67.6	39.6	31.7	0.776	0.390	9.35
176	13:25:36.68	28.53	-10.44	-21.07	-10.71	-20.56	33.43	67.6	39.6	31.7	0.726	0.365	9.35
177	13:25:37.52	26.56	-10.45	-21.05	-10.71	-20.57	31.13	67.6	39.6	31.7	0.676	0.340	9.35
178	13:25:38.36	24.59	-10.47	-21.02	-10.70	-20.58	28.83	67.6	39.6	31.7	0.626	0.314	9.35
179	13:25:39.19	22.62	-10.48	-20.99	-10.70	-20.58	26.52	67.6	39.6	31.7	0.576	0.289	9.34
180	13:25:40.03	20.65	-10.49	-20.96	-10.69	-20.59	24.21	67.6	39.6	31.7	0.526	0.264	9.34
181	13:25:40.87	18.68	-10.51	-20.93	-10.69	-20.60	21.90	67.6	39.6	31.7	0.476	0.239	9.34
182	13:25:41.71	16.71	-10.52	-20.90	-10.68	-20.60	19.59	67.6	39.6	31.7	0.425	0.214	9.34
183	13:25:42.55	14.74	-10.53	-20.88	-10.67	-20.61	17.28	67.6	39.6	31.7	0.375	0.189	9.34
184	13:25:43.39	12.76	-10.55	-20.85	-10.67	-20.62	14.97	67.6	39.6	31.6	0.325	0.163	9.33
185	13:25:44.23	10.79	-10.56	-20.82	-10.66	-20.62	12.66	6.76	39.6	31.6	0.275	0.138	9.33
186	13:25:45.07	8.81	-10.57	-20.79	-10.66	-20.63	10.34	67.6	39.6	31.6	0.224	0.113	9.33
187	13:25:45.91	6.84	-10.58	-20.76	-10.65	-20.64	8.02	67.6	39.6	31.6	0.174	0.088	9.33
		7 7 3 8 5 3 6 7	P/1577-1677-1677	100000000000000000000000000000000000000	E STATE OF THE STA	-20.64	5.71	67.5	39.6	31.6	0.124	0.062	9.32
188	13:25:46.75	4.86	-10.60	-20.73	-10.64	1		1			0.074	0.037	9.32
189	13:25:47.59	2.89	-10.61	-20.70	-10.64	-20.65	3.39	67.5	39.6	31.6	Control Control		20,000
190	13:25:48.43	0.91	-10.62	-20.67	-10.63	-20.66	1.07	67.5	39.6	31.6	0.023	0.012	9.32
IMPACT	13:25:48.82	0.	-10.63	-20.66								l .	1

Table 2. (Cont'd) b. Camera P₂

	GMT of		Spacecraft			Pho	tograph (centi	al reticle)			Scale	e, km	Deviation
Photo number	frame exposure July 31, 1964	Altitude, km	Latitude, deg	Longitude, deg	Latitude, deg	Longitude, deg	Slant range, km	Incidence angle, deg	Phase angle, deg	Emission angle, deg	E-W	N-S	North, deg
ĭ	13:12:20.80	1701.24	-4.11	-34.21	-12.42	-18.67	1855.88	69.5	39.1	33.8	31.34	29.04	10.40
2	13:12:42.64	1659.06	-4.20	-34.02	-12.42	-18.67	1811.91	69.5	39.1	33.8	30.59	28.35	10.41
3	13:13:02.80	1619.98	-4.29	-33.84	-12.41	-18.66	1771.24	69.6	39.2	33.8	29.91	27.71	10.42
4	13:13:21.28	1584.03	-4.37	-33.68	-12.41	-18.66	1733.71	69.6	39.2	33.8	29.27	27.13	10.43
5	13:13:43.12	1541.41	-4.47	-33.47	-12.41	-18.66	1689.13	69.6	39.2	33.8	28.51	26.43	10.44
6	13:13:59.92	1508.51	-4.55	-33.32	-12.41	-18.62	1655.26	69.6	39.1	33.9	27.95	25.90	10.46
7	13:14:16.72	1475.51	-4.64	-33.15	-12.40	-18.58	1621.31	69.6	39.1	33.9	27.40	25.37	10.48
8	13:14:33.51	1442.41	-4.72	-32.99	-12.40	-18.55	1586.98	69.7	39.1	34.0	26.83	24.84	10.50
9	13:14:50.31	1409.21	-4.80	-32.82	-12.39	-18.53	1552.39	69.7	39.1	34.0	26.25	24.30	10.51
10	13:15:05.43	1379.23	-4.88	-32.66	-12.38	-18.52	1521.11	69.7	39.1	34.0	25.73	23.81	10.52
11	13:15:22.23	1345.83	-4.97	-32.49	-12.37	-18.51	1486.18	69.7	39.0	34.1	25.14	23.26	10.53
12	13:15:35.67	1319.03	-5.04	-32.34	-12.36	-18.50	1458.06	69.7	39.0	34.1	24.67	22.82	10.53
13	13:15:50.79	1288.80	-5.12	-32.18	-12.34	-18.49	1426.25	69.7	39.0	34.1	24.14	22.32	10.53
14	13:16:07.59	1255.10	-5.22	-31.99	-12.32	-18.49	1390.68	69.7	39.0	34.1	23.54	21.76	10.52
15	13:16:22.71	1224.68	-5.30	-31.82	-12.30	-18.50	1358.41	69.7	39.0	34.1	22.99	21.25	10.51
16	13:16:34.47	1200.95	-5.37	-31.68	-12.28	-18.50	1333.18	69.7	39.0	34.1	22.56	20.85	10.49
17	13:16:46.23	1177.16	-5.44	-31.54	-12.25	-18.51	1307.82	69.7	39.0	34.1	22.13	20.45	10.47
18	13:17:03.03	1143.08	-5.54	-31.34	-12.22	-18.53	1271.33	69.7	39.0	34.0	21.50	19.87	10.43
19	13:17:16.46	1115.73	-5.62	-31.18	-12.19	-18.56	1241.92	69.7	39.0	34.0	21.00	19.40	10.41
20	13:17:28.22	1091.74	-5.70	-31.03	-12.17	- 18.58	1216.14	69.6	39.0	33.9	20.56	18.99	10.38
21	13:17:41.66	1064.24	-5.78	-30.86	-12.14	-18.60	1186.48	69.6	39.0	33.9	20.05	18.52	10.36
22	13:17:53.42	1040.11	-5.86	-30.70	-12.12	-18.63	1160.45	69.6	39.0	33.8	19.60	18.11	10.33
23	13:18:03.50	1019.38	-5.92	-30.57	-12.10	-18.65	1138.04	69.6	39.0	33.8	19.21	17.75	10.31
24	13:18:16.94	991.67	-6.01	-30.39	-12.07	-18.68	1108.03	69.5	39.1	33.8	18.70	17.28	10.28
25	13:18:27.02	970.83	-6.08	-30.25	-12.05	-18.71	1085.41	69.5	39.1	33.7	18.31	16.92	10.26
26	13:18:37.10	949.94	-6.15	-30.11	-12.02	-18.73	1062.76	69.5	39.1	33.7	17.92	16.56	10.23
27	18:18:45.50	932.50	-6.21	-29.99	-12.00	-18.75	1043.83	69.5	39.1	33.6	17.59	16.26	10.21
28	13:18:57.26	908.02	-6.29	-29.82	-11.98	-18.78	1017.20	69.4	39.1	33.6	17.14	15.84	10.18
29	13:19:07.34	886.98	-6.36	-29.67	-11.95	-18.81	994.26	69.4	39.1	33.5	16.74	15.48	10.16
30	13:19:17.42	865.90	-6.44	-29.52	-11.93	-18.84	971.24	69.4	39.1	33.5	16.34	15.11	10.13
31	13:19:27.50	844.76	-6.51	-29.37	-11.90	- 18.87	948.16	69.3	39.1	33.4 33.4	15.95	14.75	10.10
32	13:19:37.58	823.57	-6.59	-29.21	-11.88	-18.90	925.04 905.73	69.3 69.3	39.1	33.3	15.22	14.08	10.05
33	13:19:45.98	805.88	-6.65	-29.08	-11.85	-18.92	Mark The Co.	69.3	39.1	33.3	14.96	13.84	10.03
34	13:19:52.70	791.69	-6.70	-28.98	-11.84 -11.81	-18.93 -18.96	890.28 866.99	69.3	39.1	33.3	14.57	13.47	10.01
35	13:20:02.77	770.38	-6.78	-28.81 -28.71	-11.79	-18.98	851.38	69.2	39.2	33.3	14.30	13.22	9.99
36	13:20:09.49	756.13	-6.84	-28.59	-11.77	-19.00	835.73	69.2	39.2	33.2	14.03	12.98	9.97
37	13:20:16.21	741.87	-6.89 -6.95	-28.48	-11.76	-19.02	820.05	69.2	39.2	33.2	13.77	12.73	9.95
38	13:20:22.93	727.57	-7.00	-28.37	-11.74	-19.04	804.34	69.2	39.2	33.2	13.50	12.48	9.94
39	13:20:29.65	713.26 698.92	-7.06	-28.25	-11.72	-19.06	788.64	69.2	39.2	33.1	13.23	12.24	9.92
40	13:20:36.37 13:20:44.77	680.96	-7.13	-28.11	-11.70	-19.08	768.96	69.1	39.2	33.1	12.90	11.93	9.90
41	13:20:49.81	670.16	-7.13	-28.02	-11.68	-19.09	757.17	69.1	39.2	33.1	12.70	11.74	9.89
43	13:20:56.53	655.74	-7.23	-27.90	-11.67	-19.11	741.40	69.1	39.1	33.1	12.43	11.50	9.88
44	13:21:01.57	644.91	-7.27	-27.81	-11.65	-19.12	729.52	69.1	39.1	33.1	12.23	11.31	9.87
45	13:21:01.37	626.83	-7.35	-27.66	-11.63	-19.14	709.64	69.1	39.1	33.0	11.90	11.00	9.85
46	13:21:16.69	612.34	-7.41	-27.53	-11.61	-19.16	693.69	69.0	39.1	33.0	11.63	10.75	9.84
47	13:21:13.41	597.82	-7.47	-27.41	-11.59	-19.18	677.70	69.0	39.1	33.0	11.36	10.50	9.83
48	13:21:28.45	586.91	-7.51	-27.31	-11.58	-19.20	665.68	69.0	39.1	33.0	11.15	10.31	9.82
49	13:21:36.85	568.69	-7.59	-27.15	-11.56	-19.23	645.55	69.0	39.1	32.9	10.81	10.00	9.80
50	13:21:43.57	554.09	-7.65	-27.02	-11.54	-19.25	629.39	69.0	39.1	32.9	10.54	9.75	9.78
51	13:21:50.29	539.46	-7.72	-26.89	-11.52	-19.28	613.18	68.9	39.1	32.9	10.27	9.49	9.77
52	13:21:55.33	528.47	-7.76	-26.79	-11.51	-19.30	600.99	68.9	39.1	32.9	10.06	9.30	9.77
53	13:22:05.41	506.44	-7.86	-26.59	-11.48	-19.34	576.50	68.9	39.1	32.8	9.64	8.92	9.75
54	13:22:12.13	491.72	-7.93	-26.45	-11.46	-19.37	560.10	68.8	39.1	32.8	9.37	8.67	9.74
55	13:22:17.17	480.66	-7.98	-26.34	-11.45	-19.39	547.76	68.8	39.1	32.7	9.16	8.47	9.73
56	13:22:23.89	465.89	-8.05	-26.20	-11.43	-19.42	531.28	68.8	39.1	32.7	8.88	8.22	9.72
57	13:22:27.25	458.50	-8.08	-26.13	-11.42	-19.43	523.02	68.8	39.1	32.7	8.74	8.09	9.71
58	13:22:32.29	447.39	-8.13	-26.02	-11.40	-19.46	510.60	68.8	39.2	32.6	8.53	7.90	9.70
59	13:22:37.33	436.27	-8.18	-25.91	-11.39	-19.48	498.15	68.7	39.2	32.6	8.32	7.70	9.69
60	13:22:42.37	425.12	-8.24	-25.80	-11.37	-19.50	485.66	68.7	39.2	32.6	8.11	7.51	9.68
61	13:22:47.41	413.97	-8.29	-25.69	-11.35	-19.53	473.18	68.7	39.2	32.6	7.90	7.31	9.67
62	13:22:54.12	399.06	-8.36	-25.54	-11.33	-19.55	456.50	68.7	39.2	32.5	7.62	7.05	9.66
63	13:22:57.48	391.60	-8.40	-25.46	-11.32	-19.57	448.13	68.6	39.2	32.5	7.47	6.92	9.65
64	13:23:00.84	384.13	-8.43	-25.39	-11.31	-19.59	439.76	68.6	39.2	32.5	7.33	6.79	9.65

Table 2b. (Cont'd)

	GMT of		Spacecraft			Pho	tograph (centi	ral reticle)			Scale	e, km	
Photo number	frame exposure July 31, 1964	Altitude, km	Latitude, deg	Longitude, deg	Latitude, deg	Longitude, deg	Slant range, km	Incidence angle, deg	Phase angle, deg	Emission angle, deg	E-W	N-S	North, deg
65	13:23:07.56	369.16	-8.51	-25.23	-11.29	-19.62	422.97	68.6	39.2	32.5	7.05	6.53	9.64
66	13:23:12.60	357.92	-8.56	-25.11	-11.27	-19.64	410.33	68.6	39.1	32.4	6.84	6.34	9.63
67	13:23:15.96	350.41	-8.60	-52.03	-11.26	-19.66	401.89	68.6	39.1	32.4	6.70	6.21	9.62
68	13:23:21.00	339.14	-8.66	-24.91	-11.25	-19.68	389.21	68.5	39.1	32.4	6.48	6.01	9.62
69	13:23:22.68	335.38	-8.68	-24.87	-11.24	-19.69	384.97	68.5	39.1	32.4	6.41	5.94	9.62
70	13:23:24.36	331.62	-8.70	-24.83	-11.23	-19.70	380.73	68.5	39.1	32.4	6.34	5.88	9.61
71	13:23:26.04	327.85	-8.71	-24.79	-11.23	-19.71	376.48	68.5	39.1	32.4	6.27	5.81	9.61
72	13:23:27.72	324.08	-8.73	-24.75	-11.22	-19.71	372.24	68.5	39.1	32.4	6.20	5.75	9.61
73	13:23:29.40	320.31	-8.75	-24.71	-11.22	-19.72	367.98	68.5	39.1	32.4	6.13	5.68	9.61
74	13:23:31.08	316.54	-8.77	-24.67	-11.21	-19.73	363.73	68.5	39.1	32.3	6.06	5.62	9.61
75	13:23:32.76	312.77	-8.79	-24.63	-11.21	-19.74	359.46	68.5	39.1	32.3	5.99	5.55	9.60
76	13:23:34.44	308.99	-8.81	-24.59	-11.20	-19.75	355.20	68.5	39.1	32.3	5.91	5.48	9.60
77	13:23:36.12	305.22	-8.83	-24.55 -24.50	-11.19 -11.19	-19.76 -19.77	350.93	68.5	39.1	32.3	5.84	5.42	9.60
78	13:23:37.80	301.44 297.65	-8.85 -8.87	-24.50 -24.46	-11.19	-19.77	346.66 342.38	68.4 68.4	39.1 39.1	32.3 32.3	5.77	5.35	9.60
79	13:23:39.48	PS-3-1000000	100000000000000000000000000000000000000	-24.42	-11.18	-19.78	338.10	68.4	39.1	32.3	5.63	5.28 5.22	9.59
80	13:23:41.16 13:23:42.84	293.87 290.09	-8.89 -8.91	-24.38	-11.17	-19.79	333.81	68.4	39.1	32.3	5.56	5.15	9.59
81 82	13:23:42.84	286.30	-8.93	-24.34	-11.17	-19.80	329.52	68.4	39.1	32.3	5.48	5.08	9.58
	13:23:44.32	282.51	-8.95	-24.29	-11.16	-19.81	325.23	68.4	39.1	32.3	5.41	5.02	9.58
83 84	13:23:46.20	278.72	-8.97	-24.25	-11.15	-19.82	320.93	68.4	39.1	32.3	5.34	4.95	9.58
85	13:23:47.56	274.92	-8.99	-24.21	-11.15	-19.83	316.63	68.4	39.1	32.3	5.27	4.89	9.58
86	13:23:51.24	271.13	-9.01	-24.16	-11.14	-19.84	312.32	68.4	39.1	32.2	5.19	4.82	9.57
87	13:23:52.92	267.33	-9.03	-24.12	-11.13	-19.85	308.01	68.4	39.1	32.2	5.12	4.75	9.57
88	13:23:54.60	263.53	-9.05	-24.08	-11.13	-19.86	303.69	68.3	39.1	32.2	5.05	4.69	9.57
89	13:23:56.28	259.73	-9.07	-24.03	-11.12	-19.87	299.37	68.3	39.1	32.2	4.98	4.62	9.57
90	13:23:57.96	255.92	-9.09	-23.99	-11.12	-19.88	295.05	68.3	39.1	32.2	4.91	4.55	9.57
91	13:23:59.64	252.12	-9.11	-23.95	-11.11	-19.89	290.72	68.3	39.1	32.2	4.83	4.48	9.56
92	13:24:01.32	248.31	-9.13	-23.90	-11.10	-19.90	286.39	68.3	39.1	32.2	4.76	4.42	9.56
93	13:24:03.00	244.50	-9.15	-23.86	-11.10	-19.91	282.05	68.3	39.1	32.2	4.69	4.35	9.56
94	13:24:04.68	240.68	-9.18	-23.81	-11.09	-19.92	277.71	68.3	39.1	32.1	4.62	4.28	9.55
95	13:24:06.36	236.87	-9.20	-23.77	-11.08	-19.93	273.37	68.3	39.1	32.1	4.54	4.22	9.55
96	13:24:08.04	233.05	-9.22	-23.73	-11.08	-19.94	269.02	68.3	39.1	32.1	4.47	4.15	9.55
97	13:24:09.72	229.23	-9.24	-23.68	-11.07	-19.95	264.67	68.3	39.1	32.1	4.40	4.08	9.55
98	13:24:11.40	225.41	-9.26	-23.63	-11.07	-19.96	260.31	68.2	39.1	32.1	4.32	4.01	9.54
99	13:24:13.08	221.59	-9.28	-23.59	-11.06	-19.97	255.95	68.2	39.1	32.1	4.25	3.95	9.54
100	13:24:14.76	217.76	-9.30	-23.54	-11.05	-19.98	251.58	68.2	39.1	32.1	4.18	3.88	9.54
101	13:24:16.44	213.94	-9.32	-23.50	-11.05	-19.99	247.21	68.2	39.1	32.1	4.10	3.81	9.54
102	13:24:18.12	210.11	-9.34	-23.45	-11.04	-20.00	242.84	68.2	39.1	32.1	4.03	3.74	9.53
103	13:24:19.80	206.28	-9.37	-23.41	-11.03	-20.01	238.46	68.2	39.1	32.0	3.96	3.68	9.53
104	13:24:21.48	202.44	-9.39	-23.36	-11.03	-20.02	234.08	68.2	39.1	32.0	3.89	3.61	9.53
105	13:24:23.16	198.61	-9.41	-23.31	-11.02	-20.03	229.69	68.2	39.1	32.0	3.81	3.54	9.52
106	13:24:24.84	194.77	-9.43	-23.27	-11.01	-20.04	225.30	68.2	39.1	32.0	3.74	3.47	9.52
107	13:24:26.52	190.93	-9.45	-23.22	-11.01	-20.05	220.91	68.1	39.1	32.0	3.67	3.40	9.52
108	13:24:28.20	187.08	-9.47	-23.17	-11.00	-20.06	216.51	68.1	39.1	32.0	3.59	3.34	9.52
109	13:24:29.88	183.24	-9.50	-23.13	-10.99	-20.08	212.10	68.1	39.1	32.0	3.52	3.27	9.51
110	13:24:31.56	179.39	-9.52	-23.08	-10.99	-20.09	207.69	68.1	39.1	31.9	3.44	3.20	9.51
111	13:24:33.24	175.54	-9.54	-23.03	-10.98	-20.10	203.28	68.1	39.1	31.9	3.37	3.13	9.51
112	13:24:34.92	171.69	-9.56	-22.98	-10.97	-20.11	198.86	68.1	39.2	31.9	3.30	3.06	9.50
113	13:24:36.60	167.84	-9.58	-22.94	-10.97	-20.12	194.43	68.1	39.2	31.9	3.22	3.00	9.50
114	13:24:38.28	163.98	-9.61	-22.89	-10.96	-20.13	190.00	68.1	39.2	31.9	3.15	2.93	9.50
115	13:24:39.96	160.13	-9.63	-22.84	-10.95	-20.14	185.57	68.1	39.2	31.9	3.08	2.86	9.49
116	13:24:41.64	156.27	-9.65	-22.79	-10.94	-20.15	181.14	68.0	39.2	31.9	3.00	2.79	9.49
117	13:24:43.32	152.40	-9.67	-22.74	-10.94	-20.17	176.70	68.0	39.2	31.8	2.93	2.72	9.49
118	13:24:45.00	148.54	-9.70 -0.73	-22.69	-10.93	-20.18 -20.19	172.25	68.0	39.2	31.8	2.85	2.65 2.58	9.48
119	13:24:46.68	144.67	-9.72 -9.74	-22.64	-10.92	-20.19 -20.20	167.81	68.0	39.2	31.8	2.71	2.58	9.48
120	13:24:48.36	140.80	-9.74 -9.77	-22.59	-10.92	-20.20 -20.21	158.91	68.0	39.2	31.8	2.63	2.45	9.48
121	13:24:50.04	136.93	-9.77 -0.79	-22.54	-10.91	- 11 14 COLD 14 C	124.0	X325,833,6	0154501100	2500000	2.56	2.43	9.47
122	13:24:51.72	133.06	-9.79	-22.49	-10.90	-20.22 -20.23	154.45	68.0 68.0	39.2 39.2	31.8	2.52	2.34	9.47
123	13:24:52.56	131.12	-9.80 -0.81	-22.47	-10.90	-20.23 -20.24			39.2	31.8	2.32	2.34	9.47
124	13:24:53.40	129.18	-9.81 -0.82	-22.44 -22.42	-10.89	-20.24 -20.24	149.98	68.0	39.2	31.8	2.45	2.27	9.47
125	13:24:54.24	127.24	-9.82	-22.42	-10.89	The second secon	145.52		39.2	31.8	2.43	2.27	9.47
126	13:24:55.08	125.30	-9.84 -9.85	-22.39 -22.37	-10.89 -10.88	-20.25 -20.25	143.52	68.0 67.9	39.2	31.8	2.41	2.24	9.47
127 128	13:24:55.92	123.36	-9.85 -0.86	U/9/ (BU/9) //	_ DHEST - D	(1) 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		67.9	39.2	31.8	2.33	2.17	9.46
1 / 8	13:24:56.76	121.42	-9.86	-22.34	-10.88	-20.26	141.04	07.9	39.2	31.6	2.55	2.17	7.40

Table 2b. (Cont'd)

	GMT of		Spacecraft			Pho	tograph (cent	ral reticle)			Scale	e, km	
Photo number	frame exposure July 31, 1964	Altitude, km	Latitude, deg	Longitude, deg	Latitude, deg	Longitude, deg	Slant range, km	Incidence angle, deg	Phase angle, deg	Emission angle, deg	E-W	N-S	Deviatio North, deg
129	13:24:57.60	119.48	-9.87	-22.32	-10.88	-20.26	138.81	67.9	39.2	31.7	2.30	2.14	9.46
130	13:24:58.44	117.54	-9.88	-22.29	-10.87	-20.27	136.57	67.9	39.2	31.7	2.26	2.10	9.46
131	13:24:59.28	115.60	-9.89	-22.27	-10.87	-20.28	134.33	67.9	39.2	31.7	2.22	2.07	9.46
132	13:25:00.12	113.66	-9.91	-22.24	-10.86	-20.28	132.09	67.9	39.2	31.7	2.19	2.03	9.46
133	13:25:00.96	111.71	-9.92	-22.22	-10.86	-20.29	129.84	67.9	39.2	31.7	2.15	2.00	9.46
134	13.25:01.80	109.77	-9.93	-22.19	-10.86	-20.29	127.60	67.9	39.2	31.7	2.11	1.96	9.46
135	13:25:02.64	107.82	-9.94	-22.16 -22.14	-10.85	-20.30	125.35	67.9	39.2	31.7	2.07	1.93	9.46
136	13:25:03.48 13:25:04.32	105.88	-9.95 -9.97	-22.14	-10.85 -10.85	-20.31 -20.31	123.11	67.9 67.9	39.2 39.2	31.7 31.7	2.04	1.86	9.45
138	13:25:04.32	101.99	-9.98 -9.98	-22.09	-10.83	-20.31	118.61	67.9	39.2	31.7	1.96	1.83	9.45
139	13:25:06.00	100.04	-9.99	-22.06	-10.84	-20.32	116.36	67.9	39.2	31.7	1.92	1.79	9.45
140	13:25:06.84	98.09	-10.00	-22.04	-10.83	-20.33	114.11	67.9	39.2	31.7	1.89	1.76	9.45
141	13:25:07.68	96.14	-10.01	-22.01	-10.83	-20.34	111.86	67.9	39.1	31.7	1.85	1.72	9.45
142	13:25:08.52	94.20	-10.03	-21.98	-10.83	-20.34	109.61	67.9	39.1	31.7	1.81	1.69	9.45
143	13:25:09.36	92.25	-10.04	-21.96	-10.82	-20.35	107.35	67.8	39.1	31.7	1.78	1.65	9.45
144	13:25:10.20	90.30	-10.05	-21.93	-10.82	-20.35	105.10	67.8	39.1	31.7	1.74	1.62	9.44
145	13:25:11.04	88.35	-10.06	-21.90	-10.81	-20.36	102.84	67.8	39.1	31.7	1.70	1.58	9.44
146	13:25:11.88	86.40	-10.07	-21.88	-10.81	-20.37	100.58	67.8	39.1	31.6	1.66	1.55	9.44
147	13:25:12.72	84.44	-10.09	-21.85	-10.81	-20.37	98.32	67.8	39.1	31.6	1.63	1.51	9.44
148	13:25:13.56	82.49	-10.10	-21.83	-10.80	-20.38	96.06	67.8	39.1	31.6	1.59	1.48	9.44
149	13:25:14.40	80.54	-10.11	-21.80	-10.80	-20.39	93.80	67.8	39.1	31.6	1.55	1.44	9.44
150	13:25:15.24	78.59	-10.12	-21.77	-10.80	-20.39	91.54	67.8	39.1	31.6	1.51	1.41	9.44
151	13:25:16.08	76.63	-10.13	-21.75	-10.79	-20.40	89.27	67.8	39.1	31.6	1.48	1.37	9.43
152	13:25:16.92	74.68	-10.15	-21.72	-10.79	-20.40	87.00	67.8	39.1	31.6	1.44	1.34	9.43
153	13:25:17.76	72.72	-10.16	-21.69	-10.78	-20.41	84.74	67.8	39.1	31.6	1.40	1.30	9.43
154	13:25:18.60	70.77	-10.17	-21.67	-10.78	-20.42	82.47	67.8	39.1	31.6	1.36	1.27	9.43
155	13:25:19.44	68.81	-10.18	-21.64	-10.78	-20.42	80.20	67.8	39.1	31.6	1.33	1.23	9.43
156	13:25:20.28	66.85	-10.20	-21.61	-10.77	-20.43	77.93	67.8	39.1	31.6	1.29	1.20	9.43
157	13:25:21.12	64.90	-10.21	-21.59	-10.77	-20.44	75.66	67.8	39.1	31.6	1.25	1.16	9.42
158	12:25:21.96	62.94	-10.22	-21.56	-10.76	-20.44	73.38	67.8	39.1	31.6	1.21	1.13	9.42
159	13:25:22.80	60.98	-10.23	-21.53	-10.76	-20.45	71.11	67.7	39.1	31.6	1.17	1.09	9.42
160	13:25:23.64	59.02 57.06	-10.25 -10.26	-21.50 -21.48	-10.76 -10.75	-20.46 -20.46	68.83 66.56	67.7 67.7	39.1 39.1	31.6	1.10	1.06	9.42
162	13:25:25.32		-10.28	-21.45	-10.75	-20.47	64.28	67.7	39.1	31.5	1.06	0.989	9.42
163	13:25:26.16	55.10	277 2742	-21.43	-10.73	-20.47	62.00	67.7	39.1	31.5	1.02	0.954	9.41
164		53.14	-10.28	0.0000000000000000000000000000000000000	10000000000	-20.48	25.03.00000	67.7	Alterior	31.5	0.986	0.918	9.41
	13:25:27.00	51.18	-10.30	-21.39	-10.74		59.72	67.7	39.1	28			9.41
165	13:25:27.84	49.22	-10.31	-21.37	-10.74	-20.49	57.43		39.1	31.5	0.948	0.883	200000000000000000000000000000000000000
166	13:25:28.68	47.25	-10.32	-21.34	-10.73	-20.50	55.15	67.7	39.1	31.5	0.911	0.848	9.41
167	13:25:29.52	45.29	-10.33	-21.31	-10.73	-20.50	52.87	67.7	39.1	31.5	0.873	0.813	9.41
168	13:25:30.36	43.33	-10.35	-21.28	-10.72	-20.51	50.58	67.7	39.1	31.5	0.835	0.778	9.41
169	13:25:31.20	41.36	-10.36	-21.26	-10.72	-20.52	48.29	67.7	39.1	31.5	0.797	0.743	9.41
170	13:25:32.04	39.40	-10.37	-21.23	-10.72	-20.52	46.00	67.7	39.1	31.5	0.759	0.708	9.40
171	13:25:32.88	37.43	-10.38	-21.20	-10.71	-20.53	43.71	67.7	39.1	31.5	0.722	0.672	9.40
172	13:25:33.72	35.47	-10.40	-21.17	-10.71	-20.54	41.42	67.7	39.1	31.5	0.684	0.637	9.40
173	13:25:34.56	33.50	-10.41	-21.15	-10.70	-20.54	39.13	67.7	39.1	31.5	0.646	0.602	9.40
174	13:25:35.40	31.53	-10.42	-21.12	-10.70	-20.55	36.84	67.6	39.1	31.5	0.608	0.566	9.40
175	13:25:36.24	29.56	-10.43	-21.09	-10.69	-20.56	34.54	67.6	39.1	31.4	0.570	0.531	9.40
176	13:25:37.08	27.59	-10.45	-21.06	-10.69	-20.56	32.25	67.6	39.1	31.4	0.532	0.496	9.40
177	13:25:37.92	25.62	-10.46	-21.03	-10.69	-20.57	29.95	67.6	39.1	31.4	0.494	0.460	9.40
178	13:25:38.76	23.66	-10.47	-21.00	-10.68	-20.58	27.65	67.6	39.1	31.4	0.456	0.425	9.39
179	13:25:39.59	21.68	-10.49	-20.98	-10.68	-20.58	25.35	67.6	39.1	31.4	0.418	0.390	9.39
180	13:25:40.43	19.71	-10.50	-20.95	-10.67	-20.59	23.05	67.6	39.1	31.4	0.380	0.354	9.39
181	13:25:41.27	17.74	-10.51	-20.92	-10.67	-20.60	20.75	67.6	39.1	31.4	0.342	0.319	9.39
182	13:25:42.11	15.77	-10.53	-20.89	-10.66	-20.60	18.44	67.6	39.1	31.4	0.304	0.283	9.39
183	13:25:42.95	13.80	-10.54	-20.86	-10.66	-20.61	16.14	67.6	39.1	31.4	0.266	0.248	9.39
184	13:25:43:79	11.82	-10.55	-20.83	-10.66	-20.62	13.83	67.6	39.1	31.4	0.228	0.213	9.39
185	13:25:44.63	9.85	-10.56	-20.80	-10.65	-20.62	11.52	67.6	39.1	31.4	0.190	0.177	9.39
186	13:25:45.47	7.87	-10.58	-20.78	-10.65	-20.63	9.21	67.6	39.1	31.4	0.152	0.142	9.38
187	13:25:46.31	5.90	-10.59	-20.75	-10.64	-20.64	6.90	67.6	39.1	31.4	0.114	0.106	9.38
188	13:25:47.15	3.92	-10.60	-20.72	-10.64	-20.65	4.59	67.5	39.1	31.4	0.076	0.071	9.38
189	13:2547.99	1.95	-10.62	-20.69	-10.63	-20.65	2.28	67.5	39.1	31.3	0.038	0.035	9.38
MPACT	13:25:48.82	0.	-10.63	-20.66	1.00								

Table 2. (Cont'd) c. Camera P₃

2004	GMT of		Spacecraft			Pho	otograph (centr	al reticle)			Sca	le, km	Deviatio
Photo number	frame exposure July 31, 1964	Altitude, km	Latitude, deg	Longitude, deg	Latitude, deg	Longitude, deg	Slant range, km	Incidence angle, deg	Phase angle, deg	Emission angle, deg	E-W	N-S	North, deg
1	13:12:20.60	1701.63	-4.10	-34.21	-13.36	-17.81	1876.67	70.5	38.6	35.9	89.57	82.30	11.27
2	13:12:42.44	1659.44	-4.20	-34.02	-13.34	- 1 <i>7</i> .83	1832.22	70.4	38.6	35.8	87.38	80.32	11.26
3	13:13:02.60	1620.36	-4.29	-33.84	-13.32	-17.84	1791.10	70.4	38.6	35.8	85.37	78.48	11.26
4	13:13:21.08	1584.42	-4.37	-33.68	-13.30	-17.86	1753.15	70.4	38.6	35.8	83.51	76.79	11.25
5	13:13:42.92	1541.80	-4.47	-33.48	-13.27	-17.88	1708.08	70.4	38.7	35.8	81.29	74.78	11.24
6	13:13:59.72	1508.90	-4.55	-33.32	-13.25	-17.85	1673.87	70.4	38.6	35.8	79.69	73.27	11.25
7	13:14:16.52	1475.90	-4.63	-33.16	-13.23	-17.83	1639.58	70.5	38.6	35.9	78.09	71.76	11.26
8	13:14:33.31	1442.80	-4.72	-32.99	-13.21	-17.82	1604.89	70.5	38.6	35.9	76.44	70.22	11.26
9	13:14:50.11	1409.60	-4.80	-32.82	-13.18	-17.82	1569.93	70.5	38.6	35.9	74.77	68.67	11.26
10	13:15:05.23	1379.63	-4.88	-32.67	-13.16	-17.82	1538.32	70.5	38.6	35.9	73.25	67.27	11.26
11	13:15:22.03	1346.23	-4.97	-32.49	-13.13	-17.82	1503.01	70.5	38.5	35.9	71.56	65.70	11.26
12	13:15:35.47	1319.43	-5.04	-32.35	-13.10	-17.82	1474.59	70.5	38.5	35.9	70.19	64.43	11.25
13	13:15:50.59	1289.20	-5.12	-32.18	-13.07	-17.83	1442.42	70.4	38.5	35.9	68.65	63.00	11.24
14	13:16:07.39	1255.50	-5.22	-31.99	-13.03	-17.85	1406.45	70.4	38.5	35.9	66.91	61.39	11.22
15	13:16:22.51	1225.08	-5.30	-31.82	-12.99	-17.87	1373.81	70.4	38.5	35.8	65.33	59.92	11.19
16	13:16:34.27	1201.35	-5.37	-31.68	-12.96	-17.89	1348.28	70.4	38.5	35.8	64.09	58.77	11.16
17	13:16:46.03	1177.57	-5.44	-31.55	-12.92	-17.91	1322.63	70.4	38.5	35.8	62.84	57.62	11.13
18	13:17:02.83	1143.49	-5.54	-31.34	-12.87	-17.95	1285.71	70.3	38.5	35.7	61.04	55.96	11.08
19	13:17:16.26	1116.14	-5.62	-31.18	-12.83	-17.99	1255.94	70.3	38.5	35.7	59.57	54.62	11.04
20	13:17:28.02	1092.14	-5.69	-31.03	-12.79	-18.02	1229.86	70.2	38.5	35.6	58.30	53.45	11.01
21	13:17:41.46	1064.65	-5.78	-30.86	-12.75	-18.06	1199.85	70.2	38.5	35.5	56.82	52.11	10.97
22	13:17:53.22	1040.52	-5.86	-30.71	-12.71	-18.10	1173.51	70.2	38.5	35.5	55.53	50.93	10.93
23	13:18:03.30	1019.79	-5.92	-30.57	-12.68	-18.13	1150.84	70.1	38.5	35.4	54.42	49.92	10.90
24	13:18:16.74	992.08	-6.01	-30.39	-12.63	-18.17	1120.47	70.1	38.5	35.4	52.93	48.56	10.86
25	13:18:26.82	971.24	-6.08	-30.25	-12.60	-18.21	1097.58	70.1	38.6	35.3	51.81	47.54	10.82
26	13:18:36.90	950.35	-6.15	-30.11	-12.56	-18.25	1077.50	70.0	38.6	35.2	50.69	46.52	10.79
27	13:18:45.30	932.91	-6.21	-29.99	-12.53	-18.27	1055.51	70.0	38.6	35.2	49.76	45.66	250000000000000000000000000000000000000
28		908.43	-6.29	-29.82	-12.33	-18.32	1033.57	69.9	38.6	35.1		1257/401/20	10.76
29	13:18:57.06	887.40	-6.36	-29.68	-12.46	-18.36	1025.37	69.9	38.6	35.1	48.45 47.31	44.46	10.69
30	13:19:07.14	866.32	-6.44	-29.53	-12.40	-18.40		69.9	38.6	35.0	1.0000000000000000000000000000000000000	42.40	10.65
	13:19:17.22				-12.42	-18.40 -18.44	982.07				46.18		
31	13:19:27.30	845.18	-6.51	-29.37	2 P. C.	200 P. C.	958.72	69.8	38.6	34.9	45.04	41.36	10.62
32	13:19:37.38	824.00	-6.59	-29.22	-12.35	-18.48	935.33	69.8	38.6	34.9	43.91	40.33	10.58
33	13:19:45.78	806.30	-6.65	-29.09	-12.31	-18.51	915.80	69.7	38.6	34.8	42.97	39.46	10.55
34	13:19:52.50	792.12	-6.70	-28.98	-12.29	-18.53	900.17	69.7	38.6	34.8	42.22	38.77	10.53
35	13:20:02.58	770.80	-6.78	-28.82	-12.25	-18.57	876.62	69.7	38.6	34.7	41.09	37.74	10.49
36	13:20:09.29	756.56	-6.84	-28.71	-12.22	-18.60	860.83	69.7	38.6	34.7	40.33	37.04	10.46
37	13:20:16.01	742.29	-6.89	-28.60	-12.20	-18.62	845.00	69.6	38.6	34.6	39.57	36.34	10.44
38	13:20:22.73	728.00	-6.94	-28.49	-12.17	-18.65	829.15	69.6	38.7	34.6	38.81	35.64	10.41
39	13:20:29.45	713.68	-7.00	-28.37	-12.15	-18.68	813.26	69.6	38.7	34.5	38.04	34.95	10.39
40	13:20:36.17	699.34	-7.06	-28.26	-12.12	-18.70	797.38	69.5	38.7	34.5	37.28	34.25	10.37
41	13:20:44.57	681.38	-7.13	-28.11	-12.09	-18.74	777.48	69.5	38.7	34.5	36.34	33.38	10.34
42	13:20:49.61	670.59	-7.17	-28.02	-12.07	-18.75	765.56	69.5	38.6	34.5	35.77	32.86	10.33
43	13:20:56.33	656.17	-7.23	-27.90	-12.04	-18.77	749.61	69.5	38.6	34.4	35.02	32.16	10.31
44	13:21:01.37	645.34	-7.27	-27.81	-12.02	-18.79	737.61	69.5	38.6	34.4	34.45	31.64	10.29
45	13:21:09.77	627.26	-7.34	-27.66	-11.99	-18.83	717.51	69.4	38.6	34.4	33.49	30.76	10.27
46	13:21:16.49	612.77	-7.40	-27.54	-11.96	-18.85	701.38	69.4	38.6	34.3	32.73	30.06	10.25
47	13:21:23.21	598.25	-7.46	-27.41	-11.94	-18.88	685.22	69.4	38.6	34.3	31.96	29.35	10.23
48	13:21:28.25	587.34	-7.51	-27.32	-11.92	-18.90	673.07	69.3	38.6	34.3	31.38	28.82	10.22
49	13:21:36.65	569.13	-7.59	-27.16	-11.88	-18.94	652.72	69.3	38.6	34.2	30.42	27.94	10.19
50	13:21:43.37	554.53	-7.65	-27.03	-11.86	-18.97	636.39	69.3	38.6	34.2	29.64	27.23	10.17
51	13:21:50.09	539.90	-7.71	-26.89	-11.83	-19.00	620.00	69.2	38.6	34.1	28.86	26.52	10.15
52	13:21:55.13	528.91	-7.76	-26.79	-11.81	-19.03	607.68	69.2	38.6	34.1	28.28	25.98	10.14
53	13:22:05.21	506.88	-7.86	-26.59	-11.77	- 19.08	582.93	69.2	38.6	34.1	27.10	24.91	10.12
54	13:22:11.93	492.16	-7.93	-26.45	-11.74	-19.12	566.35	69.1	38.6	34.0	26.32	24.19	10.10
55	13:22:16.97	481.10	-7.98	-26.35	-11.72	-19.14	553.88	69.1	38.6	34.0	25.72	23.65	10.08
56	13:22:23.69	466.33	-8.04	-26.21	-11.69	-19.18	537.22	69.1	38.6	33.9	24.94	22.93	10.07
57	13:22:27.05	458.94	-8.08	-26.13	-11.68	-19.20	528.88	69.0	38.6	33.9	24.54	22.57	10.06
58	13:22:32.09	447.83	-8.13	-26.03	-11.66	-19.23	516.32	69.0	38.6	33.9	23.95	22.03	10.04
59	13:22:37.13	436.71	-8.18	-25.92	-11.64	-19.26	503.73	69.0	38.6	33.8	23.35	21.49	10.03
60	13:22:42.17	425.57	-8.23	-25.81	-11.62	-19.29	491.12	68.9	38.6	33.8	22.75	20.94	10.01
61	13:22:47.21	414.41	-8.29	-25.69	-11.59	-19.31	478.50	68.9	38.6	33.7	22.16	20.40	10.00
62	13:22:53.92	399.51	-8.36	-25.54	-11.56	-19.35	461.64	68.9	38.6	33.7	21.37	19.67	9.98
UZ		392.04	-8.40	-25.47	-11.55	-19.37	453.19	68.9	38.6	33.7	20.97	19.31	9.97
63	13:22:57.28												

Table 2c. (Cont'd)

	GMT of		Spacecraft			Pho	tograph (centr	al reticle)			Sca	le, km	
Photo number	frame exposure July 31, 1964	Altitude, km	Latitude, deg	Longitude, deg	Latitude, deg	Longitude, deg	Slant range, km	Incidence angle, deg	Phase angle, deg	Emission angle, deg	E-W	N-S	Deviatio North, deg
65	13:23:07.36	369.61	-8.51	-25.24	-11.50	-19.43	427.76	68.8	38.6	33.6	19.78	18.22	9.95
66	13:23:12.40	358.37	-8.56	-25.12	-11.48	-19.46	414.99	68.8	38.6	33.6	19.18	17.67	9.93
67	13:23:15.76	350.86	-8.60	-25.04	-11.47	-19.48	406.47	68.7	38.6	33.6	18.78	17.30	9.93
68	13:23:20.80	339.59	-8.66	-24.92 -24.88	-11.44 -11.44	- 19.51 - 19.52	393.65	68.7	38.6	33.5	18.18	16.75	9.92
69	13:23:22.48	335.83 332.06	-8.67 -8.69	-24.88 -24.84	-11.44	- 19.52 - 19.53	389.37 385.08	68.7 68.7	38.6 38.6	33.5 33.5	17.98 17.78	16.57	9.91
70 71	13:23:24.16 13:23:25.84	328.30	-8.71	-24.84	-11.43	-19.54	380.80	68.7	38.6	33.5	17.58	16.20	9.90
72	13:23:27.52	324.53	-8.73	-24.76	-11.41	-19.55	376.50	68.7	38.6	33.5	17.38	16.02	9.90
73	13:23:29.20	320.76	-8.75	-24.72	-11.40	-19.56	372.21	68.7	38.6	33.5	17.18	15.83	9.90
74	13:23:30.88	316.99	-8.77	-24.68	-11.40	-19.57	367.91	68.7	38.6	33.5	16.98	15.65	9.89
75	13:23:32.56	313.22	-8.79	-24.63	-11.39	-19.58	363.60	68.6	38.6	33.4	16.78	15.46	9.89
76	13:23:34.24	309.44	-8.81	-24.59	-11.38	-19.59	359.29	68.6	38.6	33.4	16.58	15.28	9.88
77	13:23:35.92	305.67	-8.83	-24.55	-11.37	-19.60	354.98	68.6	38.6	33.4	16.38	15.09	9.88
78	13:23:37.60	301.89	-8.85	-24.51	-11.36	-19.61	350.66	68.6	38.6	33.4	16.17	14.91	9.88
79	13:23:39.28	298.10	-8.87	-24.47	-11.36	-19.62	346.34	68.6	38.6	33.4	15.97	14.72	9.87
80	13:23:40.96	294.32	-8.89	-24.43	-11.35	-19.63	342.01	68.6	38.6	33.4	15.77	14.54	9.87
81	13:23:42.64	290.54	-8.91	-24.38	-11.34	-19.64	337.68	68.6	38.6	33.4	15.57	14.35	9.86
82	13:23:44.32	286.75	-8.93	-24.34	-11.33	-19.66	333.35	68.6	38.6	33.4	15.37	14.17	9.86
83	13:23:46.00	282.96	-8.95	-24.30	-11.32	-19.67	329.01	68.6	38.6	33.4	15.16	13.98	9.85
84	13:23:47.68	279.17	-8.97	-24.26	-11.32	-19.68	324.67	68.5	38.6	33.3	14.96	13.80	9.85
8.5	13:23:49.36	275.37	-8.99	-24.21	-11.31	-19.69	320.32	68.5	38.6	33.3	14.76	13.61	9.85
86	13:23:51.04	271.58	-9.01	-24.17	-11.30	-19.70	315.97	68.5	38.6	33.3	14.56	13.42	9.84
87	13:23:52.72	267.78	-9.03	-24.13	-11.29	-19.71	311.61	68.5	38.6	33.3	14.35	13.24	9.84
88	13:23:54.40 13:23:56.08	263.98 260.18	-9.05 -9.07	-24.08 -24.04	-11.28 -11.27	-19.72 -19.74	307.26 302.89	68.5 68.5	38.6 38.6	33.3 33.3	14.15	13.05	9.84
89 90	13:23:56.08	256.38	-9.07 -9.09	-24.00	-11.27	-19.75	298.53	68.5	38.6	33.3	13.74	12.68	9.83
91	13:23:57.76	252.57	-9.09 -9.11	-23.95	-11.26	-19.76	294.15	68.5	38.6	33.2	13.54	12.49	9.82
92	13:24:01.12	248.76	-9.13	-23.91	-11.25	-19.77	289.78	68.4	38.6	33.2	13.34	12.30	9.82
93	13:24:02.80	244.95	-9.15	-23.86	-11.24	-19.78	285.40	68.4	38.6	33.2	13.13	12.12	9.81
94	13:24:04.48	241.14	-9.17	-23.82	-11.23	-19.79	281.01	68.4	38.6	33.2	12.93	11.93	9.81
95	13:24:06.16	237.32	-9.19	-23.78	-11.22	-19.81	276.62	68.4	38.6	33.2	12.72	11.74	9.81
96	13:24:07.84	233.51	-9.21	-23.73	-11.21	-19.82	272.23	68.4	38.6	33.2	12.52	11.55	9.80
97	13:24:09.52	229.69	-9.24	-23.69	-11.21	-19.83	267.83	68.4	38.6	33.2	12.32	11.37	9.80
98	13:24:11.20	225.87	-9.26	-23.64	-11.20	-19.84	263.43	68.4	38.6	33.1	12.11	11.18	9.79
99	13:24:12.88	222.05	-9.28	-23.60	-11.19	-19.86	259.02	68.4	38.6	33.1	11.91	10.99	9.79
100	13:24:14.56	218.22	-9.30	-23.55	-11.18	-19.87	254.61	68.3	38.6	33.1	11.70	10.80	9.78
101	13:24:16.24	214.39	-9.32	-23.50	-11.17	-19.88	250.20	68.3	38.6	33.1	11.50	10.61	9.78
102	13:24:17.92	210.56	-9.34	-23.46	-11.16	-19.89	245.78	68.3	38.6	33.1	11.29	10.43	9.78
103	13:24:19.51	206.73	-9.36	-23.41	-11.15	-19.90	241.36	68.3	38.6	33.1	11.09	10.24	9.77
104	13:24:21.28	202.90	-9.38	-23.37	-11.15	-19.92	236.93	68.3	38.6	33.1	10.88	10.05	9.77
105	13:24:22.96	199.06	-9.41	-23.32	-11.14	-19.93	232.50	68.3	38.6	33.0	10.68	9.86	9.76
106	13:24:24.64	195.22	-9.43	-23.27	-11.13	-19.94	228.07	68.3	38.6	33.0	10.47	9.67	9.76
107	13:24:26.32 13:24:28.00	191.38 187.54	-9.45 -9.47	-23.23 -23.18	-11.12 -11.11	-19.96 -19.97	223.63 219.18	68.3 68.2	38.6 38.6	33.0 33.0	10.26	9.48	9.76
108	13:24:29.68	183.70	-9.47 -9.49	-23.18	-11.11	-19.98	214.73	68.2	38.6	33.0	9.85	9.10	9.75
110	13:24:31.36	179.85	-9.52	-23.08	-11.09	-19.99	210.28	68.2	38.6	33.0	9.65	8.91	9.74
111	13:24:33.04	176.00	-9.54	-23.04	-11.08	-20.01	205.82	68.2	38.6	32.9	9.44	8.72	9.74
112	13:24:34.72	172.15	-9.56	-22.99	-11.07	-20.02	201.36	68.2	38.6	32.9	9.23	8.53	9.73
113	13:24:36.40	168.30	-9.58	-22.94	-11.06	-20.03	196.89	68.2	38.6	32.9	9.03	8.34	9.73
114	13:24:38.08	164.44	-9.60	-22.89	-11.05	-20.05	192.42	68.2	38.6	32.9	8.82	8.15	9.72
115	13:24:39.76	160.58	-9.63	-22.84	-11.05	-20.06	187.94	68.1	38.6	32.9	8.61	7.96	9.72
116	13:24:41.44	156.72	-9.65	-22.80	-11.04	-20.07	183.46	68.1	38.6	32.9	8.41	7.77	9.71
117	13:24:43.12	152.86	-9.67	-22.75	-11.03	-20.09	178.97	68.1	38.6	32.8	8.20	7.58	9.70
118	13:24:44.80	149.00	-9.69	-22.70	-11.02	-20.10	174.49	68.1	38.6	32.8	7.99	7.39	9.70
119	13:24:46.48	145.13	-9.72	-22.65	-11.01	-20.11	170.00	68.1	38.6	32.8	7.78	7.20	9.70
120	13:24:48.16	141.26	-9.74	-22.60	-11.00	-20.13	165.51	68.1	38.6	32.8	7.58	7.01	9.69
121	13:24:49.84	137.39	-9.76	-22.55	-10.99	-20.14	161.01	68.1	38.6	32.8	7.37	6.82	9.69
122	13:24:51.52	133.52	-9.79	-22.50	-10.98	-20.15	156.50	68.1	38.6	32.8	7.16	6.63	9.68
123	13:24:52.36	131.58	-9.80	-22.48	-10.98	-20.16	154.25	68.0	38.6	32.8	7.06	6.53	9.68
124	13:24:53.20	129.64	-9.81	-22.45	-10.97	-20.17	152.00	68.0	38.6	32.8	6.96	6.43	9.68
125	13:24:54.04	127.70	-9.82	-22.42	-10.97	-20.17	149.74	68.0	38.6	32.8	6.85	6.34	9.68
126	13:24:54.88	125.77	-9.83	-22.40	-10.96	-20.18	147.49	68.0	38.6	32.7	6.75	6.24	9.68
127	13:24:55.72	123.83	-9.84	-22.37	-10.96	-20.19	145.23	68.0	38.6	32.7	6.64	6.15	9.67

Table 2c. (Cont'd)

	GMT of		Spacecraft			Pho	tograph (centr	al reticle)			Scale	e, km	12.12
Photo number	frame exposure July 31, 1964	Altitude, km	Latitude, deg	Longitude, deg	Latitude, deg	Longitude, deg	Slant range, km	Incidence angle, deg	Phase angle, deg	Emission angle, deg	E-W	N-S	Deviatio North, deg
129	13:24:57.40	119.94	-9.87	-22.32	-10.95	-20.20	140.71	68.0	38.6	32.7	6.44	5.95	9.67
130	13:24:58.24	118.00	-9.88	-22.30	-10.94	-20.21	138.45	68.0	38.6	32.7	6.33	5.86	9.67
131	13:24:59.08	116.06	-9.89	-22.27	-10.94	-20.22	136.18	68.0	38.6	32.7	6.23	5.76	9.67
132	13:24:59.92	114.12	-9.90	-22.25	-10.93	-20.22	133.92	68.0	38.6	32.7	6.12	5.67	9.66
133	13:25:00.76	112.17	-9.92	-22.22	-10.93	-20.23	131.66	68.0	38.6	32.7	6.02	5.57	9.66
134	13:25:01.60 13:25:02.44	110.23	-9.93 -9.94	-22.20 -22.17	-10.92 -10.92	-20.24 -20.24	129.39	68.0	38.6	32.7	5.92	5.47	9.66
136	13:25:03.28	106.24	-9.94 -9.95	-22.17	-10.92	-20.24 -20.25	127.12 124.86	68.0 68.0	38.6 38.6	32.7 32.7	5.81 5.71	5.38	9.66
137	13:25:04.12	104.40	-9.96	-22.12	-10.91	-20.26	122.59	67.9	38.6	32.7	5.60	5.28 5.19	9.66
138	13:25:04.96	102.45	-9.97	-22.09	-10.90	-20.26	120.32	67.9	38.6	32.7	5.50	5.09	9.65
139	13:25:05.80	100.50	-9.99	-22.07	-10.90	-20.27	118.04	67.9	38.6	32.6	5.39	4.99	9.65
140	13:25:06.64	98.56	-10.00	-22.04	-10.89	-20.28	115.77	67.9	38.6	32.6	5.29	4.90	9.65
141	13:25:07.48	96.61	-10.01	-22.02	-10.89	-20.29	113.50	67.9	38.6	32.6	5.19	4.80	9.64
142	13:25:08.32	94.66	-10.02	-21.99	-10.88	-20.29	111.22	67.9	38.6	32.6	5.08	4.70	9.64
143	13:25:09.16	92.71	-10.03	-21.96	-10.88	-20.30	108.95	67.9	38.6	32.6	4.98	4.61	9.64
144	13:25:10.00	90.76	-10.05	-21.94	-10.87	-20.31	106.67	67.9	38.6	32.6	4.87	4.51	9.64
145	13:25:10.84	88.81	-10.06	-21.91	-10.87	-20.31	104.39	67.9	38.6	32.6	4.77	4.41	9.64
146	13:25:11.68	86.86	-10.07	-21.88	-10.86	-20.32	102.11	67.9	38.6	32.6	4.66	4.32	9.63
147	13:25:12.52	84.91	-10.08	-21.86	-10.86	-20.33	99.83	67.9	38.6	32.6	4.56	4.22	9.63
148	13:25:13.36	82.96	-10.09	-21.83	-10.85	-20.34	97.54	67.9	38.6	32.6	4.45	4.12	9.63
149	13:25:14.20	81.00	-10.11	-21.81	-10.85	-20.34	95.26	67.9	38.6	32.6	4.35	4.03	9.63
150	13:25:15.04	79.05	-10.12	-21.78	-10.84	-20.35	92.97	67.9	38.6	32.6	4.24	3.93	9.63
151	13:25:15.88 13:25:16.72	77.10 75.14	-10.13 -10.14	-21.75 -21.73	-10.84	-20.36	90.69	67.8	38.6	32.6	4.14	3.83	9.62
152 153	13:25:17.56	73.14	-10.14	-21.73	-10.83 -10.83	-20.37 -20.37	88.40 86.11	67.8 67.8	38.6 38.6	32.5	4.04	3.74	9.62
154	13:25:18.40	71.23	-10.17	-21.67	-10.83	-20.37	83.82	67.8	38.6	32.5 32.5	3.93	3.64	9.62 9.62
155	13:25:19.24	69.28	-10.17	-21.65	-10.82	-20.39	81.53	67.8	38.6	32.5	3.72	3.45	9.61
156	13:25:20.08	67.32	-10.19	-21.62	-10.81	-20.39	79.23	67.8	38.6	32.5	3.62	3.35	9.61
157	13:25:20.92	65.36	-10.21	-21.59	-10.81	-20.40	76.94	67.8	38.6	32.5	3.51	3.25	9.61
158	13:25:21.76	63.41	-10.22	-21.56	-10.80	-20.41	74.65	67.8	38.6	32.5	3.41	3.15	9.61
159	13:25:22.60	61.45	-10.23	-21.54	-10.80	-20.42	72.35	67.8	38.6	32.5	3.30	3.06	9.60
160	13:25:23.44	59.49	-10.24	-21.51	-10.79	-20.42	70.05	67.8	38.6	32.5	3.20	2.96	9.60
161	13:25:24.28	57.53	-10.25	-21.48	-10.79	-20.43	67.75	67.8	38.6	32.5	3.09	2.86	9.60
162	13:25:25.12	55.57	-10.27	-21.46	-10.78	-20.44	65.45	67.8	38.6	32.5	2.98	2.77	9.60
163	13:25:25.96	53.61	-10.28	-21.43	-10.78	-20.45	63.15	67.8	38.6	32.5	2.88	2.67	9.59
164	13:25:26.80	51.65	-10.29	-21.40	-10.77	-20.45	60.85	67.7	38.6	32.5	2.77	2.57	9.59
165	13:25:27.64	49.68	-10.30	-21.37	-10.77	-20.46	58.54	67.7	38.6	32.4	2.67	2.47	9.59
166	13:25:28.48	47.72	-10.32	-21.35	-10.76	-20.47	56.24	67.7	38.6	32.4	2.56	2.38	9.59
167	13:25:29.32	45.76	-10.33	-21.32	-10.76	-20.48	53.93	67.7	38.6	32.4	2.46	2.28	9.58
168	13:25:30.16	43.80	-10.34	-21.29	-10.75	-20.48	51.62	67.7	38.6	32.4	2.35	2.18	9.58
169	13:25:31.00	41.83	-10.36	-21.26	-10.74	-20.49	49.31	67.7	38.6	32.4	2.25	2.08	9.58
170	13:25:31.84	39.87	-10.37	-21.24	-10.74	-20.50	47.00	67.7	38.6	32.4	2.14	1.98	9.58
171 172	13:25:32.68 13:25:33.52	37.90 35.93	-10.38 -10.39	-21.21 -21.18	-10.73 -10.73	-20.51 -20.52	44.69 42.38	67.7 67.7	38.6	32.4	2.04	1.89	9.58
173	13:25:34.36	33.97	-10.39	-21.18 -21.15	-10.73	-20.52 -20.52	40.06	67.7	38.6 38.6	32.4	1.93	1.79	9.57
174	13:25:35.20	32.00	-10.42	-21.13	-10.72	-20.53	37.75	67.7	38.6	32.4	1.72	1.59	9.57
175	13:25:36.04	30.03	-10.43	-21.10	-10.71	-20.54	35.43	67.7	38.6	32.4	1.61	1.50	9.57
176	13:25:36.88	28.06	-10.44	-21.07	-10.71	-20.55	33.11	67.6	38.6	32.3	1.51	1.40	9.57
177	13:25:37.72	26.09	-10.46	-21.04	-10.70	-20.55	30.79	67.6	38.6	32.3	1.40	1.30	9.56
178	13:25:38.56	24.12	-10.47	-21.01	-10.70	-20.56	28.47	67.6	38.6	32.3	1.30	1.20	9.56
179	13:25:39.39	22.15	-10.48	-20.98	-10.69	- 20.57	26.15	67.6	38.6	32.3	1.19	1.10	9.56
180	13:25:40.23	20.18	-10.50	-20.95	-10.69	-20.58	23.83	67.6	38.6	32.3	1.08	1.01	9.56
181	13:25:41.07	18.21	-10.51	-20.93	-10.68	-20.59	21.50	67.6	38.6	32.3	0.979	0.908	9.56
182	13:25:41.91	16.24	-10.52	-20.90	-10.68	-20.59	19.18	67.6	38.6	32.3	0.873	0.809	9.55
183	13:25:42.75	14.27	-10.54	-20.87	-10.67	-20.60	16.85	67.6	38.6	32.3	0.767	0.711	9.55
184	13:25:43.59	12.29	-10.55	-20.84	-10.66	-20.61	14.52	67.6	38.6	32.3	0.661	0.613	9.55
185	13:25:44.43	10.32	-10.56	-20.81	-10.66	-20.62	12.19	67.6	38.6	32.3	0.555	0.514	9.55
186	13:25:45.27	8.34	-10.57	-20.78	-10.65	- 20.63	9.86	67.6	38.6	32.3	0.448	0.416	9.55
187	13:25:46.11	6.37	-10.59	-20.75	-10.65	-20.63	7.52	67.6	38.6	32.3	0.342	0.318	9.54
188	13:25:46.95	4.39	-10.60	-20.73	-10.64	-20.64	5.19	67.6	38.6	32.3	0.236	0.219	9.54
189	13:25:47.79	2.42	-10.61	-20.72	-10.64	-20.65	2.86	67.5	38.6	32.2	0.130	0.121	9.54
190	13:25:48.63	0.439	-10.63	-20.67	-10.63	-20.66	0.519	67.5	38.6	32.2	0.024	0.022	9.54
17.5	, 0.20.40.00	0.407	10.00	20.07	10.03	20.00	0.017	37.3	50.0	JA14	0.024	0.022	7.54

Table 2. (Cont'd) d. Camera P₄

	GMT of	Spacecraft			Photograph (central reticle)						Scale, km		Deviation
Photo number	frame exposure July 31, 1964	Altitude, km	Latitude, deg	Longitude, deg	Latitude, deg	Longitude, deg	Slant range, km	Incidence angle, deg	Phase angle, deg	Emission angle, deg	E-W	N-S	North, deg
1	13:12:21.00	1700.86	-4.11	-34.21	-12.26	-17.54	1871.31	70.6	38.2	35.4	89.89	80.68	10.76
2	13:12:42.84	1658.67	-4.20	-34.02	-12.26	-17.56	1826.95	70.6	38.2	35.4	87.68	78.75	10.77
3	13:13:03.00	1619.59	-4.29	-33.84	-12.26	-17.58	1785.92	70.6	38.2	35.4	85.66	76.97	10.78
4	13:13:21.48	1583.64	-4.37	-33.67	-12.26	-17.60	1748.05	70.6	38.3	35.4	83.78	75.33	10.78
5	13:13:43.32	1541.02	-4.48	-33.47	-12.26	-17.63	1703.08	70.5	38.3	35.3	81.55	73.37	10.79
6	13:14:00.12	1508.12	-4.56	-33.31	-12.26	-17.61	1668.97	70.6	38.2	35.4	79.93	71.90	10.80
7	13:14:16.92	1475.11	-4.64	-33.15	-12.26	-17.59	1634.76	70.6	38.2	35.4	78.32	70.43	10.82
8	13:14:33.71	1442.01	-4.72	-32.99	-12.26	-17.58	1600.15	70.6	38.2	35.5	76.66	68.93	10.84
9	13:14:50.51	1408.81	-4.80	-32.82	-12.25	-17.59	1565.28	70.6	38.2	35.5	74.98	67.43	10.85
10	13:15:05.63	1378.84	-4.88	-32.66	-12.25	-17.59	1533.74	70.6	38.2	35.5	73.46	66.06	10.85
11	13:15:22.43	1345.43	-4.97	-32.49	-12.24	-17.60	1498.52	70.6	38.1	35.5 35.5	71.75	64.53 63.30	10.86
12	13:15:35.87	1318.63	-5.04	-32.34	-12.23	-17.61	1470.16	70.6 70.6	38.1	35.5	68.82	61.90	10.86
13	13:15:50.99	1288.40	-5.12	-32.18 -31.99	-12.22 -12.20	-17.62 -17.64	1438.08	70.6	38.1	35.5	67.07	60.33	10.85
14	13:16:07.79	1254.70	-5.22	13/23/24/24	-12.20	-17.67	1369.66	70.5	38.1	35.5	65.48	58.90	10.83
15	13:16:22.91	1224.27	-5.30 -5.37	-31.82 -31.68	-12.16	-17.69	1344.20	70.5	38.1	35.4	64.24	57.78	10.81
16	13:16:34.67	1200.54	-5.44	-31.54	-12.16	-17.72	1318.62	70.5	38.1	35.4	62.98	56.66	10.79
17	13:16:46.43	1176.76	-5.44 -5.54	-31.34 -31.34	-12.14	-17.76	1281.80	70.4	38.1	35.4	61.17	55.04	10.75
18	13:17:03.23	1142.68	-5.62	-31.17	-12.11	-17.80	1252.12	70.4	38.1	35.3	59.70	53.73	10.72
19	13:17:16.66	1115.32	-5.70	-31.03	-12.06	-17.84	1226.11	70.4	38.1	35.3	58.42	52.59	10.69
	13:17:28.42 13:17:41.86	1063.83	-5.78	-30.85	-12.04	-17.88	1196.17	70.3	38.1	35.2	56.93	51.28	10.66
21	13:17:53.62	1003.03	-5.86	-30.70	-12.02	-17.92	1169.90	70.3	38.1	35.1	55.64	50.13	10.64
23	13:18:03.70	1018.97	-5.92	-30.57	-12.00	-17.96	1147.29	70.2	38.1	35.1	54.52	49.14	10.62
24	13:18:17.14	991.25	-6.01	-30.39	-11.97	-18.01	1117.00	70.2	38.1	35.0	53.03	47.81	10.58
25	13:18:27.22	970.41	-6.08	-30.25	-11.95	-18.05	1094.18	70.1	38.2	35.0	51.90	46.81	10.56
26	13:18:37.30	949.52	-6.15	-30.11	-11.93	-18.09	1071.32	70.1	38.2	34.9	50.78	45.81	10.53
27	13:18:45.70	932.08	-6.21	-29.99	-11.91	-18.12	1052.21	70.1	38.2	34.9	49.84	44.98	10.51
28	13:18:57.46	907.60	-6.29	-29.82	-11.89	-18.17	1025.34	70.0	38.2	34.8	48.52	43.80	10.48
29	13:19:07.54	886.57	-6.37	-29.67	-11.87	-18.21	1002.18	70.0	38.2	34.7	47.38	42.79	10.45
30	13:19:17.62	865.48	-6.44	-29.52	-11.84	-18.26	978.95	69.9	38.2	34.7	46.24	41.78	10.42
31	13:19:27.70	844.34	-6.51	-29.37	-11.82	-18.30	955.66	69.9	38.2	34.6	45.10	40.77	10.39
32	13:19:37.78	823.15	-6.59	-29.21	-11.80	-18.34	932.34	69.9	38.2	34.6	43.97	39.75	10.36
33	13:19:46.18	805.46	-6.65	-29.08	-11.77	-18.37	912.86	69.8	38.2	34.5	43.03	38.90	10.34
34	13:19:52.90	791.27	-6.71	-28.97	-11.76	-18.40	897.28	69.8	38.2	34.5	42.27	38.23	10,32
35	13:20:02.97	769.95	-6.79	-28.81	-11.73	-18.44	873.78	69.8	38.2	34.4	41.14	37.21	10.29
36	13:20:09.69	755.71	-6.84	-28.70	-11.72	-18.47	858.02	69.7	38.2	34.4	40.37	36.52	10.27
37	13:20:16.41	741.44	-6.89	-28.59	-11.70	-18.50	842.24	69.7	38.3	34.3	39.61	35.84	10.25
38	13:20:23.13	727.15	-6.95	-28.48	-11.68	-18.53	826.42	69.7	38.3	34.3	38.85	35.15	10.23
39	13:20:29.85	712.83	-7.00	-28.37	-11.67	-18.56	810.57	69.6	38.3	34.3	38.08	34.47	10.21
40	13:20:36.57	698.49	-7.06	-28.25	-11.65	-18.58	794.73	69.6	38.3	34.2	37.32	33.78	10.20
41	13:20:44.97	680.53	-7.13	-28.10	-11.63	-18.62	774.88	69.6	38.3	34.2	36.37	32.93	10.17
42	13:20:50.01	669.73	-7.17	-28.02	-11.62	-18.64	762.99	69.6	38.2	34.2	35.80	32.42	10.16
43	13:20:56.73	655.31	-7.23	-27.90	-11.60	-18.66	747.08	69.5	38.2	34.2	35.05	31.73	10.15
44	13:21:01.77	644.48	-7.27	-27.81	-11.59	-18.68	735.10	69.5	38.2	34.1	34.47	31.22	10.14
45	13:21:10.17	626.40	-7.35	-27.65	-11.57	-18.72	715.05	69.5	38.2	34.1	33.52	30.35	10.12
46	13:21:16.89	611.91	-7.41	-27.53	-11.55	-18.75	698.96	69.5	38.2	34.1	32.75	29.66	10.11
47	13:21:23.62	597.38	-7.47	-27.40	-11.54	-18.78	682.83	69.4	38.2	34.0	31.98	28.97	10.09
48	13:21:28.65	586.47	-7.51	-27.31	-11.52	-18.80	670.71	69.4	38.2	34.0	31.40	28.45 27.58	10.08
49	13:21:37.05	568.26	-7.59	-27.15	-11.50	-18.84	650.40	69.4	38.2	34.0	Manager and the	- CONTROL ON THE	10.05
50	13:21:43.77	553.66	-7.65	-27.02	-11.48	-18.87	634.10	69.3	38.2	33.9	29.65 28.87	26.88 26.18	10.03
51	13:21:50.49	539.03	-7.72 7.77	-26.89	-11.47	-18.91	617.75	69.3	38.2	33.9	28.29	25.65	10.03
52	13:21:55.53	528.04	-7.77	-26.78	-11.45 -11.43	-18.94 -18.99	605.46 580.75	69.3	38.2	33.9	27.11	24.59	10.03
53	13:22:05.61	506.01	-7.86 -7.93	-26.58 -26.44	-11.43	-19.03	564.20	69.2	38.2	33.8	26.32	23.89	9.99
54	13:22:12.33	491.28	-7.93 -7.98	-26.44 -26.34	-11.41	-19.03	551.76	69.1	38.2	33.7	25.72	23.35	9.98
55	13:22:17.37	480.23	-7.98 -8.05	-26.34 -26.20	-11.40	-19.00	535.14	69.1	38.2	33.7	24.93	22.64	9.97
56	13:22:24.09 13:22:27.45	465.45 458.06	-8.03 -8.08	-26.20 -26.13	-11.37	-19.10	526.80	69.1	38.2	33.7	24.54	22.29	9.96
57	143.00 (150.00 pt 150.00 p	446.95	-8.08 -8.13	-26.13 -26.02	-11.36	-19.15	514.27	69.0	38.2	33.6	23.94	21.75	9.95
58	13:22:32.49	435.82	-8.13 -8.19	-25.91	-11.34	-19.18	501.71	69.0	38.3	33.6	23.34	21.22	9.94
59	13:22:37.53	433.82	-8.19	-25.80	-11.34	-19.18	489.12	69.0	38.3	33.5	22.74	20.68	9.93
60	13:22:47.61	413.52	-8.24 -8.29	-25.69	-11.33	-19.24	476.53	69.0	38.3	33.5	22.15	20.14	9.92
62	13:22:54.32	398.62	-8.36	-25.53	-11.29	-19.28	459.71	68.9	38.3	33.5	21.36	19.43	9.91
63	13:22:57.68	391.16	-8.40	-25.46	-11.29	-19.30	451.27	68.9	38.2	33.4	20.96	19.07	9.90
64	13:22:37.88	383.68	-8.44	-25.38	-11.27	-19.32	442.83	68.9	38.2	33.4	20.56	18.71	9.90
34	13:23:01:04	303.00	0.44	20.00	1.1.27	1,7.52	112.00	1200000	Sec. 85/1	10000		21531	-

Table 2d. (Cont'd)

B	GMT of frame exposure July 31, 1964	Spacecraft			Photograph (central reticle)						Scale, km		Deviation
Photo number		Altitude, km	Latitude, deg	Longitude, deg	Latitude, deg	Longitude, deg	Slant range, km	Incidence angle, deg	Phase angle, deg	Emission angle, deg	E-W	N-S	North, deg
65	13:23:07.76	368.72	-8.51	-25.23	-11.25	-19.36	425.89	68.8	38.2	33.4	19.76	17.99	9.88
66	13:23:12.80	357.47	-8.57	-25.11	-11.24	-19.40	413.15	68.8	38.2	33.4	19.16	17.45	9.87
67	13:23:16.16	349.97	-8.60	-25.03	-11.23	-19.42	404.64	68.8	38.2	33.3	18.76	17.08	9.87
68	13:23:21.20	338.69	-8.66	-24.91	-11.21	-19.45	391.84	68.8	38.2	33.3	18.16	16.54	9.86
69	13:23:22.88	334.93	-8.68	-24.87	-11.21	-19.46	387.57	68.7	38.2	33.3	17.96	16.36	9.86
70	13:23:24.56	331.17	-8.70	-24.83	-11.20	-19.47	383.30	68.7	38.2	33.3	17.76	16.18	9.86
71	13:23:26.24	327.40	-8.72	-24.79	-11.20	-19.48	379.02	68.7	38.2	33.3	17.56	16.00	9.86
72	13:23:27.92	323.63	-8.74	-24.75	-11.19	-19.49	374.73	68.7	38.2	33.3	17.36	15.81	9.85
73	13:23:29.60	319.87	-8.76	-24.71	-11.18	-19.50	370.44	68.7	38.2	33.3	17.16	15.63	9.85
74	13:23:31.28	316.09	-8.78	-24.67	-11.18	-19.51	366.15	68.7	38.2	33.2	16.96	15.45	9.85
75	13:23:32.96	312.32	-8.79	-24.62	-11.17	-19.53	361.85	68.7	38.2	33.2	16.75	15.27	9.84
76	13:23:34.64	308.54	-8.81	-24.58	-11.17	-19.54	357.55	68.7	38.2	33.2	16.55	15.09	9.84
77	13:23:36.32	304.77	-8.83	-24.54	-11.16	-19.55	353.24	68.7	38.2	33.2	16.35	14.90	9.84
78	13:23:38.00	300.99	-8.85	-24.50	-11.16	-19.56	348.93	68.6	38.2	33.2	16.15	14.72	9.84
79	13:23:39.68	297.20	-8.87	-24.46	-11.15	-19.57	344.62	68.6	38.2	33.2	15.95	14.54	9.83
80	13:23:41.36	293.42	-8.89	-24.42	-11.15	-19.58	340.30	68.6	38.2	33.2	15.74	14.35	9.83
81	13:23:43.04	289.63	-8.91	-24.37	-11.14	-19.59	335.98	68.6	38.2	33.2	15.54	14.17	9.83
82	13:23:44.72	285.85	-8.93	-24.33	-11.13	-19.61	331.66	68.6	38.2	33.1	15.34	13.99	9.82
83	13:23:46.40	282.06	-8.95	-24.29	-11.13	-19.62	327.33	68.6	38.2	33.1	15.14	13.80	9.82
84	13:23:48.08	278.26	-8.97	-24.25	-11.12	-19.63	322.99	68.6	38.2	33.1	14.93	13.62	9.82
85	13:23:49.76	274.47	-8.99	-24.20	-11.12	-19.64	318.65	68.6	38.2	33.1	14.73	13.44	9.82
86	13:23:51.44	270.67	-9.01	-24.16	-11.11	- 19.65	314.31	68.5	38.2	33.1	14.53	13.25	9.81
87	13:23:53.12	266.88	-9.03	-24.12	-11.11	-19.67	309.96	68.5	38.2	33.1	14.32	13.07	9.81
88	13:23:54.80	263.08	-9.05	-24.07	-11.10	-19.68	305.61	68.5	38.2	33.1	14.12	12.88	9.81
89	13:23:56.48	259.27	-9.03 -9.07	-24.03	-11.10	-19.69	301.25	68.5	38.2	33.1	13.92	12.70	9.80
90	13:23:58.16	255.47	-9.09	-23.99	-11.09	- 19.70	296.90		38.2	33.0	13.71		9.80
	13:23:59.84	23/06/27~12/03	1,000,000,0	-23.94	- BEIERRS		2010/04/2010/05/05	68.5	S-11307CD	22227.22.74	10.000	12.51	1,500,000,000
91 92	13:23:59.84	251.66 247.85	-9.12 -9.14	-23.94	-11.08 -11.08	- 19.72 - 19.73	292.53	68.5	38.2	33.0	13.51	12.33	9.80
	The state of the s	400000000000000000000000000000000000000					288.16	68.5	38.2	33.0	13.31	12.14	9.80
93 94	13:24:03.20	244.04	-9.16	-23.85	-11.07	-19.74	283.79	68.5	38.2	33.0	13.10	11.96	9.79
	13:24:04.88	240.23	-9.18	-23.81	-11.07	-19.75	279.41	68.4	38.2	33.0	12.90	11.77	9.79
95	13:24:06.56	236.42	-9.20	-23,76	-11.06	- 19.77	275.03	68.4	38.2	33.0	12.69	11.59	9.79
96	13:24:08.24	232.60	-9.22	-23.72	-11.05	-19.78	270.65	68.4	38.2	33.0	12.49	11.40	9.78
97	13:24:09.92	228.70	-9.24	-23.67	-11.05	-19.79	266.26	68.4	38.2	33.0	12.28	11.22	9.78
98	13:24:11.60	224.96	-9.26	-23.63	-11.04	-19.80	261.86	68.4	38.2	32.9	12.08	11.03	9.78
99	13:24:13.28	221.13	-9.28	-23.58	-11.04	-19.82	257.47	68.4	38.2	32.9	11.87	10.84	9.77
100	13:24:14.96	217.31	-9.30	-23.54	-11.03	-19.83	253.06	68.4	38.2	32.9	11.67	10.66	9.77
101	13:24:16.64	213.48	-9.33	-23.49	-11.02	-19.84	248.66	68.4	38.2	32.9	11.46	10.47	9.77
102	13:24:18.32	209.65	-9.35	-23.45	-11.02	-19.86	244.25	68.3	38.2	32.9	11.26	10.29	9.76
103	13:24:20.00	205.82	-9.37	-23.40	-11.01	-19.87	239.83	68.3	38.2	32.9	11.05	10.10	9.76
104	13:24:21.68	201.99	-9.39	-23.35	-11.00	-19.88	235.41	68.3	38.2	32.9	10.85	9.91	9.76
105	13:24:23.36	198.15	-9.41	-23,31	-11.00	-19.90	230.99	68.3	38.2	32.8	10.64	9.73	9.76
106	13:24:25.04	194.31	-9.43	-23.26	-10.99	-19.91	226.56	68.3	38.2	32.8	10.43	9.54	9.75
107	13:24:26.72	190.47	-9.46	-23.21	-10.99	-19.92	222.13	68.3	38.2	32.8	10.23	9.35	9.75
108	13:24:28.40	186.63	-9.48	-23.17	-10.98	-19.94	217.70	68.3	38.2	32.8	10.02	9.16	9.75
109	13:24:30.08	182.78	-9.50	-23.12	-10.97	-19.95	213.25	68.2	38.2	32.8	9.81	8.98	9.74
110	13:24:31.76	178.93	-9.52	-23.07	-10.97	-19.96	208.81	68.2	38.2	32.8	9.61	8.79	9.74
111	13:24:33.44	175.09	-9.54	-23.03	-10.96	-19.98	204.35	68.2	38.2	32.7	9.40	8.60	9.74
112	13:24:35.12	171.23	-9.57	-22.98	-10.95	-19.99	199.90	68.2	38.2	32.7	9.19	8.41	9.73
113	13:24:36.80	167.38	-9.59	-22.93	-10.95	- 20.01	195.44	68.2	38.2	32.7	8.99	8.22	9.73
114	13:24:38.48	163.52	-9.61	-22.88	-10.94	-20.02	190.97	68.2	38.2	32.7	8.78	8.04	9.72
115	13:24:40.16	159.67	-9.63	-22.83	-10.93	-20.03	186.51	68.2	38.3	32.7	8.57	7.85	9.72
116	13:24:41.84	155.81	-9.66	-22.78	-10.93	-20.05	182.03	68.1	38.3	32.7	8.37	7.66	9.72
117	13:24:43.43	151.94	-9.68	-22.74	-10.92	-20.06	177.56	68.1	38.3	32.6	8.16	7.47	9.71
118	13:24:45.20	148.08	-9.70	-22.69	-10.91	-20.08	173.08	68.1	38.3	32.6	7.95	7.28	9.71
119	13:24:46.88	144.21	-9.72	-22.64	-10.91	-20.09	168.60	68.1	38.3	32.6	7.74	7.09	9.71
120	13:24:48.56	140.34	-9.75	-22.59	-10.90	-20.10	164.11	68.1	38.3	32.6	7.54	6.90	9.70
121	13:24:50.24	136.47	-9.77	-22.54	-10.89	-20.12	159.62	68.1	38.3	32.6	7.33	6.71	9.70
122	13:24:51.92	132.60	-9.79	-22.49	-10.89	-20.13	155.13	68.1	38.3	32.6	7.12	6.52	9.70
123	13:24:52.76	130.66	-9.80	-22.46	-10.88	-20.14	152.88	68.1	38.3	32.6	7.02	6.43	9.70
124	13:24:53.60	128.72	-9.82	-22.44	-10.88	-20.15	150.63	68.0	38.3	32.6	6.91	6.33	9.70
125	13:24:54.44	126.78	-9.83	-22.41	-10.88	- 20.15	148.38	68.0	38.3	32.6	6.81	6.24	9.69
126	13:24:55.28	124.84	-9.84	-22.39	-10.87	-20.16	146.12	68.0	38.3	32.5	6.71	6.14	9.69
127	13:24:56.12	122.90	-9.85	-22.36	-10.87	-20.17	143.87	68.0	38.3	32.5	6.60	6.05	9.69
128	13:24:56.96	120.96	-9.86	-22.34	-10.87	-20.18	141.61	68.0	38.3	32.5	6.50	5.95	9.69

Table 2d. (Cont'd)

	GMT of frame exposure July 31, 1964	Spacecraft			Photograph (central reticle)						Scale, km		Deviation
Photo numb er		Altitude, km	Latitude, deg	Longitude, deg	Latitude, deg	Longitude, deg	Slant range, km	Incidence angle, deg	Phase angle, deg	Emission angle, deg	E-W	N-S	North, deg
129	13:24:57.80	119.02	-9.87	-22.31	-10.86	-20.18	139.36	68.0	38.2	32.5	6.39	5.86	9.69
130	13:24:58.64	117.08	-9.89	-22.29	-10.86	-20.19	137.10	68.0	38.2	32.5	6.29	5.76	9.69
131	13:24:59.48	115.14	-9.90	-22.26	-10.86	-20.20	134.84	68.0	38.2	32.5	6.18	5.67	9.69
132	13:25:00.32	113.19	-9.91	-22.24	-10.85	-20.21	132.58	68.0	38.2	32.5	6.08	5.57	9.68
133	13:25:01.16	111.25	-9.92	-22.21	-10.85	-20.21	130.32	68.0	38.2	32.5	5.98	5.48	9.68
134	13:25:02.00	109.30 107.36	-9.93 -9.94	-22.18 -22.16	-10.84 -10.84	-20.22 -20.23	128.06 125.80	68.0 68.0	38.2 38.2	32.5 32.5	5.87 5.77	5.38 5.29	9.68
135	13:25:02.84 13:25:03.68	107.36	-9.94	-22.18 -22.13	-10.84	-20.23	123.53	68.0	38.2	32.5	5.66	5.19	9.68
137	13:25:04.52	103.47	-9.97	-22.13	-10.83	-20.24	121.27	68.0	38.2	32.5	5.56	5.10	9.68
138	13:25:05.36	101.52	-9.98	-22.08	-10.83	-20.25	119.00	67.9	38.2	32.5	5.45	5.00	9.68
139	13:25:06.20	99.58	-9.99	-22.06	-10.83	-20.26	116.73	67.9	38.2	32.5	5.35	4.91	9.67
140	13:25:07.04	97.63	-10.00	-22.03	-10.82	-20.26	114.47	67.9	38.2	32.4	5.25	4.81	9.67
141	13:25:07.88	95.68	-10.02	-22.00	-10.82	-20.27	112.20	67.9	38.2	32.4	5.14	4.71	9.67
142	13:25:08.72	93.73	-10.03	-21.98	-10.82	- 20.28	109.92	67.9	38.2	32.4	5.04	4.62	9.67
143	13:25:09.56	91.78	-10.04	-21.95	-10.81	-20.29	107.65	67.9	38.2	32.4	4.93	4.52	9.67
144	13:25:10.40	89.83	-10.05	-21.92	-10.81	- 20.29	105.38	67.9	38.2	32.4	4.83	4.43	9.67
145	13:25:11.24	87.88	-10.06	-21.90	-10.80	-20.30	103.10	67.9	38.2	32.4	4.72	4.33	9.67
146	13:25:12.08	85.93	-10.08	-21.87	-10.80	-20.31	100.83	67.9	38.2	32.4	4.62	4.24	9.66
147	13:25:12.92	83.98	-10.09	-21.85	-10.80	-20.32	98.55	67.9	38.2	32.4	4.51	4.14	9.66
148	13:25:13.76	82.03	-10.10	-21.82	-10.79	-20.32	96.27	67.9	38.2	32.4	4.41	4.04	9.66
149	13:25:14.60	80.07	-10.11	-21.79	-10.79	-20.33	93.99	67.9	38.2	32.4	4.30 4.20	3.95 3.85	9.66
150	13:25:15.44	78.12	-10.12	-21.77 -21.74	-10.79 -10.78	-20.34 -20.35	91.71 89.42	67.9 67.8	38.2 38.2	32.4 32.4	4.20	3.76	9.66
151 152	13:25:16.28 13:25:17.12	76.17 74.21	-10.14 -10.15	-21.71	-10.78	-20.35	87.14	67.8	38.2	32.4	3.99	3.66	9.65
153	13:25:17.12	72.26	-10.16	-21.69	-10.78	-20.36	84.85	67.8	38.2	32.4	3.88	3.56	9.65
154	13:25:18.80	70.30	-10.17	-21.66	-10.77	-20.37	82.57	67.8	38.2	32.3	3.78	3.47	9.65
155	13:25:19.64	68.35	-10.19	-21.63	-10.77	-20.38	80.28	67.8	38.2	32.3	3.67	3.37	9.65
156	13:25:20.48	66.39	-10.20	-21.61	-10.76	-20.39	77.99	67.8	38.2	32.3	3.57	3.28	9.65
157	13:25:21.32	64.43	-10.21	-21.58	-10.76	-20.39	75.70	67.8	38.2	32.3	3.46	3.18	9.64
158	13:25:22.16	62.47	-10.22	-21.55	-10.76	-20.40	73.41	67.8	38.2	32.3	3.36	3.08	9.64
159	13:25:23.00	60.51	-10.24	-21.52	-10.75	-20.41	71.12	67.8	38.2	32.3	3.25	2.99	9.64
160	13:25:23.84	58.55	-10.25	-21.50	-10.75	-20.42	68.82	67.8	38.2	32.3	3.15	2.89	9.64
161	13:25:24.68	56.60	-10.26	-21.47	-10.74	-20.43	66.53	67.8	38.2	32.3	3.04	2.79	9.64
162	13:25:25.52	54.63	-10.27	-21.44	-10.74	-20.43	64.23	67.8	38.2	32.3	2.94	2.70	9.64
163	13:25:26.36	52.67	-10.29	-21.42	-10.74	-20.44	61.93	67.8	38.2	32.3	2.83	2.60	9.63
164	13:25:27.20	50.71	-10.30	-21.39	-10.73	-20.45	59.63	67.7	38.2	32.3	2.73	2.50	9.63
165	13:25:28.04	48.75	-10.31	-21.36	-10.73	-20.46	57.33	67.7	38.2	32.3	2.62	2.41	9.63
166	13:25:28.88	46.79	-10.32	-21.33	-10.73	-20.46	55.03	67.7	38.2	32.2	2.52	2.31	9.63
167	13:25:29.72	44.82	-10.34	-21.31	-10.72	-20.47	52.73	67.7	38.2	32.2	2.41	2.21	9.63
168	13:25:30.56	42.86	-10.35	-21.28	-10.72	-20.48	50.42	67.7	38.2	32.2	2.30	2.12	9.63
169	13:25:31.40	40.89	-10.36	-21.25	-10.71	-20.49	48.12	67.7	38.2	32.2	2.20	2.02	9.62
170	13:25:32.24	38.93	-10.37	-21.22	-10.71	-20.50	45.81	67.7	38.2	32.2	2.09	1.92	9.62
171	13:25:33.08	36.96	-10.39	-21.19	-10.71	-20.50	43.50	67.7	38.2	32.2	1.99	1.83	9.62
172	13:25:33.92	35.00	-10.40	-21.17	-10.70	-20.51	41.19	67.7	38.2	32.2	1.88	1.73	9.62
173	13:25:34.76	33.03	-10.41	-21.14	-10.70	-20.52	38.88	67.7	38.2	32.2	1.78	1.63	9.62
174	13:25:35.60	31.06	-10.42	-21.11	-10.69	-20.53	36.57	67.7	38.2	32.2	1.67	1.53	9.62
175	13:25:36.44	29.09	-10.44	-21.08	-10.69	-20.54	34.26	67.7	38.2	32.2	1.56	1.44	9.62
176	13:25:37.28	27.13	-10.45	-21.05	-10.69	-20.55	31.95	67.6	38.2	32.2	1.46	1.34	9.62
177	13:25:38.12	25.16	-10.46	-21.03	-10.68	-20.55	29.63	67.6	38.2	32.2	1.35	1.24	9.61
178	13:25:38.96	23.19	-10.48	-21.00	-10.68	-20.56	27.31	67.6	38.2	32.1	1.25	1.15	9.61
179	13:25:39.79	21.22	-10.49	-20.97	-10.67	-20.57	24.99	67.6	38.2	32.1	1.14	1.05	9.61
180	13:25:40.63	19.24	-10.50	-20.94	-10.67	-20.58	22.67	67.6	38.2	32.1	1.03	0.951	9.61
181	13:25:41.47	17.27	-10.52	-20.91	-10.67	-20.59	20.35	67.6	38.2	32.1	0.929	0.854	9.61
182	13:25:42.31	15.30	-10.53	-20.88	-10.66	-20.60	18.03	67.6	38.2	32.1	0.823	0.757	9.61
183	13:25:43.16	13.33	-10.54	-20.86	-10.66	-20.60	15.71	67.6	38.2	32.1	0.717	0.659	9.61
184	13:25:43.99	11.35	-10.55	-20.83	-10.65	-20.61	13.38	67.6	38.2	32.1	0.611	0.561	9.60
185	13:25:44.83	9.38	-10.57	-20.80	-10.65	-20.62	11.06	67.6	38.2	32.1	0.504	0.464	9.60
186	13:25:45.67	7.40	-10.58	-20.77	-10.65	-20.63	8.73	67.6	38.2	32.1	0.398	0.366	9.60
187	13:25:46.51	5.43	-10.59	-20.74	-10.64	-20.64	6.40	67.6	38.2	32.1	0.292	0.268	9.60
188	13:25:47.35	3.45	-10.61	-20.71	-10.64	-20.65	4.07	67.5	38.2	32.1	0.186	0.171	9.60
189	13:25:48.19	1.47	-10.62	-20.68	-10.63	-20.65	1.74	67.5	38.2	32.1	0.079	0.073	9.59
MPACT	13:25:48.82	0.	-10.63	-20.66	72355	C-07/80		3.00					

REFERENCES

- 1. Rindfleisch, T. C., and Willingham, D. E., Figure of Merit as a Measure of Picture Resolution, Technical Report No. 32-666, Jet Propulsion Laboratory, Pasadena, California (to be published).
- 2. Kirhofer, W. E., Television Constraints and Digital Computer Program, Technical Report No. 32-667, Jet Propulsion Laboratory, Pasadena, California (to be published).
- Sytinskaya, N. N., and Sharonov, V. V., "Study of the Reflecting Power of the Moon's Surface," Uchenye Zapiski Lgu, No. 153 (1952), p. 114. (Translated by Space Technology Laboratories, Inc., Los Angeles, California, as STL-TR-61-5110-23, May 1961.)
- 4. Willingham, D. E., The Lunar Reflectivity Model for Ranger Block III Analysis, Technical Report No. 32-664, Jet Propulsion Laboratory, Pasadena, California, November 2, 1964.
- Smith, G. M., and Willingham, D. E., Ranger Photometric Calibration, Technical Report No. 32-665, Jet Propulsion Laboratory, Pasadena, California (to be published).