

“Venus Geochemistry: Progress, Prospects, and Future Missions.”

Input to the NRC Planetary Science Decadal Survey, abridged from the report on the LPI Workshop of the same name, held February 26-27, 2009.

**Allan H. Treiman¹, David S. Draper^{2,3}, M. Darby Dyar⁴
August 20, 2009**

Summary

The Venus Geochemistry workshop was convened as a way to invigorate the Venus geochemistry community, and to provide assessment of the most crucial investigations for understanding the geochemistry of Venus. In brief, the recommendations of the workshop attendees include the following.

- Geochemical data are needed for all parts of Venus’ surface, especially its highland areas. Venus’ highlands are the oldest exposed areas, and thus have the greatest chance of revealing Venus’ early history and climate.
- Geochemical investigations must address both the mineralogy of surface materials and their chemical compositions, with greatly expanded elemental coverage and much improved precision relative to prior analyses.
- Future geochemical investigations at Venus’ surface will be facilitated and focused by laboratory investigations at Venus surface conditions and by studies of analog environments on Earth. These precursor studies would focus on: optical properties, E&M (Radar) properties, thermochemistry and reaction kinetics, and physical properties.
- These investigations will require pressure/temperature chambers, which could be small and specific to each investigation. Chambers suitable for spacecraft & instrument testing are not required for geochemical investigations, but would be enabling to these studies if available to the science community
- NASA is encouraged to pursue every opportunity to enhance scientific and technological research relevant to Venus through programs in ROSES, SBIR, NESSF, and other vehicles for student support.

¹ Lunar & Planetary Institute
3600 Bay Area Boulevard
Houston TX 77058
281-486-2117
treiman@lpi.usra.edu

² Director, ARES Div.
NASA Johnson Space Ctr.
Houston TX 77058
281-483-9486
dave.draper@nasa.gov

³ formerly
Institute of Meteoritics
University of New Mexico
Albuquerque NM 87131

⁴ Department of Astronomy
Mt. Holyoke College
South Hadley MA 01075
413-538-3073
mdyar@mtholyoke.edu

Background

Venus is the “Terra Incognita” of the inner solar system –shrouded by a thick atmosphere, and with a surface so hot (the temperature of molten lead) that lander spacecraft have survived there for only hours. Yet Venus remains supremely important for understanding the formation and evolution of terrestrial planets. Although it is Earth’s twin in size (and possibly bulk composition), Venus is fundamentally different in its surface geology and tectonics, its geological history, and the composition and dynamics of its atmosphere. Why is Venus not like Earth? Or, why is Earth not like Venus? The differences between these near-twin planets must contain clues about the evolution of terrestrial planets in general, and will place constraints on the potential habitability of terrestrial planets and the detectability and habitability of planets circling other stars.

We understand little of Venus’ origins and evolution, in great part because we know little about the chemistry of its surface materials and near-surface environment. The few images and chemical analyses from the Venera and VEGA landers show that Venus’ lowland plains are made of basalt lava rock, albeit with some unusual (and unexplained) compositions. We know nothing of the geochemistry of Venus’ highlands, central volcanos, coronae, domes, etc. Venus’ atmosphere provides significant constraints on the planet’s history (e.g., noble gases and light isotopes), but its chemical interactions with surface materials are poorly constrained.

Purpose

Interest in Venus’ surface and geochemistry has recently revived with recognition that Venus may be directly relevant to understanding Earth’s climate and climate history, and that Venus may be an archetype for some planets around other stars (Grinspoon and Bullock, 2007). This increased interest in Venus was manifested in the 2006 Chapman Conference on ‘*Venus as a Terrestrial Planet*’ and subsequent proceedings volume (Esposito et al., 2007), in the creation of the Venus Exploration Analysis Group (VEXAG, <http://www.lpi.usra.edu/vexag/>) in 2007, and in the commissioning by NASA of a flagship mission study, the Venus Science and Technology Definition Team (Bullock et al., 2009). Thus, the Venus Geochemistry workshop was convened with several objectives:

- to assess current knowledge of Venus’ geochemistry,
- to consider Earth-based investigations (laboratory and theoretical) that will enhance understanding of current data and enable future investigations,
- to explore concepts for spacecraft instruments and missions that will increase knowledge of Venus’ geochemistry, and
- to energize and reconstitute the Venus geochemistry community in preparation for future spacecraft investigations.

Recommendations on the future path of Venus geochemistry were solicited in the formal presentations, and in an open discussion at the workshop’s end. This report is a summary of those recommendations, suggested by scientists concerned with the geochemistry of Venus.

Major Geochemical Issues

Based on presentations and discussions at the Venus Geochemistry Workshop, four general geochemical issues were discussed. These echo from, and are discussed further in the VEXAG (2007, 2009) and VSTDT (2009) reports.

First is the need for mineralogical and chemical analyses of many different types of terrains on the Venus surface, including tessera highlands, Ishtar Terra and Lakshmi Planum,

highlands surfaces coated with radar low-emissivity material, coronae and shield volcanos and shield fields, and lava plains. Mineralogical analyses should be sensitive to common silicate minerals, and to iron oxides and sulfides. Chemical analyses should include major and minor elements of basalts and common (terrestrial) rocks with a sensitivity adequate for identification and classification. Trace element abundances are of secondary importance, except for the heat-forming elements K, U, and Th.

Second is the need to understand the chemical composition and behavior of Venus' atmosphere near its surface. Most important are the abundances of C-O-H species, and of their reaction rates, both in the gas phase and by heterogeneous catalysis at the surface. Abundances of hydrogen-bearing species are crucial for understanding the past history of Venus, and cycling from the major cloud decks to the surface. Abundances of volatile semi-metals, such as Pb, Te, and Bi, must be determined because of their potential importance in forming the low-emissivity material of the highlands.

Third is the need to understand the rates and extents of atmosphere-surface interactions. What chemical components in the atmosphere are buffered by atmosphere-surface interactions? What are the mineral products in surface materials of atmosphere-surface interactions? What are the rates and extents of gas penetration into, and reaction with, Venus' subsurface?

Finally, we need to understand Venus' past geochemical systems – the interacting atmosphere, lithosphere, and putative hydrosphere. How would those systems have behaved and interacted in Venus' ancient environments? How might we recognize, now, the existence and operation of such past geochemical systems?

Spacecraft Missions

Addressing these geochemical problems will require new analytical data from spacecraft at Venus, especially from landers and near-surface vehicles (e.g., capable of imaging the surface, probing the surface, and/or analyzing the near-surface atmosphere). Questions related to spacecraft mission design and instrumentation are not covered in this report, because they are discussed in the VEXAG reports (VEXAG, 2007, 2009), and because a model flagship-class spacecraft mission is described in the Venus Science and Technology Definition Team report (VSTDT, 2009).

Discussions at the Venus Geochemistry Workshop emphasized two top-level issues for spacecraft-based investigations.

- 1) The quality of geochemical data (i.e., elements and species analyzed, analytical accuracy and precision) must be significantly improved relative to those obtained by the Pioneer, Venera, and VEGA missions. Current analytical instrumentation is likely to be far better than on the earlier missions, but operations in the Venus environment are difficult. Instrumentation must be chosen to match the mission's geochemical goals.
- 2) Site selection for data collection (i.e., latitude and elevation of atmospheric analyses, geologic setting of landing site) is critical. Many workshop participants emphasized atmosphere chemical analyses both near or at the surface and below the cloud deck. Acquisition of surface geochemical analyses from carefully selected locations in the tessera terrain was strongly supported.

Precursor Investigations: Theory and Laboratory

The open discussion of geochemical questions for Venus centered on laboratory and theoretical studies, which provide paths toward understanding the data in hand, and predicting

which future investigations are most likely to be fruitful. Many theoretical and laboratory investigations were suggested, centering on five themes: optical (visible and near-infrared) properties of Venus materials at relevant pressure and temperature; E&M (radar) properties of Venus solid materials at relevant pressure and temperature; thermochemical and kinetic study of chemical reactions (gas phase, gas-solid, solid-magma) at relevant pressure and temperature; physical and mechanical properties of Venus surface materials; and studies of terrestrial environments and products that are analogous to those on Venus. It is important to note that spectrometric measurements of Venus surface materials and reactions will require calibrations and reference spectra taken in relevant physical and chemical environments. In many cases, interpretation of those data will require supplementary thermochemical data.

Optical Properties: Gases. Perhaps surprisingly, the experts present at the Venus Geochemistry Workshop agreed that the optical properties of Venus atmosphere gases are inadequately known. It was noted that the absorption and scattering properties of CO₂ at Venus-relevant pressures and temperatures are not known well, nor are those of important C-O-S species. It is not clear, either, that there are good data on scattering from particulates in the supercritical CO₂ fluid at the Venus surface.

Optical Properties: Solids. In general, there are limited data on the optical properties (reflectances and emissivities) of likely rocks and minerals at the Venus surface. This dearth of data is being addressed by several groups (e.g., Helbert et al., 2009; Yamanoi et al., 2009), but much work remains.

E&M (Radar) Properties. Considerable effort has been (and is being) expended to understand the radar properties of rocks and related planetary materials. The impetus for collecting these data is in studies of bodies at Earth-ambient or cold temperatures, like Mars and comets (e.g., Kofman et al., 2004; Herique et al., 2002). However, there seem to be few data on the radar properties of geological materials at high temperatures like that of the Venus surface (save a few incidental measurements on molten lava; cf. Heggy et al., 2008).

Thermochemistry/Kinetics: Gases: Although the thermochemistry and stability of gas species in C-O-S (e.g., S₂, S₃, CO, COS) are known well, the kinetics of their reactions are poorly known at Venus pressure and temperature. Reaction kinetics are especially important for evaluating whether the low-emissivity material on Venus' highlands could be iron sulfide. If reactions are fast, iron sulfide is possible; if the reactions are slow, iron sulfide is unlikely (Visscher, pers. comm.).

Thermochemistry/Kinetics: Solids. The groundbreaking study of calcite stability in the Venus atmosphere (Fegley and Prinn, 1989) showed that solid materials at Venus' surface can react rapidly with its atmosphere. However, this effort needs to be extended by comprehensive laboratory studies of atmosphere-surface interactions at appropriate pressures and temperatures. Following are a selection of topics in need of thermochemical analysis (theoretical and laboratory) and kinetic studies (laboratory):

- Reactions between surface atmosphere and igneous glasses, including basaltic (tholeiitic through highly alkaline), andesitic, and rhyolitic (i.e., granitic) compositions;
- Reactions between surface atmosphere and individual minerals, such as might crystallize from igneous rocks (e.g., plagioclase, olivine, pyroxenes, silica, Fe-Ti-Cr oxides);
- Diffusion rates of cations and anions into/through likely rocks and minerals at Venus surface conditions;
- Diffusion/reaction of atmosphere into likely surface and subsurface materials (i.e., metasomatism);

- Stability and conditions of formation of ionic melts (carbonate-sulfide-halide) in the Venus crust; and
- Thermochemical data on selected compounds, like sulfate scapolite, and sulfate sodalite (häüyne).

In addition, many thermochemical/kinetic studies are crucial to understanding possible past geochemical systems and environments on Venus. On the theoretical side, there is a need for continuing investigation of geochemical/geophysical models of ancient Venus, e.g. formation and loss of a putative early ocean (e.g., Zolotov & Mironenko, 2009). On the experimental side, it is important to know how rapidly the products of an early geochemical system might be modified in the current Venus environment, and how these products might be recognized. In particular, sedimentary textures, aqueously deposited carbonates and silica (biogenic or not), organic matter, and isotopic or chemical signatures characteristic of low-temperature or biological processes must all be considered.

Physical/Mechanical Properties. Although studies of physical and mechanical properties are not inherently geochemical, they do provide crucial data for geochemical modeling, e.g., density, porosity, and viscosity (of likely surface flows). In particular, it would be important to understand how chemical reactions between Venus rocks and atmosphere affect properties such as volume (from incorporation of atmospheric S into the rock, and subsequent expansion and fracturing), porosity and permeability (for diffusion/reaction models above), and cohesiveness (possibly for understanding radar properties). Incorporation of data on viscosities of basaltic and, perhaps, ionic liquids, may help understand some landforms and in turn provide added context for interpreting geochemical data.

Earth Analog Studies. The difficulties of field exploration on Venus are so large that efforts must be made to find comparable environments here on Earth – places where one can observe chemical processes and effects that occur in Venus-like conditions.

In igneous geochemistry, the limited analyses of the Venus basalts include ultrapotassic varieties, which are very rare on Earth. It would be important to look again at these basalt compositions in terms of terrestrial petrogenetic environments. Some of this work was done shortly after the Venera and VEGA landings, and could be updated with a modern appreciation of ultrapotassic rocks. Such studies could build on an existing, fairly substantial literature on the experimental phase relations of, and element partitioning in, alkaline magmatic systems.

In surface atmosphere interactions, analog environments may be found in some in settings of rock metamorphism. An example would be in water-absent ‘hornfels-facies’ metamorphism, which occurs (for the most part) in the shallow sub-surface near igneous intrusions. In such environments, relevant mineral equilibria, rates of reaction and of texture modification (e.g., obliteration of sedimentary textures), and obliteration of chemical and isotopic signatures of past environments could all be assessed.

Technology Enhancements

Finally, workshop attendees discussed technology enhancements in service of geochemical investigations. Enhancements to spacecraft and robotic instrument technology are covered in other reports, including those of Kolawa (2007) and the VSTDT (2009). The Venus Geochemistry workshop attendees noted the need for environmental chambers that are capable of reproducing Venus surface conditions: pressure, temperature, and gas composition. Many such chambers are now in use in laboratories across the world, and can be specific to the needs of particular measurements or experiments. The attendees saw no need, from the perspective of

geochemistry, for large chambers such as could be used for spacecraft system tests. However, if such chambers were available, they could be used to good advantage in geochemical precursor investigations.

Acknowledgments.

We are grateful to all of the attendees of the Venus Geochemistry workshop, for taking the time and spending the effort to share their thoughts on the 'Terra Incognita' of the solar system. The Venus Geochemistry workshop was supported by the Lunar and Planetary Institute, NASA Headquarters (A. Ocampo), and the Jet Propulsion Laboratory. We are especially grateful to A. Ocampo (NASA) and T. Thompson (JPL) for providing and administering support for invited speakers and the many student attendees. Lunar and Planetary Institute Contribution #1507.

References:

- Bullock M.A., and 27 others (2009) *NASA's Venus Science and Technology Definition Team: Venus Flagship Mission Study, Final Report*. Jet Propulsion Laboratory, NMO710851, 292 p.
- Esposito L.W., Stofan E.R., and Cravens T.E. (2007) *Exploring Venus as a Terrestrial Planet*. American Geophysical Union Monograph #176, 225 p.
- Grinspoon D.H., and Bullock M.A. (2007) Astrobiology and Venus exploration, p. 191-206 in Esposito L.W. et al. eds (2007) *Exploring Venus as a Terrestrial Planet*. American Geophysical Union Monograph #176.
- Helbert J., Maturilli A., and Müller N. (2009) Facing the heat – Obtaining near infrared real emissivity spectra at Venus surface temperatures. *Venus Geochemistry Workshop, Program and Abstracts*, abstract #2010.
- Heggy E., Wada K., Khan S.D., Staudacher T., Kaminski E., Gabsi T., Lognonné P., Tait S., Bonneville A., Komorowski J.C., Fujiwara S., Boisson J., Villeneuve N., and Necsoiu M. (2008) Mapping buried and exposed lava flows in arid volcanic terrains using polarimetric and multiple frequencies SAR and GPR. *2008 IEEE International Geoscience & Remote Sensing Symposium*, Abstract M03.101
- Herique A., Gilchrist J., Kofman W., and Klinger J. (2002) Dielectric properties of comet analog refractory materials. *Planet. Space Sci.* 50, 857-863.
- Kofman W., and Safaeinili A. (2004) Radar techniques applied to subsurface studies in solar system studies in solar system exploration. *Proc. 36th ESLAB Symposium*. (ESA SP-543), Paper 39K.
- Kolawa E. (2007) *Extreme Environment Technologies for Future Space Science Missions*. Jet Propulsion Laboratory Report JPL D-32832
- Treiman A.H., Ocampo A., Stofan E., and Mackwell S. (2009) *Venus Geochemistry: Progress, Prospects, and New Missions, Program and Abstract Volume*. Lunar and Planetary Institute, LPI Contribution # 1470.
- VEXAG (2007) *Venus Scientific Goals, Objectives, Investigations, and Priorities: 2007*. Eds J. Luhmann and S. Atreya. <http://www.lpi.usra.edu/vexag>.
- VEXAG (2009) *Venus Scientific Goals, Objectives, Investigations, and Priorities: 2009*. Eds J. Luhmann and S. Atreya. (in revision) <http://www.lpi.usra.edu/vexag>.

- Yamanoi Y, Nakashima S., and Katura M. (2009) Temperature dependence of reflectance spectra and color values of hematite by in situ, high-temperature visible micro-spectroscopy. *Amer. Mineral.* 94, 90-97.
- Zolotov M. and Mironenko M.V. (2009) On the composition of putative oceans on early Venus. *Venus Geochemistry Workshop, Program and Abstracts*, abstract #2021.