

63507
Regolith Breccia
2.8 grams



Figure 1: Photo of 63507. It is about 2 cm across. S81-32697

Introduction

63507 is a friable breccias with a light brown color. It is partially coated with black glass (figure 1).

Petrography

63507 is porous and has a seriate grain size distribution. It has numerous glass spheres and fragments including agglutinates. Lithic clasts include impact melts and granulites (figure 2)

McKay et al. (1986) and Joy et al. (2012) describe 63507 as an ancient regolith breccia, because it has excess ^{40}Ar . It has relatively high $I_s/\text{FeO} = 48$ and very high Ni, Ir and Au content.

Chemistry

McKay et al. (1986) reported the composition, which is like that of the local soil. The rare gas content and isotopic ratios were also determined by McKay et al.




Figure 2: Thin section photo of 63507. Field of view is 3 mm.

*Figure 3: Thin section
63507,13. 2 mm across*





Table 1. Chemical composition of 63507

reference	McKay86	
<i>weight</i>		
SiO ₂ %		
TiO ₂	0.66	(a)
Al ₂ O ₃	24.8	(a)
FeO	6.42	(a)
MnO	0.07	(a)
MgO	7.1	(a)
CaO	15.1	(a)
Na ₂ O	0.493	(a)
K ₂ O		
P ₂ O ₅		
S %		
<i>sum</i>		
Sc ppm	9.7	(a)
V	20	(a)
Cr	763	(a)
Co	72.4	(a)
Ni	1020	(a)
Cu		
Zn		
Ga		
Ge ppb		
As		
Se		
Rb		
Sr	201	(a)
Y		
Zr	140	(a)
Nb		
Mo		
Ru		
Rh		
Pd ppb		
Ag ppb		
Cd ppb		
In ppb		
Sn ppb		
Sb ppb		
Te ppb		
Cs ppm	0.14	(a)
Ba	146	(a)
La	12.7	(a)
Ce	32	(a)
Pr		
Nd	20	(a)
Sm	5.9	(a)
Eu	1.265	(a)
Gd		
Tb	1.09	(a)
Dy		
Ho		
Er		
Tm		
Yb	4.11	(a)
Lu	0.59	(a)
Hf	4.57	(a)
Ta	0.56	(a)
W ppb		
Re ppb		
Os ppb		
Ir ppb	51	(a)
Pt ppb		
Au ppb	17	(a)
Th ppm	2.28	(a)
U ppm	0.58	(a)
<i>technique:</i>	(a) INAA	

References for 63507

Butler P. (1972a) Lunar Sample Information Catalog Apollo 16. Lunar Receiving Laboratory. MSC 03210 Curator's Catalog. pp. 370.

Hunter R.H. and Taylor L.A. (1981) Rust and schreibersite in Apollo 16 highland rocks: Manifestations of volatile-element mobility. *Proc. 12th Lunar Planet. Sci. Conf.* 253-259.

Joy K.H., Kring D.A., Bogard D.D., McKay D.S. and Zolensky M.E. (2012) Re-examination of the formation ages of the Apollo 16 regolith breccias. *Geochem. Cosmochim. Acta* doi: 10.1016

LSPET (1973b) The Apollo 16 lunar samples: Petrographic and chemical description. *Science* **179**, 23-34.

LSPET (1972c) Preliminary examination of lunar samples. *In* Apollo 16 Preliminary Science Report. NASA SP-315, 7-1—7-58.

McKay D.S., Bogard D.D., Morris R.V., Korotev R.L., Johnson P. and Wentworth S.J. (1986) Apollo 16 regolith breccias: Characterization and evidence for early formation in the megaregolith. *Proc. 16th Lunar Planet. Sci. Conf.* in *J. Geophys. Res.* **91**, D277-D303.

Phinney W. and Lofgren G. (1973) Description, classification and inventory of Apollo 16 rake samples from stations 1, 4 and 13. Curators Office.

Ryder G. and Norman M.D. (1980) Catalog of Apollo 16 rocks (3 vol.). Curator's Office pub. #52, JSC #16904

Sutton R.L. (1981) Documentation of Apollo 16 samples. *In* Geology of the Apollo 16 area, central lunar highlands. (Ulrich et al.) U.S.G.S. Prof. Paper 1048.