

Lunar Polar Volatiles: Compelling Science at the Lunar Poles

David J. Lawrence, Richard C. Elphic, William C. Feldman,
Justin J. Hagerty, Thomas H. Prettyman

Los Alamos National Laboratory

Acknowledgements: Various parts of this work has been supported by NASA grants from the Discovery Data Analysis Program, the Lunar Prospector Program, and internal Los Alamos funding. While the first author of this talk (D. Lawrence) is a member of the National Academy of Sciences Committee on the Scientific Context for the Exploration of the Moon, this work is his own personal views and does not necessarily reflect the views of the entire committee.


Lunar Polar Volatiles: Compelling Science at the Lunar Poles

- What is known about lunar polar volatiles.
- Science questions about volatiles at the lunar poles.
- New information from lunar poles.
 - Orbital and Landed Measurements.


Acknowledgements: Various parts of this work has been supported by NASA grants from the Discovery Data Analysis Program, the Lunar Prospector Program, and internal Los Alamos funding. While the first author of this talk (D. Lawrence) is a member of the National Academy of Sciences Committee on the Scientific Context for the Exploration of the Moon, this work is his own personal views and does not necessarily reflect the views of the entire committee.

History of lunar polar volatiles

North Pole (>70°)




South Pole (<-70°)




images from the Clementine mission

- Permanently shaded craters at the poles of the Moon act as cold traps for hydrogen and other volatile elements.
- Cold temperatures + billions of years of accumulation
→ Significant deposits of volatiles.
- *Watson et al.*, [1961] and *Arnold*, [1976] predicted significant amounts water ice may exist at the lunar poles.

What is Known: Environment of lunar poles




Maximum diurnal temperatures for various sized craters (from Vasavada *et al.*, [1999]).




Locations of simple craters containing some permanent shadow (from Bussey *et al.*, [2002])

- Temperature in lunar polar craters
 - Modeled temperatures for craters < 40 km dia. are less than 70 K near poles [Vasavada *et al.*, 1999].
- Area of permanent shade
 - Estimated permanent shade from simple craters is ≤ 7500 km² (north) and ≤ 6500 km² (south) [Bussey *et al.*, 2002].
- There is more shadowed area in complex craters and inter-crater topography.

What is Known: Volatile Measurements



Radar circular polarization ratios near the Moon's south pole (from *Nozette et al.*, [1996]).




Radar (left) and circular polarization ratio (right) for Shackleton (top) and Schomberger (bottom) craters [from *Campbell et al.*, 2006].

Orbital and Earth-based Radar Data

- Bi-static radar from Clementine.
 - Hints of H₂O at lunar south pole [*Nozette et al.*, 1996]
 - H₂O interpretation controversial [*Simpson and Tyler*, 1999]
- Earth-based radar.
 - No clear evidence for large amounts of water ice [*Campbell et al.*, 2006].
 - Radar data consistent with up to 10s wt.% H₂O in lunar regolith [*Campbell*, pers. comm].
- Mercury shows significant polar deposits compared to the Moon [*Harmon et al.*, 2001].

What is Known: Volatile Measurements





Radar image of craters near Mercury's north pole [*Harmon et al.*, 2001].

Orbital and Earth-based Radar Data

- Bi-static radar from Clementine.
 - Hints of H₂O at lunar south pole [*Nozette et al.*, 1996]
 - H₂O interpretation controversial [*Simpson and Tyler*, 1999]
- Earth-based radar.
 - No clear evidence for large amounts of water ice [*Campbell et al.*, 2006].
 - Radar data consistent with up to 10s wt.% H₂O in lunar regolith [Campbell, pers. comm].
- Mercury shows significant polar deposits compared to the Moon [*Harmon et al.*, 2001].

What is Known: Volatile Measurements




(from Lawrence et al., [2006])

Orbital Neutrons and Gamma-rays

- Neutron signal shows 100 – 150 ppm H over 45 km² footprint [Feldman et al., 2000, 2001; Lawrence et al., 2006].
- Combine with estimate of permanent shade to derive surface H content.
 - Feldman et al., [2001] estimate 1700±900 ppm H (1.5 wt.% H₂O)
 - Elphic et al., [2007] use deconvolution to show [H] = 1100 ppm H in some locations.
 - Uncertainties derive from knowledge of permanent shade.
- Fast and thermal neutrons indicate H is buried by 10 – 30 cm of dry lunar soil [Feldman et al., 2000; Lawrence et al., 2006].
- Gamma-rays consistent with <1.5 wt.% H₂O over large regions [Feldman et al., 2000].

What is Known: Volatile Measurements




Spatially Deconvolved Hydrogen Abundances at South Pole (from *Elphic et al.*, [2007])

Orbital Neutrons and Gamma-rays

- Neutron signal shows 100 – 150 ppm H over 45 km² footprint [*Feldman et al.*, 2000, 2001; *Lawrence et al.*, 2006].
- Combine with estimate of permanent shade to derive surface H content.
 - *Feldman et al.*, [2001] estimate 1700±900 ppm H (1.5 wt.% H₂O)
 - *Elphic et al.*, [2007] use deconvolution to show [H] = 1100 ppm H in some locations.
 - Uncertainties derive from knowledge of permanent shade.
- Fast and thermal neutrons indicate H is buried by 10 – 30 cm of dry lunar soil [*Feldman et al.*, 2000; *Lawrence et al.*, 2006].
- Gamma-rays consistent with <1.5 wt.% H₂O over large regions [*Feldman et al.*, 2000].

Scientific Questions Related to the Lunar Poles




- What is the compositional distribution – laterally and in depth – of polar volatiles?
- What is the molecular form of hydrogen at the lunar poles?
 - Solar wind hydrogen or water ice?
- What are the dominant sources of polar volatiles?
 - Variety of sources range from solar wind, comets, asteroids, to giant molecular clouds.
 - Is there a potential for pre-biotic chemistry at lunar poles? (*Lucey* [2000])
- What retention/loss/transport processes operate on polar volatiles?
 - Why is the Moon apparently different from Mercury?
- What is the regolith structure in a very cold and possibly volatile rich environment?


Compelling Science at the Lunar Poles

- The study of lunar polar volatiles provides insight into the volatile distribution within the solar system.
- The Moon is the nearest, accessible reservoir of solar system volatiles.
 - The lunar poles collect volatiles in an analogous manner to how Antarctica collects solar system refractory materials (i.e., meteorites).
 - The lunar poles may retain a unique record of solar system environment.
- Lunar polar science has strong synergy with NASA human exploration.
 - Polar volatiles represent possible resource for humans on the Moon.
 - New data will greatly benefit both the science and exploration enterprises.

New Information From Lunar Poles: Orbital




Lunar Reconnaissance Orbiter




Chandrayaan

- New international spacecraft will provide significant new information about lunar poles.
 - SELENE (Japan)
 - Lunar Reconnaissance Orbiter (USA)
 - Chandrayaan (India)
 - Chang'E (China)
- Better knowledge of permanent shade, including topography, crater morphology.
- Better knowledge of temperature.
- Better knowledge of volatile distribution.
 - There may be limitations with polar hydrogen measurements on LRO.


Limitations of Hydrogen Measurements



Limitations of Hydrogen Measurements



New Information From Lunar Poles: Landed




- Landed measurements are required to fully understand lunar polar regions.
- Lateral and depth dependent volatile composition measurements.
 - Evaluate spatial inhomogeneities and stratigraphy.
- Isotopic composition
 - Use D/H ratio to investigate sources of cometary material.
- Atmospheric measurements to understand retention/loss/transport processes.

Sampling Requirements for Polar Volatiles

- Statistically estimate required sampling sites for locating wet parcel within dry parcel.
 - If wet area has 1 wt.% WEH, then less than 5 sample sites are needed.
 - If wet area has 20 wt.% WEH, then greater than 15 sample sites are needed.

Samples Required for 90%
Detection Probability



Conclusions

- The lunar poles are an exciting and unique environment at the lunar surface.
- Near-term, future measurements will reveal much new information about the structure and history of the lunar poles and the polar environment.
- Lunar polar scientific exploration is well suited for the polar outpost architecture.