

Reference list for “Toward More Realistic Simulation and Prediction of Dust Storms on Mars” submitted to the 2023-2032 Decadal Survey on Planetary Science and Astrobiology.

[1] Read, P.L., S.R. Lewis, and D.P. Mulholland, The Physics of Martian Weather and Climate: A Review, *Reports on Progress in Physics*, 78 (12), 125901, <http://doi.org/10.1088/0034-4885/78/12/125901>, 2015.

See also:

- Haberle, R.M., Interannual variability of global dust storms on Mars, *Science*, 234 (4775), 459-461, <http://doi.org/10.1126/science.234.4775.459>, 1986.

- Leovy, C., Weather and climate on Mars, *Nature*, 412 (6843), 245-249, <http://doi.org/10.1038/35084192>, 2001.

- Smith, M.D., Interannual variability in TES atmospheric observations of Mars during 1999-2003, *Icarus*, 167, 148-165, <http://doi.org/10.1016/j.icarus.2003.09.010>, 2004.

- Määttänen, A. and C.E. Newman, Lifting the veil on Martian dust storms, *Eos*, 101, <https://doi.org/10.1029/2020EO145796>, 2020.

[2] Forget, F. and L. Montabone, Atmospheric dust on Mars: A review, 47th Intl. Conf. Environ. Sys., 2017-07-16, https://ttu-ir.tdl.org/bitstream/handle/2346/72982/ICES_2017_175.pdf, 2017.

[3] Martínez, G.M. and 15 co-authors, The Modern Near-Surface Martian Climate: A Review of In-situ Meteorological Data from Viking to Curiosity, *Space Sci. Rev.*, 212, 295–338, <http://doi.org/10.1007/s11214-017-0360-x>, 2017.

See also:

- Ryan, J.A. and R.M. Henry, Mars atmospheric phenomena during major dust storms, as measured at surface, *J. Geophys. Res. (Solid)*, 84 (B6), 2821-2829, <http://doi.org/10.1029/JB084iB06p02821>, 1979.

- Streeter, P.M., S.R. Lewis, M.R. Patel, J.A. Holmes, and D.M. Kass, Surface warming during the 2018/Mars Year 34 Global Dust Storm, *Geophys. Res. Lett.*, 47, e2019GL083936, <http://doi.org/10.1029/2019GL083936>, 2020.

[4] Wolff, M., López-Valverde, M., Madeleine, J., Wilson, R., Smith, M., Fouchet, T., and Delory, G., “Radiative Process: Techniques and Applications” in R. Haberle, R. Clancy, F. Forget, M. Smith, & R. Zurek (Eds.), *The Atmosphere and Climate of Mars*, 106-171, Cambridge University Press. <http://doi.org/10.1017/9781139060172.006>, 2017.

See also:

- Gierasch, P. J. and R. M. Goody, The Effect of Dust on the Temperature of the Martian Atmosphere, *J. Atmos. Sci.*, 29 (2), 400-402, [http://doi.org/10.1175/1520-0469\(1972\)029<0400:TEODOT>2.0.CO;2](http://doi.org/10.1175/1520-0469(1972)029<0400:TEODOT>2.0.CO;2), 1972.

[5] Navarro, T., J.-B. Madeleine, F. Forget, A. Spiga, E. Millour, F. Montmessin, and A. Määttänen, Global climate modeling of the Martian water cycle with improved microphysics and radiatively active water ice clouds, *J. Geophys. Res. (Plan.)*, 119, 1479–1495, <http://doi.org/10.1002/2013JE004550>, 2014.

See also:

- Kahre, M.A., J.L.Hollingsworth, R.M.Haberle and R.J.Wilson, Note: Coupling the Mars dust and water cycles: The importance of radiative-dynamic feedbacks during northern hemisphere summer, *Icarus*, 260, 477-480, <http://doi.org/10.1016/j.icarus.2014.07.017>, 2015.
- Lee, C., M.I. Richardson, C.E. Newman and M.A. Mischna, The sensitivity of solsticial pauses to atmospheric ice and dust in the MarsWRF General Circulation Model, *Icarus*, 311, 23-34, <http://doi.org/10.1016/j.icarus.2018.03.019>, 2018.
- Neary L. and F. Daerden, The GEM-Mars general circulation model for Mars: Description and evaluation, *Icarus*, 300, 458-476, <http://doi.org/10.1016/j.icarus.2017.09.028>, 2018.

[6] Heavens, N.G., D.M. Kass, and J.H. Shirley, Dusty deep convection in the Mars Year 34 planet-encircling dust event, *J. Geophys. Res. (Plan.)*, 124, 2863-2892, <http://doi.org/10.1029/2019JE006110>, 2019.

[7] MEPAG, Mars Scientific Goals, Objectives, Investigations, and Priorities: 2020. D. Banfield, ed., https://mepag.jpl.nasa.gov/reports/MEPAGGoals_2020_MainText_Final.pdf, 2020.

[8] Kass, D. M., J.T. Schofield, A. Kleinböhl, D.J. McCleese, N.G. Heavens, J.H. Shirley, and L.J. Steele, Mars Climate Sounder observation of Mars' 2018 global dust storm. *Geophys. Res. Lett.*, 46, <http://doi.org/10.1029/2019GL083931>, 2019.

See also:

- Smith, M.D., Conrath, B.J., Pearl, J.C., Christensen, P.R., Thermal Emission Spectrometer Observations of Martian Planet-Encircling Dust Storm 2001A, *Icarus*, 157, 259-263, <http://doi.org/10.1006/icar.2001.6797>, 2002.

[9] Viúdez-Moreiras, D., C.E. Newman, M. de la Torre, G. Martínez, S. Guzewich, M. Lemmon, J. Pla-García, M.D. Smith, A.-M. Harri, M. Genzer, A. Vicente-Retortillo, A. Lepinette, J.A. Rodriguez-Manfredi, A.R. Vasavada, and J. Gómez-Elvira, Effects of the MY34/2018 global dust storm as measured by MSL REMS in Gale crater. *J. Geophys. Res. (Plan.)*, 124, 1899-1912, <http://doi.org/10.1029/2019JE005985>, 2019.

[10] Wilson, R.J. and K.P. Hamilton, Comprehensive model simulation of thermal tides in the martian atmosphere, *J. Atmos. Sci.*, 53, 1290-1326, [https://doi.org/10.1175/1520-0469\(1996\)053<1290:CMSOTT>2.0.CO;2](https://doi.org/10.1175/1520-0469(1996)053<1290:CMSOTT>2.0.CO;2), 1996.

See also:

- Zurek, R.W. and C.B. Leovy, Thermal tides in the dusty martian atmosphere: a verification of theory, *Science*, 213 (4506), 437-439, <http://doi.org/10.1126/science.213.4506.437>, 1981.
- Battalio, M. and H. Wang, Eddy evolution during large dust storms, *Icarus*, 338, 113507, <https://doi.org/10.1016/j.icarus.2019.113507>, 2020.

[11] Bonev, B.P., G.B. Hansen, D.A. Glenar, P.B. James, and J.E. Bjorkman, Albedo models for the residual south polar cap on Mars: Implications for the stability of the cap under near-perihelion global dust storm conditions, *Plan. Space Sci.*, 56 (2), 181-193, <http://doi.org/10.1016/j.pss.2007.08.003>, 2008.

[12] Stcherbinine, A., M. Vincendon, F. Montmessin, M.J. Wolff, O. Korablev, A. Fedorova, A. Trokhimovskiy, A. Patrakeev, G. Lacombe, L. Baggio, and A. Shakun, Martian Water Ice

Clouds During the 2018 Global Dust Storm as Observed by the ACS-MIR Channel Onboard the Trace Gas Orbiter, *J. Geophys. Res. (Plan.)*, 125, e2019JE006300, <http://doi.org/10.1029/2019JE006300>, 2020.

[13] Pankine, A.A. and L.K. Tamppari, MGS TES observations of the water vapor in the martian southern polar atmosphere during spring and summer, *Icarus*, 331, 26-48, <https://doi.org/10.1016/j.icarus.2019.05.010>, 2019.

[14] Chaufray, J.-Y., M. Chaffin, J. Deighan, S. Jain, N. Schneider, M. Mayyasi, and B. Jakosky, Effect of the 2018 Martian global dust storm on the CO₂ density in the lower nightside thermosphere observed from MAVEN/IUVS Lyman-alpha absorption, *Geophys. Res. Lett.*, 47, e2019GL082889, <https://doi.org/10.1029/2019GL082889>, 2020.

See also:

- Withers, P. and R. Pratt, An observational study of the response of the upper atmosphere of Mars to lower atmospheric dust storms, *Icarus*, 225 (1), 378-389, <https://doi.org/10.1016/j.icarus.2013.02.032>, 2013.

- Jain, S.K., S.W. Bougher, J. Deighan, N.M. Schneider, F. Gonzalez-Galindo, A.I.F. Stewart, R. Sharrar, D. Kass, J. Murphy, D. Pawlowski, Martian thermospheric warming associated with the Planet Encircling Dust Event of 2018. *Geophys. Res. Lett.*, 47, e2019GL085302, <http://doi.org/10.1029/2019GL085302>, 2020.

[15] Fang, X., Ma, Y., Lee, Y., Bougher, S., Liu, G., Benna, M., P. Mahaffy, L. Montabone, D. Pawlowski, C. Dong, Y. Dong, and B. Jakosky, Mars dust storm effects in the ionosphere and magnetosphere and implications for atmospheric carbon loss, *J. Geophys. Res. (Space Phys.)*, 125, e2019JA026838, <https://doi.org/10.1029/2019JA026838>, 2020.

See also:

- Felici, M., P. Withers, M.D. Smith, F. González-Galindo, K. Oudrhiri, and D. Kahan, D., MAVEN ROSE observations of the response of the Martian ionosphere to dust storms, *J. Geophys. Res. (Space Phys.)*, 125, e2019JA027083, <https://doi.org/10.1029/2019JA027083>, 2020.

- Girazian, Z., Z. Luppen, D.D. Morgan, F. Chu, L. Montabone, E.M.B. Thiemann, D.A. Gurnett, J. Halekas, A.J. Kopf, and F. Němec, Variations in the ionospheric peak altitude at Mars in response to dust storms: 13 years of observations from the Mars Express Radar Sounder, *J. Geophys. Res. (Plan.)*, 125, e2019JE006092, <https://doi.org/10.1029/2019JE006092>, 2020.

- Lee, Y., X. Fang, M. Gacesa, Y. Ma, V. Tenishev, P. Mahaffy, C. Dong, M. Combi, S. Bougher, and B. Jakosky, Effects of global and regional dust storms on the Martian hot O corona and photochemical loss, *J. Geophys. Res. (Space Phys.)*, 125, e2019JA027115, <http://doi.org/10.1029/2019JA027115>, 2020.

[16] Aoki, S. and 19 co-authors, Water vapor vertical profiles on Mars in dust storms observed by TGO/NOMAD, *J. Geophys. Res. (Plan.)*, 124, 3482-3497, <https://doi.org/10.1029/2019JE006109>, 2019.

See also:

- Chaffin, M.S., J. Deighan, N.M. Schneider, and A.I.F. Stewart, Elevated atmospheric escape of atomic hydrogen from Mars induced by high-altitude water, *Nat. Geosci.*, 10, 174-178, <https://doi.org/10.1038/ngeo2887>, 2017.

- Heavens, N.G., A. Kleinböhl, M.S. Chaffin, J.S. Halekas, D.M. Kass, P.O. Hayne, D.J. McCleese, S. Piqueux, J.H. Shirley, and J.T. Schofield, Hydrogen escape from Mars enhanced by deep convection in dust storms, *Nat. Astron.* 2, 126-132, <https://doi.org/10.1038/s41550-017-0353-4>, 2018.
- Fedorova, A.A. and 21 co-authors, Stormy water on Mars: The distribution and saturation of atmospheric water during the dusty season, *Science*, 367 (6475), 297-300, <https://doi.org/10.1126/science.aay9522>, 2020.
- Neary, L. and 23 co-authors, Explanation for the increase in high-altitude water on Mars observed by NOMAD during the 2018 global dust storm, *Geophys. Res. Lett.*, 47, e2019GL084354, <https://doi.org/10.1029/2019GL084354>, 2020.

[17] Laskar, J., A.C.M. Correia, M. Gastineau, F. Joutel, B. Levrard and P. Robutel, Long term evolution and chaotic diffusion of the insolation quantities of Mars, *Icarus*, 170, 343–364, <https://doi.org/10.1016/j.icarus.2004.04.005>, 2004.

See also:

- Toon, O.B., J.B. Pollack, W. Ward, J.A. Burns, and K. Bilski, The astronomical theory of climatic change on Mars, *Icarus*, 44, 552-607, [https://doi.org/10.1016/0019-1035\(80\)90130-X](https://doi.org/10.1016/0019-1035(80)90130-X), 1980.
- Jakosky, B.M. and M.H. Carr, Possible precipitation of ice at low latitudes of Mars during periods of high obliquity, *Nature*, 315, 559-561, <https://doi.org/10.1038/315559a0>, 1985.

[18] Haberle, R.M., J.R. Murphy, and J. Schaeffer, Orbital change experiments with a Mars general circulation model, *Icarus*, 161 (1), 66-89, [https://doi.org/10.1016/S0019-1035\(02\)00017-9](https://doi.org/10.1016/S0019-1035(02)00017-9), 2003.

See also:

- Newman, C.E., S.R. Lewis, and P.L. Read, The atmospheric circulation and dust activity in different orbital epochs on Mars, *Icarus*, 174 (1), 135-160, <https://doi.org/10.1016/j.icarus.2004.10.023>, 2005.

[19] Becerra, P., M.M. Sori, and S. Byrne, Signals of astronomical climate forcing in the exposure topography of the North Polar Layered Deposits of Mars, *Geophys. Res. Lett.*, 44, 62-70, <https://doi.org/10.1002/2016GL071197>, 2017.

See also:

- Laskar, J., B. Levrard and J.F. Mustard, Orbital forcing of the martian polar layered deposit, *Nature*, 419, 375–377, <https://doi.org/10.1038/nature01066>, 2002.
- Phillips, R.J. and 26 co-authors, Mars North Polar Deposits: Stratigraphy, Age, and Geodynamical Response, *Science*, 320 (1182), <http://doi.org/10.1126/science.1157546>, 2008.
- Smith et al., *A Case for Mars Polar Science in the Solar System*, White Paper submitted to the 2023-2032 Planetary Science and Astrobiology Decadal Survey, <https://mepag.jpl.nasa.gov/reports.cfm?expand=decadal>, 2020.

[20] Hvidberg, C.S., K.E. Fishbaugh, M. Winstrup, A. Svensson, S. Byrne, K.E. Herkenhoff, Reading the climate record of the martian polar layered deposits, *Icarus*, 221, 405-419, <http://doi.org/10.1016/j.icarus.2012.08.009>, 2012.

See also:

- Levrard, B., F. Forget, F. Montmessin, and J. Laskar, Recent formation and evolution of northern Martian polar layered deposits as inferred from a Global Climate Model, *J. Geophys. Res.*, 112, E06012, <http://doi.org/10.1029/2006JE002772>, 2007.

[21] Colaprete, A., J.R. Barnes, R.M. Haberle, J.L. Hollingsworth, H.H. Kieffer, and T.N. Titus, Albedo of the south pole on Mars determined by topographic forcing of atmosphere dynamics, *Nature*, 435 (7039), 184-8, <http://doi.org/10.1038/nature03561>, 2005.

See also:

- Cornwall, C. and T.N. Titus, A comparison of Martian north and south polar cold spots and the long-term effects of the 2001 global dust storm, *J. Geophys. Res. (Plan.)*, 115, E06011, <http://doi.org/10.1029/2009JE003514>, 2010.

[22] Fenton, L.K., Aeolian processes on Mars: atmospheric modeling and GIS analysis. Dissertation (Ph.D.), California Institute of Technology, <https://resolver.caltech.edu/CaltechETD:etd-03052003-124751>, 2003.

[23] Grotzinger J.P. and R.E. Milliken, "Sedimentary rock record of Mars: Distributions, origins, and global stratigraphy" in *Sedimentary Geology of Mars* (J. Grotzinger and R. Milliken, eds.), pp. 1-48, SEPM Spec. Publ. 102, Society for Sedimentary Geology, Tulsa, <https://doi.org/10.2110/pec.12.102.0001>, 2012.

See also:

- Lewis, K.W., O. Aharonson, J.P. Grotzinger, R.L. Kirk, A.S. McEwen, T.-A. Suer, Quasi-Periodic Bedding in the Sedimentary Rock Record of Mars, *Science*, 322 (5907), 1532-1535, <http://doi.org/10.1126/science.1161870>, 2008.

[24] Golombek, M.P., N.H. Warner, V. Ganti, M.P. Lamb, T.J. Parker, R.L. Fergason, and R. Sullivan, Small crater modification on Meridiani Planum and implications for erosion rates and climate change on Mars, *J. Geophys. Res. (Plan.)*, 119, 2522–2547, <http://doi.org/10.1002/2014JE004658>, 2014.

See also:

- Greeley, R., R.N. Leach, S.H. Williams, B.R. White, J.B. Pollack, D.H. Krinsley, and J.R. Marshall, Rate of wind abrasion on Mars, *J. Geophys. Res. (Solid)*, 87 (B2), 10009–24, <https://doi.org/10.1029/JB087iB12p10009>, 1982.

- Armstrong, J.C. and C.B. Leovy, Long term wind erosion on Mars, *Icarus*, 176 (1), 57-74, <http://doi.org/10.1016/j.icarus.2005.01.005>, 2005.

[25] Farley, K.A. and 24 co-authors, In Situ Radiometric and Exposure Age Dating of the Martian Surface, *Science*, 343 (6169), 1247166, <http://doi.org/10.1126/science.1247166>, 2014.

[26] Chen, A., A. Vasavada, A. Cianciolo, J. Barnes, D. Tyler, S. Rafkin, D. Hinson, and S.R. Lewis, Atmospheric risk assessment for the Mars Science Laboratory entry, descent, and landing system, in: 2010 IEEE Aerospace Conference Proceedings, pp. 1-12, <https://doi.org/10.1109/AERO.2010.5447015>, 2010.

See also:

- Desjean, M.-C., Dust Knowledge on Mars and dust properties available for landing and landed vehicles and assets, 47th Intl. Conf. Environ. Sys., 2017-07-16, https://ttu-ir.tdl.org/bitstream/handle/2346/72977/ICES_2017_169.pdf, 2017.

[27] Spry, J.A., J.D. Rummel, M.S. Race, and C.A. Conley, “Three Faces of Martian Dust: Dust for Cover, Dust to Breathe, and Dust Everywhere” in *Dust in the Atmosphere of Mars and its Impact on Human Exploration*, eds. R.L. Kerschmann, J.S. Levine, and D. Winterhalter, LPI Contrib. No. 1966, <https://www.hou.usra.edu/meetings/marsdust2017/pdf/6035.pdf>, 2017.

See also:

- Gaier, J., The Effects of Lunar Dust on EVA Systems During the Apollo Missions, NASA/TM—2005-213610, <https://history.nasa.gov/alsj/TM-2005-213610.pdf>, 2005.

[28] McClean, J.B., J.P. Merrison, J.J. Iversen, M. Azimian, A. Wiegmann, W.T. Pike, and M.H. Hecht, Filtration of simulated Martian atmosphere for in-situ oxygen production, *Plan. Space Sci.*, 191, 104975, <https://doi.org/10.1016/j.pss.2020.104975>, 2020.

[29] Callas, J.L., M.P. Golombek, and A.A. Fraeman, Mars Exploration Rover Opportunity End of Mission Report, JPL Technical Report #JPL-CL-19-7647, <http://hdl.handle.net/2014/47103>, 2019.

[30] Newman, C.E., M.A. Mischna, M.I. Richardson, and J.H. Shirley, Impact on Mars dust storm variability of postulated orbit-spin coupling with parameterized dust lifting and radiatively active dust transport, *Icarus*, <http://doi.org/10.1016/j.icarus.2018.07.023>, 317, 649-668, 2019.

See also:

- Shirley, J.H., Solar system dynamics and global-scale dust storms on Mars, *Icarus*, 252, 128-144, <https://doi.org/10.1016/j.icarus.2014.09.038>, 2015.

[31] Wang, H. and M.I. Richardson, The origin, evolution, and trajectory of large dust storms on Mars during Mars years 24–30 (1999–2011), *Icarus*, 251, 112-127, <https://doi.org/10.1016/j.icarus.2013.10.033>, 2015.

See also:

- Wang, H., M.I. Richardson, R.J. Wilson, A.P. Ingersoll and A.D. Toigo, Cyclones, tides, and the origin of a cross-equatorial dust storm on Mars, *Geophys. Res. Lett.*, 30 (9), 1488, <http://doi.org/10.1029/2002GL016828>, 2003.

[32] Wolkenberg, P., Giuranna, M., Smith, M.D., Grassi, D., and Amoroso, M., Similarities and differences of global dust storms in MY 25, 28, and 34, *J. Geophys. Res. (Plan.)*, 125, e2019JE006104, <http://doi.org/10.1029/2019JE006104>, 2020.

[33] Cantor, B.A., P.B. James, M. Caplinger, and M.J. Wolff, Martian dust storms: 1999 Mars Orbiter Camera observations. *J. Geophys. Res.*, 106, 23653-26687, <https://doi.org/10.1029/2000JE001310>, 2001.

[34] Neakrase, L.D.V., M.R. Balme, F. Esposito, T. Kelling, M. Klose, J.F. Kok, B. Marticorena, J. Merrison, M. Patel, and G. Wurm, Particle Lifting Processes in Dust Devils, *Space Sci. Rev.*, 203, 347-376, <http://doi.org/10.1007/s11214-016-0296-6>, 2016.

See also:

- Wurm, G., J. Teiser, and D. Reiss, Greenhouse and thermophoretic effects in dust layers: The missing link for lifting of dust on Mars, *GRL*, **35**, L10201, <http://doi.org/10.1029/2008GL033799>, 2008.

[35] Newman, C.E., S.R. Lewis, P.L. Read, and F. Forget, Modeling the Martian dust cycle. 1: Representations of dust transport processes, *J. Geophys. Res. (Planets)*, 107 (E12), Art. No. 5123, <http://doi.org/10.1029/2002JE001910>, 2002.

See also:

- Basu, S., M.I. Richardson and R.J. Wilson, Simulation of the Martian dust cycle with the GFDL Mars GCM, *J. Geophys. Res.*, 109, E11006, <http://doi.org/10.1029/2004JE002243>, 2004.

- Kahre, M.A., J.R. Murphy and R.M. Haberle, Modeling the Martian dust cycle and surface dust reservoirs with the NASA Ames general circulation model, *J. Geophys. Res.*, 111, E06008, <http://doi.org/10.1029/2005JE002588>, 2006.

[36] Kahre, M.A., J.R. Murphy, C.E. Newman, R. J. Wilson, B.A. Cantor, M.T. Lemmon, and M.J. Wolff, "The Mars Dust Cycle" in R. Haberle, R. Clancy, F. Forget, M. Smith, & R. Zurek (Eds.), *The Atmosphere and Climate of Mars*, 295-337, Cambridge University Press, <http://doi.org/10.1017/9781139060172.010>, 2017.

[37] Basu, S., R.J. Wilson, M.I. Richardson, and A.P. Ingersoll, Simulation of spontaneous and variable global dust storms with the GFDL Mars GCM, *J. Geophys. Res.*, 111, E09004, <http://doi.org/10.1029/2005JE002660>, 2006.

See also:

- Newman, C.E., S.R. Lewis, P.L. Read, and F. Forget, Modeling the Martian dust cycle. 2: Multi-annual radiatively active dust transport simulations, *J. Geophys. Res. (Plan.)*, 107 (E12), Art. No. 5124, <http://doi.org/10.1029/2002JE001920>, 2002.

[38] Szwast, M.A., M.I. Richardson and A.R. Vasavada, Surface dust redistribution on Mars as observed by the Mars Global Surveyor and Viking orbiters, *J. Geophys. Res.*, 111, E11008, <http://doi.org/10.1029/2005JE002485>, 2006.

See also:

- Geissler, P.E., L.K. Fenton, M.-T. Enga, and P. Mukherjee, Orbital monitoring of martian surface changes, *Icarus*, 278, 279-300, <https://doi.org/10.1016/j.icarus.2016.05.023>, 2016.

- Wellington, D.F. and J.F. Bell III, Patterns of surface albedo changes from Mars Reconnaissance Orbiter Mars Color Imager (MARCI) observations, *Icarus*, 349, 113766, <http://doi.org/10.1016/j.icarus.2020.113766>, 2020.

[39] Newman, C.E. and M.I. Richardson, The impact of surface dust source exhaustion on the Martian dust cycle, dust storms and interannual variability, as simulated by the MarsWRF General Circulation Model, *Icarus*, 257, 47-87, <http://doi.org/10.1016/j.icarus.2015.03.030>, 2015.

See also:

- Kahre, M.A., J.R. Murphy, R.M. Haberle, F. Montmessin, J. Schaeffer, Simulating the martian dust cycle with a finite surface dust reservoir, *Geophys. Res. Lett.*, 32, L20204, <http://doi.org/10.1029/2005GL023495>, 2005.

- Mulholland, D.P., P.L. Read and S.R. Lewis, Simulating the interannual variability of major dust storms on Mars using variable lifting thresholds, *Icarus*, 223, 344-358, <http://doi.org/10.1016/j.icarus.2012.12.003>, 2013.
- Pankine, A.A. and A.P. Ingersoll, Interannual variability of Mars global dust storms: an example of self-organized criticality? *Icarus*, 170, 514–518, <http://doi.org/10.1016/j.icarus.2004.04.006>, 2004.
- Pankine, A.A. and A.P. Ingersoll, Interannual Variability of Martian Global Dust Storms Simulations with a Low-Order Model of the General Circulation, *Icarus*, 155, 299–323, <http://doi.org/10.1006/icar.2001.6757>, 2002.

[40] Kahre, M.A., R.J. Wilson, J.L. Hollingsworth, R.M. Haberle, and F. Montmessin, Coupling Mars' dust and water cycles: Effects on dust lifting vigor, spatial extent and seasonality, Fourth International Workshop on the Mars Atmosphere: Modelling and Observations, http://www-mars.lmd.jussieu.fr/paris2011/abstracts/kahre_paris2011.pdf, 2011.

[41] Lewis, S.R., P.L. Read, B.J. Conrath, J.C. Pearl, and M.D. Smith, Assimilation of thermal emission spectrometer atmospheric data during the Mars Global Surveyor aerobraking period, *Icarus*, 192(2), 327-347, <http://doi.org/10.1016/j.icarus.2007.08.009>, 2007.

See also:

- Lee, C., G. Lawson, M.I. Richardson, J.L. Anderson, N. Collins, T. Hoar, and M.A. Mischna, Demonstration of ensemble data assimilation for Mars using DART, MarsWRF, and radiance observations from MGS TES, *J. Geophys. Res.*, <http://doi.org/10.1029/2011JE003815>, 2011.
- Montabone, L., K. Marsh, S.R. Lewis, P.L. Read, M.D. Smith, J. Holmes, A. Spiga, D. Lowe, and A. Pamment, The Mars Analysis Correction Data Assimilation (MACDA) Dataset V1.0, *Geosci. Data J.*, 1: 129-139. <http://doi.org/10.1002/gdj3.13>, 2014.

[42] Lewis, S.R., P.L. Read, and M. Collins, Martian atmospheric data assimilation with a simplified general circulation model: orbiter and lander networks, *Plan. Space Sci.*, 44 (11), 1395-1409, [https://doi.org/10.1016/S0032-0633\(96\)00058-X](https://doi.org/10.1016/S0032-0633(96)00058-X), 1996.

[43] Montabone et al., *Areostationary orbit: Benefits and Applications*, White Paper submitted to the 2023-2032 Planetary Science and Astrobiology Decadal Survey, <https://mepag.jpl.nasa.gov/reports.cfm?expand=decadal>, 2020.

[44] Gebhardt, C. and A. Abuelgasim, Scientific innovations from the Mars aerosol optical depth based on satellite data with a temporal resolution of hours, *Prog Earth Planet Sci.*, 6, 31, <https://doi.org/10.1186/s40645-019-0276-z>, 2019.

[45] Newman, C.E., P.L. Read and S.R. Lewis, Investigating atmospheric predictability on Mars using breeding vectors in a general-circulation model, *Q. J. Royal Meteorol. Soc.*, 130, 2971-2989, <http://doi.org/10.1256/qj.03.209>, 2004.

See also:

- Rogberg, P., P.L. Read, S.R. Lewis, and L. Montabone, Assessing atmospheric predictability on Mars using numerical weather prediction and data assimilation, *Q. J. Royal Meteorol. Soc.*, 136, 1614-1635, <http://doi.org/10.1002/qj.677>, 2010.

[46] Navarro, T., F. Forget, E. Millour, S.J. Greybush, E. Kalnay, and T. Miyoshi, The challenge of atmospheric data assimilation on Mars, *Earth Space Sci.*, 4, 690-722, <https://doi.org/10.1002/2017EA000274>, 2017.

[47] Shao, Y., K.-H. Wyrwoll, A. Chappell, J. Huang, Z. Lin, G.H. McTainsh, M. Mikami, T.Y. Tanaka, X. Wang, and S. Yoon, Dust cycle: An emerging core theme in Earth system science, *Aeolian Res.*, 2 (4), 181-204, <https://doi.org/10.1016/j.aeolia.2011.02.001>, 2011.

See also:

- Marticorena, B., G. Bergametti, B. Aumont, Y. Callot, C. N'Doumé, and M. Legrand, Modeling the atmospheric dust cycle: 2. Simulations of Saharan dust sources, *J. Geophys. Res.*, 102, 4387-4404, <https://doi.org/10.1029/96JD02964>, 1997.

[48] Kok, J.F., E.J.R. Parteli, T.I. Michaels and D.B. Karam, The physics of wind-blown sand and dust, *Reports on Progress in Physics*, 75, <http://doi.org/10.1088/0034-4885/75/10/106901>, 2012.

See also:

- Bagnold, R.A., The movement of desert sand, *Proc. R. Soc. Lond. A*, 157 (892), 594–620, <http://doi.org/10.1098/rspa.1936.0218>, 1936.

[49] Sullivan, R. and J.F. Kok, Aeolian saltation on Mars at low wind speeds, *J. Geophys. Res. (Plan.)*, 122, 2111-2143, <http://doi.org/10.1002/2017JE005275>, 2017.

See also:

- Kok, J. F., Difference in the wind speeds required for initiation versus continuation of sand transport on Mars: Implications for dunes and dust storms, *Phys. Rev. Lett.*, 104, 074502, <http://doi.org/10.1103/PhysRevLett.104.074502>, 2010.

[50] Greeley, R., R. Leach, B. White, J. Iversen, and J. Pollack, Threshold wind speeds for sand on Mars: Wind tunnel simulations, *Geophys. Res. Lett.*, 7, 121-124, <https://doi.org/10.1029/GL007i002p00121>, 1980.

See also:

- White, B.R., Soil transport by wind on Mars, *J. Geophys. Res.*, 84, 4643-4651, <https://doi.org/10.1029/JB084iB09p04643>, 1979.

- Merrison, J.P., H. Bechtold, H. Gunnlaugsson, A. Jensen, K. Kinch, P. Nornberg, and K. Rasmussen, An environmental simulation wind tunnel for studying Aeolian transport on Mars, *Plan. Space. Sci.* (56) 3-4, pp. 426-437, <http://doi.org/10.1016/j.pss.2007.11.007>, 2008.

[51] Merrison, J.P., H.P. Gunnlaugsson, P. Nørnberg, A.E. Jensen, and K.R. Rasmussen, Determination of the wind induced detachment threshold for granular material on Mars using wind tunnel simulations, *Icarus*, 191 (2), 568-580, <https://doi.org/10.1016/j.icarus.2007.04.035>, 2007.

[52] Musiolik, G., M. Kruss, T. Demirci, B. Schirnski, J. Teiser, F. Daerden, M.D. Smith, L. Neary, and G. Wurm, G., Saltation under Martian gravity and its influence on the global dust distribution, *Icarus*, 306, 25-31, <http://doi.org/10.1016/j.icarus.2018.01.007>, 2018.

- [53] Swann, C., D.J. Sherman, and R.C. Ewing, Experimentally derived thresholds for windblown sand on Mars, *Geophys. Res. Lett.*, 47, e2019GL084484, <http://doi.org/10.1029/2019GL084484>, 2020.
- [54] Pollack, J.B., R. Haberle, R. Greeley, and J. Iversen, Estimates of the wind speeds required for particle motion on Mars, *Icarus*, 29, 395-417, [https://doi.org/10.1016/0019-1035\(76\)90141-X](https://doi.org/10.1016/0019-1035(76)90141-X), 1976.
- [55] Esposito, F., R. Molinaro, C.I. Popa, C. Molfese, F. Cozzolino, L. Marty, K. Taj-Eddine, G. Di Achille, G. Franzese, S. Silvestro, and G.G. Ori, The role of the atmospheric electric field in the dust-lifting process, *Geophys. Res. Lett.*, 43, 5501-5508, <http://doi.org/10.1002/2016GL068463>, 2016.
- See also:**
- Kok, J.F. and N.O. Renno, Enhancement of the emission of mineral dust aerosols by electric forces, *Geophys. Res. Lett.*, 33, L19S10, <http://doi.org/10.1029/2006GL026284>, 2006.
- [56] Ayoub, F., J-P. Avouac, C.E. Newman, M.I. Richardson, A. Lucas, S. Leprince, and N.T. Bridges, Threshold for sand mobility on Mars calibrated from seasonal variations of sand flux, *Nat. Comm.*, 5, 5096, <http://doi.org/10.1038/ncomms6096>, 2014.
- [57] Bridges, N.T., R. Sullivan, C.E. Newman, S. Navarro, J. van Beek, R.C. Ewing, F. Ayoub, S. Silvestro, O. Gasnault, S. Le Mouélic, M.G.A. Lapotre, and W. Rapin, Martian aeolian activity at the Bagnold Dunes, Gale Crater: The view from the surface and orbit, *J. Geophys. Res. Plan.*, 122, 2077-2110, <http://doi.org/10.1002/2017JE005263>, 2017.
- [58] Sullivan, R., R. Greeley, M. Kraft, G. Wilson, M. Golombek, K. Herkenhoff, J. Murphy, and P. Smith, Results of the Imager for Mars Pathfinder windsock experiment, *J. Geophys. Res.*, 105 (E10), 24547-24562, <http://doi.org/10.1029/1999JE001234>, 2000.
- [59] Bridges, N.T., F. Ayoub, J.-P. Avouac, S. Leprince, A. Lucas, and S. Mattson, Earth-like sand fluxes on Mars, *Nature*, 485 (7398), 339-342, <https://doi.org/10.1038/nature11022>, 2012.
- See also:**
- Silvestro, S., D.A. Vaz, R.C. Ewing, A.P. Rossi, L.K. Fenton, T.I. Michaels, J. Flahaut, and P.E. Geissler, Pervasive aeolian activity along rover Curiosity's traverse in Gale Crater, Mars, *Geology*, 41 (4), 483-486, <https://doi.org/10.1130/G34162.1>, 2013.
 - Chojnacki, M., M. Banks, and A. Urso, Wind-driven erosion and exposure potential at Mars 2020 Rover candidate-landing sites, *J. Geophys. Res. (Plan.)*, 123, 468-488, <http://doi.org/10.1002/2017JE005460>, 2018.
 - Baker, M.M., M.G.A. Lapotre, M.E. Minitti, C.E. Newman, R. Sullivan, C.M. Weitz, D.M. Rubin, A.R. Vasavada, N.T. Bridges, and K.W. Lewis, The Bagnold Dunes in southern summer: Active sediment transport on Mars observed by the Curiosity rover, *Geophys. Res. Lett.*, 45, 8853-8863, <http://doi.org/10.1029/2018GL079040>, 2018.
- [60] Newman, C.E., M. de la Torre, J. Pla-Garcia, T. Bertrand, M.A. Kahre, R.J. Wilson, F. Daerden, L. Neary, S.R. Lewis, F. Forget, A. Spiga, R. Sullivan, M.I. Richardson, A. Sanchez-Lavega, D. Viudez-Moreiras, B. Chide, and J.A. Rodriguez-Manfredi, Multi-model

meteorological and aeolian predictions for Mars 2020 and the Jezero crater region, *under review* at Space Science Reviews, <https://bit.ly/MultiModelMetComparison>, 2020.

See also:

- Kass, D.M., J.T. Schofield, T.I. Michaels, S.C.R. Rafkin, M.I. Richardson, and A.D. Toigo, Analysis of atmospheric mesoscale models for entry, descent, and landing, *J. Geophys. Res.*, 108 (E12), 8090, <http://doi.org/10.1029/2003JE002065>, 2003.

- Bertrand, T., A. Spiga, S.C.R. Rafkin, A. Colaitis, F. Forget, and E. Millour, An intercomparison of Large-Eddy Simulations of the Martian daytime convective boundary layer, <http://www.geosci-model-dev-discuss.net/gmd-2016-241>, *under review at Geoscientific Model Development*, 2016.

[61] Newman, C.E., J. Gómez-Elvira, M. Marin, S. Navarro, J. Torres, M.I. Richardson, J.M. Battalio, S.D. Guzewich, R. Sullivan, M. de la Torre, A.R. Vasavada, N.T. Bridges, Winds measured by the Rover Environmental Monitoring Station (REMS) during the Mars Science Laboratory (MSL) rover's Bagnold Dunes Campaign and comparison with numerical modeling using MarsWRF, *Icarus*, 291, 203-231, <http://doi.org/10.1016/j.icarus.2016.12.016>, 2017.

[62] Huang, Y. and X. Peng, Improvement of the Mellor–Yamada–Nakanishi–Niino Planetary Boundary-Layer Scheme Based on Observational Data in China, *Boundary-Layer Meteorol.*, 162, 171-188, <https://doi.org/10.1007/s10546-016-0187-0>, 2017.

See also:

- Bhumralkar, C.M., *A survey of Parameterization Techniques for the Planetary Boundary Layer in Atmospheric Circulation Models*. Defense Advanced Research Projects Agency R-1653-ARPA. ARPA order No. 189-1. 84pp., <https://apps.dtic.mil/sti/pdfs/ADA013119.pdf>, 1975.

[63] Rafkin, S. et al., *The Value of Landed Meteorological Investigations on Mars: The Next Advance for Climate Science*, White Paper submitted to the 2013-2022 Planetary Science Decadal Survey, <https://www.boulder.swri.edu/~rafkin/MarsMet/MarsSfcMet.pdf>, 2009.

[64] Ruff, S.W. and P.R. Christensen, Bright and dark regions on Mars: Particle size and mineralogical characteristics based on Thermal Emission Spectrometer data, *J. Geophys. Res.*, 107 (E12), 5127, <http://doi.org/10.1029/2001JE001580>, 2002.

[65] Wells, E.N., J. Veverka, and P. Thomas, Mars: Experimental study of albedo changes caused by dust fallout, *Icarus*, 58 (3), 331-338, [https://doi.org/10.1016/0019-1035\(84\)90079-4](https://doi.org/10.1016/0019-1035(84)90079-4), 1984.

See also:

- Bell, J. F., M.J. Wolff, P.B. James, R.T. Clancy, S.W. Lee, and L.J. Martin, Mars surface mineralogy from Hubble Space Telescope imaging during 1994-1995: Observations, calibration, and initial results, *J. Geophys. Res.*, 102 (E4), 9109-9123, <http://doi.org/10.1029/96JE03990>, 1997.

[66] Bridges, N.T. and D.R. Muhs, “Duststones on Mars: Source, Transport, Deposition, and Erosion” in *Sedimentary Geology of Mars* (J. Grotzinger and R. Milliken, eds.), 169-182, SEPM Spec. Publ. 102, Society for Sedimentary Geology, Tulsa, <https://doi.org/10.2110/pec.12.102.0169>, 2012.

[67] Yin, D., S. Nickovic, and W.A. Sprigg, The impact of using different land cover data on wind-blown desert dust modeling results in the southwestern United States, *Atmos. Environ.*, 41 (10), 2214-2224, <https://doi.org/10.1016/j.atmosenv.2006.10.061>, 2007.

[68] Titus et al., *Aeolian Processes and Landforms Across the Solar System: Science and Technology Requirements for the Next Decade*, White Paper submitted to the 2023-2032 Planetary Science and Astrobiology Decadal Survey, <https://mepag.jpl.nasa.gov/reports.cfm?expand=decadal>, 2020.

[69] Kinch, K.M., J.F. Bell III, W. Goetz, J.R. Johnson, J. Joseph, M.B. Madsen, and J. Sohl-Dickstein, Dust deposition on the decks of the Mars Exploration Rovers: 10 years of dust dynamics on the Panoramic Camera calibration targets, *Earth Space Sci.*, 2, 144-172, <http://doi.org/10.1002/2014EA000073>, 2015.

See also:

- Johnson, J.R., W.M. Grundy, and M.T. Lemmon, Dust deposition at the Mars Pathfinder landing site: observations and modeling of visible/near-infrared spectra, *Icarus*, 163 (2), 330-346, [https://doi.org/10.1016/S0019-1035\(03\)00084-8](https://doi.org/10.1016/S0019-1035(03)00084-8), 2003.

- Stella, P.M. and J.A. Herman, The Mars surface environment and solar array performance, *2010 35th IEEE Photovoltaic Specialists Conference*, Honolulu, HI, 2010, pp. 002631-002635, <http://doi.org/10.1109/PVSC.2010.5617185>, 2010.

- Vicente-Retortillo, Á., G.M. Martínez, N. Renno, C.E. Newman, I. Ordóñez-Etxeberria, M.T. Lemmon, M.I. Richardson, R. Hueso, and A. Sánchez-Lavega, Seasonal deposition and lifting of dust on Mars as Observed by the Curiosity Rover, *Sci. Rep.*, 8, 17576, <https://doi.org/10.1038/s41598-018-35946-8>, 2018.

- Yingst, R.A., S. Bray, K. Herkenhoff, M. Lemmon, M.E. Minitti, M.E. Schmidt, K.S. Edgett, D.M. Fey, and L.C. Kah, Dust cover on Curiosity's Mars Hand Lens Imager (MAHLI) calibration target: Implications for deposition and removal mechanisms, *Icarus*, 351, 113872, <https://doi.org/10.1016/j.icarus.2020.113872>, 2020.

[70] Bertrand, T., R.J. Wilson, M.A. Kahre, R. Urata, and A. Kling, Simulation of the 2018 global dust storm on Mars using the NASA Ames Mars GCM: A multitracer approach, *J. Geophys. Res. (Plan.)*, 125, e2019JE006122, <https://doi.org/10.1029/2019JE006122>, 2020.

See also:

- Wang, H., R.W. Zurek and M.I. Richardson, Relationship between frontal dust storms and transient eddy activity in the northern hemisphere of Mars as observed by Mars Global Surveyor, *J. Geophys. Res.*, 110, E07005, <http://doi/10.1029/2005JE002423>, 2005.

- Hinson, D.P., H. Wang, and M.D. Smith, A multi-year survey of dynamics near the surface in the northern hemisphere of Mars: Short-period baroclinic waves and dust storms, *Icarus*, 219 (1), 307-320, <https://doi.org/10.1016/j.icarus.2012.03.001>, 2012.

- Toigo, A.D., M.I. Richardson, H. Wang, S.D. Guzewich, and C.E. Newman, The cascade from local to global dust storms on Mars: Temporal and spatial thresholds on thermal and dynamical feedback, *Icarus*, 302, 514-536, <http://doi.org/10.1016/j.icarus.2017.11.032>, 2018.

[71] Rafkin, S.C.R., M.R.V. Sta. Maria, and T.I. Michaels, Simulation of the atmospheric thermal circulation of a Martian volcano using a mesoscale numerical model, *Nature*, 419, 697–699, <http://doi.org/10.1038/nature01114>, 2002.

See also:

- Spiga, A., J. Faure, J.-B. Madeleine, A. Määttänen, and F. Forget, Rocket dust storms and detached dust layers in the Martian atmosphere, *J. Geophys. Res. Planets*, 118, 746-767, <http://doi.org/10.1002/jgre.20046>, 2013.

[72] Gillespie, H.E., S.J. Greybush, and R.J. Wilson, An investigation of the encirclement of Mars by dust in the 2018 global dust storm using EMARS, *J. Geophys. Res. (Plan.)*, 125 e2019JE006106, <https://doi.org/10.1029/2019JE006106>, 2020.

[73] Pollack, J.B., D.S. Colburn, F.M. Flasar, R. Kahn, C.E. Carlston, and D. Pidek, Properties and effects of dust particles suspended in the Martian atmosphere, *J. Geophys. Res.*, 84 (B6), 2929-2945, <http://doi.org/10.1029/JB084iB06p02929>, 1979.

[74] Banfield, D., D.W. Schindel, S. Tarr, and R.W. Dissly, A Martian acoustic anemometer, *J. Acoustic. Soc. Am.*, 140 (2), 1420-1428, <https://doi.org/10.1121/1.4960737>, 2016.

See also:

- White, R.D., I. Neeson, E.S. Schmid, J. Merrison, J.J. Iversen, and D. Banfield, Flow Testing of a Sonic Anemometer for the Martian Environment, AIAA Scitech 2020 Forum, <https://doi.org/10.2514/6.2020-0712>, 2020.

[75] Scaccabarozzi, D., B. Saggin, C. Pagliara, M. Magni, M. Tarabini, F. Esposito, C. Molfese, F. Cozzolino, F. Cortecchia, G. Dolnikov, I. Kuznetsov, A. Lyash, and A. Zakharov, MicroMED, design of a particle analyzer for Mars, *Measurement*, 122, 466-472, <https://doi.org/10.1016/j.measurement.2017.12.041>, 2018.

[76] Merrison, J.P., H.P. Gunnlaugsson, K. Kinch, T.L. Jacobsen, A.E. Jensen, P. Nørnberg, and H. Wahlgreen, An integrated laser anemometer and dust accumulator for studying wind-induced dust transport on Mars, *Plan. Space Sci.*, 54 (11), 1065-1072, <https://doi.org/https://doi.org/10.1016/j.pss.2006.05.026>, 2006.

See also:

- Banfield, D., R.J. Sullivan, and B.M. Truesdail, *Saltation Sensor*, Planetary Instrument Concepts for the Advancement of Solar System Observations project abstract, <https://techport.nasa.gov/view/94426>, 2018.

[77] Diniega et al., *A Critical Gap: In situ Measurements of Surface-Atmosphere Interactions Beyond Earth*, White Paper submitted to the 2023-2032 Planetary Science and Astrobiology Decadal Survey, <https://mepag.jpl.nasa.gov/reports.cfm?expand=decadal>, 2020.

[78] Dundas et al., *Current activity on the Martian surface: A key subject for future exploration*, White Paper submitted to the 2023-2032 Planetary Science and Astrobiology Decadal Survey, <https://mepag.jpl.nasa.gov/reports.cfm?expand=decadal>, 2020.

[79] Spry et al., *Planetary Protection Knowledge Gaps and Enabling Science for Human Mars Missions*, White Paper submitted to the 2023-2032 Planetary Science and Astrobiology Decadal Survey, <https://mepag.jpl.nasa.gov/reports.cfm?expand=decadal>, 2020.

[80] MEPAG NEX-SAG Report, Report from the Next Orbiter Science Analysis Group (NEX-SAG), Chaired by B. Campbell and R. Zurek, https://mepag.jpl.nasa.gov/reports/NEX-SAG_draft_v29_FINAL.pdf, 2015.

See also:

- Campbell et al., Mars Next Orbiter Science Analysis Group (NEX-SAG) White Paper Report to the 2023-2032 Planetary Sciences and Astrobiology Decadal Survey, <https://mepag.jpl.nasa.gov/reports/decadal2023-2032/ZurekRichardW.pdf>, 2020.

[81] Read, W.G., L.K. Tamppari, N.J. Livesey, R.T. Clancy, F. Forget, P. Hartogh, S.C.R. Rafkin, and G. Chattopadhyay, Retrieval of wind, temperature, water vapor and other trace constituents in the Martian Atmosphere, *Plan. Space Sci.*, 161, 26-40, <https://doi.org/10.1016/j.pss.2018.05.004>, 2018.

See also:

- Cremons, D.R., J.B. Abshire, X. Sun, G. Allan, H. Riris, M.D. Smith, S. Guzewich, A. Yu, and F. Hovis, Design of a direct-detection wind and aerosol lidar for Mars orbit, *CEAS Space J.*, 12, 149-162, <https://doi.org/10.1007/s12567-020-00301-z>, 2020.

[82] Guzewich et al., *Measuring Mars Atmospheric Winds from Orbit*, White Paper submitted to the 2023-2032 Planetary Science and Astrobiology Decadal Survey, <https://mepag.jpl.nasa.gov/reports/decadal2023-2032/GuzewichScottD.pdf>, 2020.