

SUBJECT INDEX

- Accretion of the Moon
(chemistry) 419
- Aeronautical Chart and
Information Center
(ACIC) 60
- Age dating 134
 highland rocks 218, 219, 225, 228, 245, 250,
 253, 255, 256
 mare basalts 208, 209
 methods 134, 223
- Agglutinates 288, 296–299, 301, 339, 414
 and siderophile elements 414
 chemistry 299
 description 296
 F³ model 299
 genesis 298
 mineralogy 297
 native Fe in 154
 petrography 298
 physical properties 296
 solar-wind elements in 301
- Akaganeite 150
- Albedo 59, 558, 560, 561
 absorption coefficient 561
 Bond albedo 560
 geometrical albedo 560
 normal albedo 560
 scattering coefficient 561
 single scattering albedo 560
 spherical albedo 560
- Albite 127, 363, 368
- Aldrin, Edwin E., Jr. 27–30
- Alkali anorthosite 228, 381, 398, 399
 high strontium, gallium
 content 399
- Alkali gabbro 370
- Alkali gabbroonorite 230, 368
- Alkali norite 230
- Allan Hills 81005 9, 223, 224, 234
- Alpha particles 56
- Alphonsus Crater 102
- Altai Mountains 117
- Aluminum 363–372, 603
 as a resource 647
 mapping from orbit 603, Plate 10.4
- Ancient regolith 352
- Anorthite 127, 363
- Anorthosite 9, 19, 363, 405, 408, 409,
 453, 458
- Antimatter 47, 52
- Antimony 413
- Apatite 154, 181, 384, 391, 398, 434
 chemical composition 181
- Apennine Bench Formation 114, 622
- Apennine Front 37, 348, 353, 621
- Apennine Mountains 33, 564
- Apennine Scarp 620
- Aphelion 34
- Apogee 57
- Apollo 5, 8, 596–598, 602, 603, 605
- Apollo 11 30, 609, 611–613
 geology 613
 landing site 611, 612
- Apollo 12 610, 614–616
 geology 616
 landing site 614, 615
- Apollo 14 31, 610, 617–619
 geology 619
 landing site 617, 618
- Apollo 15 33, 36, 37, 337, 348, 620–
 622
 geology 622
 heat flow 36, 37
 landing site 620, 621
- Apollo 16 32, 341, 351, 623–625, 631
 geology 625
 landing site 623, 624
- Apollo 17 35, 37, 341, 348, 626–628,
 631
 geology 628
 heat flow 37
 landing site 626, 627
- Apollo command module
 experiments 596
- Apollo Lunar Module (LM) 22, 476
- Apollo Lunar Sample Return
 Containers (ALSRC) 22
- Apollo Lunar Sounder
 Experiment (ALSE) 564
- Apollo Self-Recording
 Penetrometer (SRP) 508, 512, 591
- Apollo Simple Penetrometer
 (ASP) 506
- Apollo sample summary 9
- Apollo samples 8, 21, 22
 bulk sample 22
 contingency sample 21
 cores 22
 documented sample 22
 rake sample 22
 selected sample 22
- Apollo subsatellite
 experiments 596
- Archimedes Crater 114
- Arecibo Observatory 606
- Argon 42, 437–443
- Aristarchus Crater 70, 565
- Aristarchus Plateau 101, 607
- Aristillus Crater 622
 ejecta at Apollo 15 622
- Armalcolite 137, 147, 148, 176
 chemical composition 148, 176
 crystal structure 147, 148
- Armstrong, Neil A. 475

- Astronauts 8, 27, 475
- Astronomy from the Moon 636
- Asuka 31 (unbrecciated cumulate) 9
- Atmosphere 28, 40–45, 439, 440, 445, 635
- ambient “pressure” 635
 - contamination 41
 - gas abundances 45
 - lunar paleoatmosphere 44
 - permanent 45
 - pollution 635
 - scale height 45
- Augite 126
- Autolycus Crater 622
- ejecta at Apollo 15 622
- Avalanches 34, 522
- Baby Ray Crater 624
- Baddeleyite 137, 149, 178
- chemical composition 178
- Basalt 9, 94, 183, 186–202, 205, 206
- aluminous low-Ti basalt 186, 188
 - chemical compositions 186, 187, 261–268
 - classification 186
 - comparison with other planetary basalts 192
 - cooling history 194
 - cooling rates 200, 201
 - crystallization experiments 198
 - experimental petrology 205
 - fractionation trends 187
 - gas phase 201
 - genesis 94, 206
 - high-Ti basalt 186, 187, 195
 - ilmenite basalt 188
 - low-Ti basalt 186, 188, 198
 - melting 206
 - mineralogy 193
 - modal mineral abundances 188
 - olivine basalt 188
 - oxygen partial pressures (fugacities) 193
 - phase relations 206
 - physical properties 186
 - pigeonite basalt 188
 - textures 195
 - trace elements 135, 187
 - very-high-K (VHK) basalt 135, 186, 190
 - very-low-Ti (VLT) basalt 186, 192, 198
 - vesicles 201
 - viscosity 95, 99, 139, 193, 194
- Basaltic volcanism 94, 95, 100, 103, 105, 184, 186, 208, 209
- ages 208
 - area on lunar surface 95
 - distribution of lava 209
 - duration 95
 - “fire fountains” 95
 - fissure vents 103, 105
 - gas phases 105
 - genesis 105
 - landforms 100
 - lava flows 95, 184
 - magma generation 95
 - partial melting 186
 - petrologic models 103
 - pyroclastic deposits 184
 - reflectance spectra 209
- Basins 61, 64, 68, 69, 105, 118
- ages 118
 - basin-forming process 69
 - central peak 64
 - excavation depth 68
 - location 118
 - multiring 64
 - peak-ring 64
 - ring basins 68
 - ring structure 105
 - size 118
- Bean, Alan L. 28–30
- Bear Mountain 627
- Bedrock 33
- Bench Crater 615
- Beryllium 52
- Bessarion Craters 566
- Bidirectional reflectance (optical) 559
- Biogenic elements (hydrogen, carbon, and nitrogen) 443–447
- and soil maturity 445
 - combination with oxygen 447
 - correlations 445, 446
 - from meteoroids 445–447
 - in agglutinates 447
 - surface correlation 447
- Biological Preparation Laboratory 25
- Bistatic radar observations 563
- Block Crater 615
- Bond albedo 560
- Bootprints (astronauts) 498, 635
- Bornite (chemical composition) 179
- Boron 52, 374
- Boulder tracks 499, 589
- Boulders 31–33
- Bowen-Apollo Crater 627
- Breccias 9, 81, 85, 183, 185, 186, 212, 213, 232–235, 241, 242, 252, 257, 285
- chemical composition 213
 - classification 233–235
 - clast-poor 185
 - clast-poor impact melt 252
 - clasts 233
 - components 233
 - crystalline melt 185
 - dimict 186, 235
 - facies 242

- | | | | |
|--------------------------------|-------------------------------|-----------------------------|---------------------------------|
| fragmental | 185 | origin | 254 |
| genesis of | 242 | petrography | 252 |
| glassy melt | 185 | Clasts | 78, 185 |
| granulitic (metamorphic) | 186 | Closed-ecology life support | 635 |
| matrix | 233 | Cobalt | 411 |
| monomict | 81, 185, 213 | Cochise Crater | 627 |
| petrography | 241 | Coesite | 132 |
| polymict | 81, 185, 232, 233, 234, 235 | Cold Cathode Gage | |
| regolith breccias | 186, 257 | experiments | 41 |
| Bridge Crater | 621 | Colors | 30 |
| Briggs, G. A. | 633, 634 | Compressibility | 500 |
| Brightness | 59 | Compressional ridges | 110 |
| Brightness longitude | 29, 59 | Compton Crater | 63 |
| Bronte Crater | 627 | Cone Crater | 32, 237, 381, 572, 618, 619 |
| Brooks Air Force Base | | Cone penetrometer | 589 |
| (BAFB) | 9, 23 | Conon Crater | 620 |
| Bulk density | 484, 490, 492, 572, 573 | Contamination of samples | 8, 24, 406, 443 |
| Bulk density (soil) | 483 | protection from | 24 |
| density vs. depth | 492 | Continuous deposits | 73 |
| in core tubes | 572 | Coordination (mineralogy) | 121 |
| in drill cores | 573 | Copernican Period | 116 |
| | | Copernicus Crater | 34, 63, 114, 566, 602, 610, 614 |
| Cachari meteorite | 408 | Cordillera Mountains | 70 |
| Camelot Crater | 627 | Core samples | 8, 9, 321–342, 487 |
| Canyon Diablo meteorite | 433 | Core tube sampler | 485 |
| Carbochlorination | 647 | Core tube samples (reported | |
| Carbothermal reduction | 648 | vs. actual depth) | 586 |
| Cartography | 60 | Core tubes (bit design) | 486 |
| Cataclysm (cratering) | 83 | Cosmic rays | 49–53, 315 |
| Catena | 60 | Crater degradation | 65 |
| Cayley Formation | 247, 623–625, 631 | Crater frequency | 79 |
| Cayley Plains | 245, 249 | Crater morphometry | 65 |
| Celsius | 127 | Cratering | 85, 86 |
| Center Crater | 618 | flux models | 85, 86 |
| Central peaks of craters | 259 | Craters | 32, 62–85, 108, 115 |
| spectral properties | 259 | ages | 85 |
| Chalcophile | 358 | apparent | 68 |
| Chalcopyrite | 151, 179 | breccia lens | 81 |
| chemical composition | 179 | central peaks | 61, 68 |
| Chemical statistics (cautions, | | complex | 61, 68 |
| data limitations) | 361 | cross-sections | 81 |
| Chemistry | 357–474 | degradation | 65, 115 |
| chemistry of soil size | 344, 347, 349, 385, 391, 398, | densities | 83, 84 |
| fractions | 413, 440 | ejecta | 66 |
| contamination | 443 | excavation cavity | 66 |
| guide to individual element | | history | 92 |
| discussions | 360 | isostatic adjustment | 108 |
| reliability of data | 361, 390, 400, 403, 432, 443 | mechanics | 65 |
| replicate analyses | 403 | melt zone | 78 |
| sample size limitations | 403 | microcraters | 82 |
| statistical summaries | 449–474 | morphometry | 65, 66 |
| Chondrites | 359, 379, 404 | pit craters | 87 |
| iridium content | 404 | population | 88 |
| REE concentrations | 379 | processes | 61, 65, 68 |
| Chromite | 397, 399 | production rates | 84 |
| as an ore | 399 | relative age dating | 83 |
| Cinco Crater | 624 | secondary | 7, 71, 73 |
| Cinder cones | 101 | shapes | 65 |
| Clast-poor impact melt | 252–254 | simple | 61, 67 |
| ages | 253 | size-frequency distribution | 82 |
| chemistry | 252 | | |

slope angles	32	mechanics	485
spall zone	87	Dune Crater	621
spectral properties	258	Dunite	185, 365, 368–370, 378, 395, 396, 398, 405, 406, 408, 409, 411, 412
transient cavity	66	REE pattern	378
true	68	Duricrust	492, 493
Crisium Basin	605, 628, 630, 631	Dust	34, 478
ejecta at Apollo 17	628	adhesion	34
ejecta at Luna landing	630	Earth-based telescopic data	
Cristobalite	132, 217	(see Observation of the	
Crust	15, 17, 92, 93, 212, 609	Moon from Earth)	596
cross-section	93	Earthlight Crater	621
fracturing	92	Earth-Moon distance	634
mineralogy	609	Earthshine	29
origin	15	Ecliptic	58
velocity structure	92	Ejecta	66, 70, 71, 73, 85, 92, 94
Crystal growth from magma	200	composition	94
Crystal nucleation	200	continuous	73
Crystalline melt breccias		curtain	71
(impact melt breccias)	249–252	deposits	71
ages	250	diameter of blocks	73
modal analysis	250	lateral mass transport	92
texture	250	lunar meteorites	92
Cubanite	151, 179	primary	71
chemical composition	179	processes	71
Cumulate texture	223	radial distance from crater	73
Curation history	25	rays	73
Dark-haloed craters	101, 102	sampling lunar crust	94
Defense Mapping Agency	597	secondary	71
Density (bulk Moon)	28, 362	stratigraphic units	85
Density (of soil) (see relative		thickness	73
density)	496	trajectories	73
Depth perception	29	Elastic scattering	53
Descartes Crater	631	Elbow Crater	351, 621
Descartes Formation	245, 254, 623–625, 631	Electrical and	
Descartes Highlands	32, 253, 623	electromagnetic	
Deslambre Crater	623	properties	530–558
Deuterium	436, 447	DC conductivity	531, 532
Diaplectic feldspar glass	74	dielectric permittivity	536
Diaplectic glasses	76	dielectric properties	581
Dielectric permittivity	536, 549	electrical conductivities	531
as a function of frequency	549	electrostatic charging	532
increase with stress		loss tangent	531, 545, 550
(density)	549	photoconductivity	532
Dielectric properties	581	temperature dependence	545
Differentiation (of the Moon)	15	Electrical conductivity	531
Differentiation (planetary,		Electromagnetic sounding	552, 554, 556
chemical)	362	Hagfors RMS slope	554
Dimict breccia	256–257	radar cross-section	554
Diopside	363	scattering from the Moon	556
Dolerite	9	volume scattering	554
Dorsa	60	Electron spin resonance	129
Double Crater	612	Electrostatic charging and	
Doublet Craters	618	dust migration	532
Drill core	9	Elephant Moraine 87521	9
Drill core samples	587	Elevation measurements	
sample depth vs. actual		(radar)	565
depth	587	Emory Crater	627
Drill cores (mechanics)	485	Emsland iron meteorite	408
Drive tubes	8, 9		

- End Crater 624
- Energy consumption (astronauts) 28
- Engineering problems 475
- Enstatite 125, 363, 368
- Environment 34, 44, 635
fragility 635
human impact 34, 44
- Equation of state 74
- Equivalent surface area ratio (ESAR) 481
- Eratosthenes Crater 114
- Eratosthenian Period 116
- Erosion 87
- Escape velocity 28
- Eucritic meteorites 408
- Europium anomalies 18, 188
- Explorer 46, 564
meteoroid data 46
- Exposure age parameters 338, 339
- Exposure ages 56, 316, 307, 343
- Exsolution 126, 129
- Extinction (impact hypothesis) 638
- Falling (astronauts) 28
- Farringtonite 228
- Fault scarps 34
- Fault systems 108
- Fayalite 130, 363
- Fecunditatis Basin 630
ejecta at Luna landing sites 630
- Feldspar (see Plagioclase feldspar, Potassium feldspar) 137
- Felsite 132, 135, 230, 368
- Ferroan anorthosite 13, 16, 18, 185, 220, 221, 378, 396, 608
“genesis rock” 221
REE pattern 378
texture 221
- Ferrophile 391, 395, 398
tendencies of cobalt and nickel to be ferrophile 398
- Ferrosilite 125, 363, 368
- Fission tracks 134
- Flag Crater 624
- Flank Crater 618
- Forsterite 130, 363
- Fractional crystallization 208
- Fractionation of magma 21, 187
- Fragmental breccias 235, 237, 244, 245
ages 245
chemistry 237
clast types 244
origins 245
petrography 237
- Fra Mauro basalt 214
- Fra Mauro Crater 610, 617
- Fra Mauro Formation 31, 617, 619
- Fused soil component 288
- Future exploration 636
- Future research (outstanding questions) 636, 637
- Gabbro 185, 365
- Galactic-cosmic-ray history 356
- Galactic cosmic rays (GCR) 47, 51–55, 310
cascade effects 54
depth of penetration 55
energy 52
flux 52, 53
interstellar 53
isotropy 52
modulation 52, 53
penetration 53, 54
protons 51, 53
secondary radiation 54
spallation 52
- Gamma rays 47, 53, 56
remote mapping 56
- Gamma-ray spectrometry 602, 608
- Gardening (regolith) 87–89, 337, 342, 343
- Gas adsorption (rocks, soil) 41
- Gas condensation (lunar surface) 42
- Gas losses (thermal, ionization) 42, 44, 45
- Gassendi Crater 638
- Gator Crater 624
- Geikielite 140
- Geography 60
- Geology of landing sites 609–632
- Geometrical albedo 560
- Geophysical data 603
- Geotechnical properties 475
- Germanium 409
- Glass particles 100–102, 202–205, 303
surface coatings 268, 303, 427–430
- Glassy melt breccias 246, 247
ages 247
origin 247
texture 247
- Global data (limitations) 595
- Global stress field 108
- Gnomon 22
- Gold 406
- Grabens 108, 109
- Granite 132, 230, 232, 365, 368, 381, 391, 395, 396, 412
ages 232
cobalt-aluminum content 412
- Granulites 92, 254, 255
- Granulitic breccia 254, 255
ages 255
chemical composition 254
chemistry 255
origin 255
petrography 255
texture 254
- Gravity 27, 28, 139

Gravity anomalies	603	Imbrium Basin	32, 103, 114, 117, 245, 605, 610, 616, 617, 619, 620, 622, 625, 631
Gravity field	603	ejecta at Apollo 11	616
Green glass	101, 102, 202–205, 610, 622	ejecta at Apollo 14	619
Grimaldi Crater	638	ejecta at Apollo 15	622
Ground level enhancement (GLE)	48, 52	ejecta at Apollo 16	625, 631
Ground-penetrating radar	530	maria	103
H-phase (seismology)	40	Impact	61
Hadley Delta	33, 37, 621, 622	Impact basins (map of)	12
Hadley Rille	33, 37, 100, 348, 353, 610, 620, 621	Impact destruction of surface rocks	88
Hagfors RMS slope	554	Impact-glass beads	302
Halfway Crater	624	Impact glasses	246, 302
Halo Crater	615	chemistry	246
Halogens	434	distinction from volcanic glasses	246
Hansteen Crater	564	petrography	246
Head Crater	615, 616	texture	246
Heat flow	28, 36–38	Impact melt	73–80, 83
Heat flow probes	36, 37	Impact melt breccia (crystalline melt breccia)	249, 250
Heat retention (regolith)	566	Impact melt rocks	233, 285
Hedenbergite	363	age	83
Heiligenschein	559	chemical composition	79
Helium	42, 505	distinction between impact melts and igneous rocks	78
Helium-3	448, 637	sheets	78
Hess-Apollo Crater	627	Impact processes	61, 62, 85–87, 108, 311
Highland compositions (Mg-Fe ratios)	366	abrasion	86, 87
Highland monomict rocks	213, 361	collisional fragmentation	86, 87
Highland pristine rocks	184, 212–232	energy	62
Highlands	10, 11	erosion	86, 87
Historic meteoroid impacts	597	impact velocities	62
History (lunar)	61, 115–120	production of new particles	311
Horatio Crater	627	regolith formation	311
Hugoniot Elastic Limit	76	shock induration	311
Humboldt Crater	113, 638	vapor fractionation	311
Hydrogen	42, 436–448	Impact structures	61–64
as a resource	647, 648	morphologic elements	64
Hydrogen reduction	648	Inclination (Moon)	28
Hydrothermal fluids	406	Incompatible trace elements	17, 372–390
Ice	40	abundances	372
Igneous highland rocks	185, 228, 230	and KREEP	372
alkali anorthosite	228	concentration in rare minerals	383
alkali gabbroanorthosite	230	correlations in general	379
alkali norite	230	correlations in highland materials	381
felsites	230	correlations in mare basalt	386, 387
ferroan anorthosite	185	partitioning	372
granite	228	Index Crater	621
KREEP rocks	185	Inner Rook Mountains	105
Mg-rich rocks	185	Instrumental neutron activation analysis (INAA)	403
Ilmenite	137, 140, 141, 171, 363, 441, 445	Integrated mass depth	493
as a source of oxygen	141	Internal forces	111
chemical composition	140, 171	contraction	111
crystal structure	140	thermal stress	111
helium retention	445		
high helium and neon content in soil	441		
Imbrian Period	117		

- International Astronomical Union 60
- Ionization (of atmosphere) 44
- Ionization (of regolith) 53
- Ionization chambers 47
- Ionizing radiation 315
- Iridium 404
- Iron 363–372, 413, 603
- as a resource 648
 - as a siderophile element 413
 - chemical composition 151, 180
 - iron metal 138, 151–154, 180, 371
 - mapping from orbit 603, Plate 10.2
 - valence 128, 129
- I_s/FeO 315, 319–343
- Isotopes 415, 428, 430, 433, 436, 437, 439, 447
- helium 436
 - hydrogen 436
 - lead 428, 430, 638
 - nitrogen 447
 - noble gases 437
 - oxygen 311–313
 - polonium 638
 - plutonium 439
 - radon 638
 - silicon 311–313
 - strontium-rubidium 415
 - sulfur 433
 - thorium 430
 - uranium 430, 439
- Isotopic compositions (lunar soils) 311–313
- Janssen Formation 117
- Johnson Space Center (JSC) 9, 23
- Johnston compositional prism 143
- Juvinas meteorite 408
- Kamacite 151, 399
- Kiva Crater 624
- KREEP 16, 18, 19, 218, 220, 306, 378–380, 409, 608, 610
- abundance 220
 - age 218
 - and germanium 409
 - chemical definition 218, 380
 - KREEP rocks 15, 185, 216–220
 - REE concentrations 379
 - REE pattern 378
 - urKREEP 19
- Lacus (definition) 60
- Lagrange points 636
- Lakangaon meteorite 408
- Lalande Crater 63
- Landslides 39
- Langrenus Crater 629
- Lansberg Crater 614
- Lara Crater 627
- Last Crater 621
- Lava flows 33, 95, 98, 99, 186
- area 95
 - flux 99
 - lava tubes 101, 186
 - length 95
 - thickness 95, 99
 - viscosity 95, 99
- Lava terraces 101
- Lava tubes 101, 186
- Law of Superposition 111
- Lawrencite 150, 430, 447
- Leaching (of halogens) 434
- Le Monnier Crater 626
- Leuconorite 365
- Libration 58, 59
- diurnal 59
 - latitudinal 58, 59
 - longitudinal 58
- Life (absence of) 26, 634
- Lithium 52
- Lithophile 358
- Little West Crater 612
- Littrow Crater 626
- Lunar Crater 79
- Loss tangent 536–552, 581–584
- Low-K Fra Mauro (LKFM) 19, 250, 622, 625
- Luna 3 11
- Luna 16 630
- Luna 16 basalt 398
- high strontium concentrations 398
- Luna 20 630
- Luna 24 630
- Luna landing sites 629–631
- geology 630
- Luna missions 5, 7, 10, 23, 25, 483
- Luna samples 23, 25
- Lunar Atmospheric Composition Experiment (LACE) 41
- Lunar bases 640–643
- Lunar “dust storms” 536
- Lunar ejecta and meteorites experiment (LEAM) 536
- Lunar exploration 5–7
- history 7
- Lunar farside 11
- Lunar geologic mapping 114
- Lunar grid system 111
- Lunar highlands 10, 11, 92
- Lunar history 83–85, 111–120, 609–632
- Lunar interior (electrical, thermal properties) 533
- Lunar landing sites (map) 6
- Lunar magmatic evolution 19
- Lunar meteorites 6, 9, 23, 92, 394
- iron/manganese test of origin 394
- Lunar minerals 121–181, 298, 320
- apatite 122, 154

- armalcolite 122, 137, 147–150
 baddeleyite 137
 chalcopyrite 151
 chemical composition 155–181
 chromite 122
 cohenite 122
 comparison with minerals
 of the Earth 135–137, 139
 cubanite 151
 definition (mineral) 121
 endmember (definition) 121
 hercynite 122
 ilmenite 122, 137, 140
 kamacite 151
 mackinawite 151
 metallic iron 151–154, 298, 320
 meteoritic contamination 151
 native iron 122, 151
 niningerite 122
 olivine 130–132
 oxides 137–150, 178
 pentlandite 151
 phosphate minerals 154, 155
 plagioclase feldspar 122, 126–129, 163, 165, 385
 potassium feldspar 133, 135
 proportions in soils 123
 pyroxene 122, 123–126
 pyroxferroite 133, 134
 rutile 137
 schreibersite 122
 silica minerals 132
 sphalerite 151
 spinels 122, 137, 143–147
 sulfide minerals 150
 taenite 151
 tranquillityite 133
 troilite 122, 150
 ulvöspinel 122
 whitlockite 122, 154
 yoshiokaite 123
 zircon 134
 zirconolite 137
 Lunar module (LM)
 exhaust gases 41, 42
 footpads (regolith
 compression) 518
 Lunar month 58
 Lunar motorcycle 524, 525
 Lunar Observer 19, 595, 639
 Lunar Orbiter 5, 46, 60, 596, 597, 603, 604
 Lunar Orbiter 4
 meteoroid data 46
 photographic data 597
 Lunar Receiving Laboratory
 (LRL) 8, 25, 443
 Lunar regolith
 evolution 285–356
 grain size 307
 maturity 305, 307, 315, 323
 physical properties 475–594
 pre-Apollo models 476
 spectral properties 307
 stratigraphy 323
 surface exposure 315
 surface exposure age 307
 thickness 305
 Lunar rock erosion 86
 Lunar rocks 183–284
 chemical composition 261–284
 classification 184
 igneous 184
 pristine 184
 Lunar Roving Vehicle (LRV) 5, 32, 522–530, 610, 627
 Lunar Sample Building 23
 Lunar sample curation 10, 23, 24
 Lunar Sample Data Base
 (LSDB) 25
 Lunar sample identification 8
 Lunar sample numbering 10
 Lunar Sample Preliminary
 Examination Team
 (ISPET) 8, 22
 Lunar sample records 24
 Lunar samples 6–10
 Lunar soil 88–92, 287–307, 475–482
 agglutinates 288, 296, 299, 301, 339, 414
 chemical composition 306, 314, 331–352, 449–474
 components 294, 302
 definition 287
 density 483–500, 572–574, 588, 589
 description 287
 erosion of particles 304
 fused soil component 288
 glass beads 302
 grain shapes 304, 478–481, 569, 570, 585
 grain size 304, 477, 478, 567, 568
 grain surfaces and
 coatings 304
 maturity 294, 307–321
 modal analyses 123, 289–296
 particles 304
 petrography 288, 295
 volatile elements 314, 414–436
 Lunar stratigraphy 111–120
 Lunar Topographic
 Orthophotomap series 597
 Lunar transient events 532, 638
 polonium 638
 radon 638
 Lunar utilization (annotated
 bibliography) 644–646
 Lunar vehicles 32, 483, 499, 510–512,
 522–530
 Apollo Lunar Roving
 Vehicle (LRV) 5, 32, 522–530, 610, 627
 design 526
 future design 529
 lunar motorcycle 524, 525
 Lunokhod 483, 510–512, 523, 589
 Modularized Equipment
 Transporter (MET) 523
 performance 524, 526

- tracks 499
 trafficability parameters 526
 Lunokhod 483, 510–512, 523, 589

 MacAlpine Hills 88104 9
 MacAlpine Hills 88105 9
 Mackin-Apollo Crater 627
 Mackinawite 151
 Magma 138, 139
 crystal settling 138
 viscosity 95, 99, 139, 193
 Magma ocean 15, 16, 184, 224
 Magnesium 363–372, 602, 603
 mapping from orbit 602, 603, Plate 10.5
 Magnesium-rich rocks 14, 19, 185, 225–228
 Magnetic anomalies 604, 605
 Magnetic field 28, 604, 605, Plate 10.6
 Magnetotail (Earth's) 47
 Major elements 363–372
 abundances and correlations 366
 abundances ranked by volume 363
 abundances ranked by weight 363
 ores 371
 Mandel'shtam Scarp 113
 Manicouagan Crater 79
 Manned Spacecraft Center (MSC) 25
 Mantle compositions 386
 Maps 60, 604, 607–609, Plate 10.7, Plate 10.8, Plate 10.10, Plate 10.11
 geologic 609, Plate 10.10
 gravity field 604
 magnetic field Plate 10.6
 mare basalts 607, Plate 10.7
 petrologic (Th/Ti vs. Fe) 608, Plate 10.8
 Mare (see Maria)
 Mare basalt 17, 18, 94–107, 140, 186–212, 608, Plate 10.7
 age range by remote sensing 609, Plate 10.11
 chemical data 261–268, 359, 449–472
 mineralogy 140, 188, 193–195
 sampled and unsampled types 608
 source areas 17, 18, 205–208, 386
 Mare basin (definition) 95
 Mare Crisium 11, 557, 564, 565, 606, 629, 630, 632
 Mare domes 101
 Mare Fecunditatis 398, 629, 631
 Mare Humboldtianum 60
 Mare Imbrium 98, 380, 604, 606, 620
 Mare Orientale 105, 597
 Mare Serenitatis 100, 107, 565, 598, 604, 606, 620, 626
 Mare Smythii 60
 Mare Tranquillitatis 606, 611, 629

 Maria 10, 11, 95–107
 age of lava (known) 208, 209
 age of lava (suspected) 99
 area 105
 composition 95, 359, 261–268, 449–472
 definition 95
 history 102, 103
 hypotheses for origin 95
 lava filling 95, 102
 “mascons” 107
 origin of term 60
 structure 103
 thickness 97, 103, 105
 volcanic eruptions 103
 volume of lava 105
 Marius Hills 100, 101
 Mascons 107, 111, 603, 604
 Mass (Moon) 28
 Mass wasting 33
 Maturation (of lunar regolith) 294, 307–321
 Maturity indices 317–321, 331, 332, 336–344
 agglutinates 288, 296–299, 319
 grain size 318, 319, 321, 344
 I_s/FeO 298, 315, 319–343
 particle track index 315–317, 319, 337–342
 solar wind 315, 319, 337–342
 Maunder Minimum 53, 56
 Megaregolith 92, 212, 286
 Mercury (Hg) 432
 as a surface-exposure index 432
 mobility due to daily heating 432
 Mesostasis 366, 372, 373
 sodium enrichment 366
 Metamict 134
 Meteorite (definition) 46, 358
 Meteorites (chemistry) 358
 Meteorite Working Group 23
 Meteoroids 83, 85
 bombardment 45–47, 62–94, 310–315
 definition 46, 358
 hazards 46, 47
 impact frequency 39, 41, 79–85
 intermixture in lunar samples 151, 404–413, 419, 421
 micrometeoroids 45, 61
 showers 39
 size/mass distribution 46, 61, 81–83
 variation in composition with time 420
 velocities 46, 62
 Metric mapping camera 597
 Middle Crescent Crater 615
 Mineralogy (see also Lunar Minerals) 121–181
 remote sensing 608
 Miscellaneous minor elements 390–399
 correlations 391, 394
 in major minerals 394

- | | | | |
|---|------------------------------|------------------------------------|---|
| partitioning | 394 | North Ray Crater | 237, 245, 247, 249, 361, 624, 625 |
| Mösting A Crater | 60 | North Triplet Crater | 572 |
| Mösting C Crater | 211 | Nuclear particle effects | 310 |
| Moderate-titanium high-aluminum maria | 630 | Nuclear reactions | 53, 315 |
| Modularized Equipment Storage Assembly (MESA) | 22 | Observation of the Moon from Earth | 34, 36, 60, 558–566, 595–597, 599–605 |
| Modularized Equipment Transporter (MET) | 523 | Obstacles to travel | 32–34 |
| Moltke Crater | 63, 611 | boulders | 32 |
| Molybdenum | 401, 411 | rilles | 33 |
| Moment of inertia (Moon) | 28 | Oceanus (definition) | 60 |
| Monazite | 372 | Oceanus Procellarum | 31, 564, 602, 606, 608, 610, 614 |
| Monomict breccias | 81, 185, 213, 358, 400 | Oedometer test | 501, 502 |
| Mons (definition) | 60 | definition | 501 |
| Monte Carlo technique | 86, 342 | Olivine | 130–132, 137, 166–168, 363 |
| Montes d'Alembert | 60 | chemical composition | 130, 166–168 |
| Montes Harbinger | 60 | crystal structure | 130 |
| Montes Leibnitz | 60 | Opposition effect (optical) | 559 |
| Moonquakes | 39, 108, 109 | Optical astronomy | 558–561 |
| Morozov Scarp | 113 | albedo | 560 |
| Morphometry (craters) | 65, 609 | phase angle (optical) | 29, 59, 558 |
| Mounds | 31 | phase plane (optical) | 29, 558 |
| Mount Hadley | 33, 620 | photometric function | 558–559 |
| Mount La Hire | 98 | polarization | 561 |
| Mountains of perpetual light | 40 | single scattering albedo | 560 |
| Mountains (slope angles) | 32, 33 | Orange soils | 102, 184, 202–205, 427–430 |
| Multispectral images | 601, 602 | Orbital gamma-ray data | 602 |
| resolution | 601 | Orbital gravity data | 603 |
| vidicon imaging | 601 | Orbital magnetic data | 605 |
| Multispectral maps | Plate 10.7 | Orbital photography | 597, 599, 600 |
| Muons | 47, 54 | coverage | 600 |
| | | panoramic camera | 597 |
| Naming lunar features | 60 | resolution | 600 |
| Nansen-Apollo Crater | 627 | stereo photos from orbit | 598 |
| NASA planetary data centers | xix, 596 | Orbital plane (Moon) | 58 |
| National Space Science Data Center | xix, 599 | Orbital X-ray fluorescence data | 603 |
| Native iron | 138, 151–154, 180, 371 | Ores | 138, 371, 385, 388, 398, 414, 435, 448, 647–649 |
| chemical composition | 151, 180 | Oriente Basin | 69, 70, 103, 105, 117, 606 |
| distribution in lunar rocks | 152 | maria within | 103 |
| genesis | 154 | Origin of the Moon | 13, 14, 361–363 |
| Navigation | 29 | collision hypothesis | 14 |
| Nectarian Period | 117 | Osmium | 408 |
| Nectaris Basin | 245, 257, 623, 625, 631 | Outcrop (in craters) | 566, Plate 10.9 |
| ejecta at Apollo 16 | 625, 631 | Outcrop (in rilles) | 32, 33 |
| Nectaris Highlands | 611 | Outer Rook Mountains | 105 |
| Neon (in lunar atmosphere) | 42, 43 | Oxide minerals | 137–150, 178 |
| Nested crater hypothesis | 68 | chemical composition | 138, 178 |
| Neutron capture | 53 | crystal structure | 138 |
| Neutrons in galactic cosmic rays (GCR) | 55 | petrogenesis | 138 |
| Nickel | 411 | Oxygen (as a resource) | 637, 648, 649 |
| Noble gases | 437–443 | Palladium | 409 |
| isotopic ratios | 437 | Palmetto Crater | 624 |
| Norite | 185, 363, 368, 380, 453, 608 | Palus (definition) | 60 |
| Normal albedo | 560 | Palus Putredinis | 610, 621 |
| Normal faulting | 111 | Palus Somni | 564 |
| North Crater | 618 | Particle shapes (soil) | 478–481, 569–571, 585 |
| North Massif (Apollo 17) | 348, 627, 628 | aspect ratio | 479, 570 |

- elongation 479, 569
 Fourier analyses 479, 585
 roundness 479, 570
 specific surface area 479, 571
 volume coefficient 479
 Particle size distributions
 (soil) 477, 478, 567, 568
 Particle tracks (radiation) 315, 316, 441
 Partition coefficient 373
 Partitioning (chemical) 373, 394, 400, 411
 incompatible trace
 elements 373
 miscellaneous minor
 elements 394
 nickel 411
 siderophile elements 400
 Pentlandite 151
 Perigee 57
 Perihelion 34
 Phase angle 29, 59
 Phase plane 29
 Phases of the Moon 57
 Phi (ϕ) scale (grain size)
 definition 477, 478
 Phosphate minerals 154, 155, 181
 chemical compositions 181
 Photoconductivity 532, 534
 Photography (color-
 difference) 601
 Photometric function 558–560
 Pigeonite 126, 198, 225
 Pions 53, 54, 55
 Piton B Crater 211
 Plagioclase feldspar
 and calcium separation 385
 chemical composition 127, 163–165
 crystal structure 126
 Plagiophile (terminology) 398
 Planetary Materials
 Laboratory (PML) 21, 23
 Planetary separation
 processes 361
 Planetary vs. platform
 science 636
 Plasma (solar wind) 48, 436, 437
 Platinum 408
 Pleonaste 147
 Polar cap absorption (PCA) 47
 Polar environment 39
 Polarization 561, 562
 azimuth 561
 degree 561
 Polymict breccias 81, 185, 232–257, 358, 400
 chemical data 277–284, 449–474
 nomenclature 233–235
 Porosity of lunar soil
 intergranular 481
 intragranular 481, 496
 subgranular 481
 Potassium feldspar 127, 135, 385
 and barium separation 385
 celsian 135
 chemical composition 135
 crystal structure 135
 Powell Crater 627
 Pre-Nectarian Period 117
 Primary magmas 208
 Pristine igneous highland
 rocks 212–232
 ages 229
 alkali anorthosite 214
 anorthosite/norite/
 troctolite (ANT) 214
 classification 214–216
 ferroan anorthosite 214
 “Fra Mauro basalt” 214
 granite 214
 “highland basalt” 214
 KREEP 214
 Mg-rich rocks 214
 modal data 217, 224, 229, 230
 pyroxene compositions in 225
 Pristine (relation to
 monomict) 185
 Pristine (sample handling) 8, 9, 24
 Pristine (sample origins) 152, 184, 213, 358, 400
 definition 213
 Promontorium (definition) 60
 Propellant production 637, 640, 647–649
 Protons (ionizing radiation) 48–56
 Pseudotachylite 256
 Pyrochlore 228
 Pyroclastic deposits 95, 101, 102, 202–205, 210,
 325, 366, 398, 427–430,
 434, 608
 chemical composition 264–268, 427–430
 comparison with soils 366
 cooling rates 203
 distribution 210
 gas phase 202, 205, 427–430
 green glass 102, 202–205, 427–430
 “lava fountaining” 105
 orange glass 102, 184, 202–205, 427–430
 recognition 202
 reflectance spectra 210
 remote sensing 608
 strontium, gallium
 concentrations 398
 textures 203
 Pyroxene 123–126, 135, 157–162, 363
 chemical composition 125, 157–162
 crystal structure 123
 Pyroxferroite 130, 134
 composition 134, 169
 crystal structure 134
 Q (seismic) 39, 516, 517
 Quarantine (lunar samples) 25
 Quartz 132, 217, 230
 Quartz monzodiorite 221, 368, 370, 381, 425

- Radar 530, 552–558, 562–566, 605–607
- Radar astronomy 562–564, 605–607
- Apollo Lunar Sounder Experiment (ALSE) 564
- bistatic radar observation 563
- diffuse component 563
- penetration 562
- polarization 562
- scattering function 562
- subradar point 562
- Radar backscattering 562
- Radar cross-section 554, 563
- Radar data (Earth-based) 605–607
- crater features 605
- pyroclastic deposits 605
- Radar data (orbital) 564–566
- Radar images 606, 607
- Radar maps 557–558
- Radar scattering 557
- Radiation (ionizing) 47–56, 310, 315–317
- cascade 53
- crystal defects 54, 315–317
- damage by 315–317
- doses 55
- effects 56, 315–317
- elastic scattering 53
- energy 47, 48, 310, 315–317
- exposure ages 56, 87, 88
- hazards 51, 52, 56
- neutron capture 53
- particle tracks 316
- particles 48
- penetration 48, 56, 310
- radionuclide production 310
- secondary radiation 53–55
- shielding 52
- spallation 53
- Radiation damage 54, 315–317
- Radiation energy 47, 315–317
- Radiation from the Moon 558–566
- Radio communications 531
- Radiochemical neutron activation analysis (RNAA) 403
- Radius (Moon) 28
- Ranger 5, 596
- Rare earth elements (REE) 18, 190, 191, 204, 220, 231, 242, 243, 372–390
- Rarefaction waves 65
- Ravine Crater 624
- Recompression index 504
- Reflection and emission of radiation 558–566
- Regolith 87–92, 285–356, 475
- antiquity vs. maturity 355
- as a resource 649
- as construction material 286
- chemical composition 329, 334, 344
- chemical variation between sites 351
- chemical variation within sites 345
- comparison of soil composition with rock composition 345
- definition 285
- depth variation 321
- differential comminution 344
- dynamics 342
- evolution 88–90
- gardening 87–89, 337, 342, 343
- gas absorption 443
- gas adsorption 41, 443
- gas release on crushing 447
- grain size 318, 343
- KREEP 345
- mass wasting 89
- maturity 294, 317, 318, 332, 338
- mercury (Hg) as exposure index 432
- meteoroid content 405
- mixing 332
- models 87
- models for formation 342
- Monte Carlo models 88
- path I, path II 321
- petrography 329, 334
- processes 321, 337, 342
- processes of regolith formation 285
- pyrolysis 447
- radiation history 354
- seismic properties 288, 516, 517
- solar-wind retention 441–443
- sorting 321
- stratigraphy 321, 325, 337
- surface exposure ages 338
- thickness 89, 90, 91, 92, 286
- variation with depth 325–336
- Regolith breccias 257, 354–361
- Reiner Gamma 605
- Relative density (soil) 476, 494–500, 574, 588, 589
- Remote sensing 552–566, 599–607
- Resources 138, 141, 154, 186, 414, 636, 644–649
- aluminum 647
- annotated bibliography 644–646
- carbonyl processing of FeNi 414
- for use in space 636
- for use on Earth 636
- from mare basalt 186
- helium-3 647
- hydrogen 647
- ilmenite 648
- iron 648
- iron metal 154
- oxygen 138, 141, 648
- plagioclase 647
- regolith 649
- Revolution of the Moon 57

- Rhenium 408
Rhodium 409
Rhysling Crater 621
Ridges 32
Ries Crater 79, 92
Rilles 33, 99, 101, 113
 hypotheses of origin 101
 sinuous 99
 slope angles 33
Rima (definition) 60
Rima Hadley 621
Ring basins 68
Ritter Crater 611
Rock types (summary) 156, 184–186, 359–361
Rook Mountains 70
Ropy glasses 302
Rotation of the Moon 58
Roughness of lunar surface
 and trafficability 30–34, 526–530
Rugosity 479, 569
Ruthenium 409
Rutile 137, 149, 178
 chemical composition 178
- Sabine Crater 611
Saint George Crater 621
Sampling history (Apollo) 21
Schlieren 74, 78, 202
Schreibersite 150, 391
Schrödinger Crater 63
Schröter's Valley 607
Schwantke molecule 128
Scott, David R. 28, 633
Sculptured Hills 348, 627, 628
Secondary craters 33
Secondary particles 53
Seismic activity 38, 41
Seismic attenuation (Q) 39, 516, 517
Seismic energy 28, 108
 of impacts 108
Seismic experiments 38, 41
Seismic properties (regolith) 288, 516, 517
Seismic velocities (regolith) 288
Seismograms 40
Selenodesy 60
Self-Recording Penetrometer
 (SRP) 508, 512, 591
Serenitatis Basin 103, 107, 622, 628, 631
 ejecta at Apollo 15 622
 ejecta at Apollo 17 628
 maria 103
Serial magmatism 17, 18
Shadows 30, 36
Shakespeare Crater 627
Shape complexity factor 570
Sharp-Apollo Crater 615
Shear strength 506–516
Sherlock Crater 627
Shock melting 73–79
Shock metamorphism 73–79
 effects on minerals and
 rocks 74
 energy 73
 fracturing 76
 pressures 73, 74, 77
 regolith 77
 rocks 77
 schlieren 74
 shatter cones 76
 shock lamellae 74
 temperatures 73
Shock pressure attenuation 74
Shock vaporization 73, 302, 424
Shock waves 65
Shocked minerals 302
Shorty Crater 102, 427, 428, 627, 628
Sidereal month 57
Sidereal rotation 28
Siderophile elements 358, 399–414
 analytical difficulties 400
 correlations 406
 data limitations 403
 partitioning 399
Silica minerals 132, 215, 229, 230
 chemical composition 132, 169
 coesite 132
 cristobalite 132, 217
 crystal structures 132
 quartz 132, 217, 230
 stishovite 132
 tridymite 132
Silicon 603
 mapping from orbit 603, Plate 10.4, Plate 10.5
Sinuous rilles 99
Sinus (definition) 60
Sirsalis Rille 112
Skaergaard intrusion 225
Slope stability 39, 521, 522
 constructed slopes 521
 dumped soil 521
 excavations 521
 factor of safety 522
 natural slopes 522
Smithsonian Institution 23
Smoky Mountain 32, 351, 624, 625
S/N (serial number of core
 tubes) 572
Soft soil (trafficability) 499, 529
Soil (definition; also see
 Regolith) 287–307, 475
Soil bearing capacity 517–521, 590–594
 allowable bearing capacity
 (dynamic) 520
 allowable bearing capacity
 (static) 519
 penetrometer
 measurements 590–594, 578–580
 settlement depths 520
 ultimate bearing capacity
 (dynamic) 518

- | | | | |
|--|-------------------------------------|--|---------------------------------|
| ultimate bearing capacity (static) | 517 | Spectral properties | 209–211, 257–260, 307, 608, 609 |
| Soil compressibility | 500–506, 575–577 | highland rocks | 257–260 |
| coefficient of lateral stress | 506 | mare basalts | 209–211 |
| compression index | 501 | regolith | 307 |
| gas release | 505 | Sphalerite | 151, 179, 434 |
| maximum past pressure | 504 | chemical composition | 179 |
| oedometer data | 575, 576 | Spherical albedo | 560 |
| recompression index | 504, 577 | Spinel | 137, 143–147, 173–175 |
| Soil diffusivity | 517 | chemical composition | 143, 173 |
| Soil permeability | 517 | chromian ulvospinel | 145 |
| Soil porosity | 481–483, 492, 496 | chromite | 143 |
| Soil shear strength | 506–517, 578–580, 589–594 | compositions in highland rocks | 147 |
| Apollo Self-Recording Penetrometer (SRP) | 508, 512–516, 591 | crystal structure | 143 |
| cohesion | 506 | hercynite | 145 |
| cone penetrometer data | 510–516, 578 | pleonaste | 145 |
| direct shear tests | 579 | spinel (<i>sensu strictu</i>) | 145 |
| field measurement | 506 | stability relations | 147 |
| friction angle | 506 | subsolidus reduction | 147 |
| laboratory measurements | 514 | titanian chromite | 145 |
| Soils and regolith breccias | 352–354, 361 | ulvöspinel | 143 |
| chemical data | 449–474 | Spook Crater | 624 |
| Solar cosmic rays (SCR) | 47–52, 54, 310, 315–317 | Spot Crater | 624 |
| anisotropy | 49 | Spur Crater | 351, 621, 622 |
| composition | 49 | Sputtering | 54 |
| penetration | 54 | Static electricity hazards | 536 |
| protons | 50, 51 | Steno-Apollo Crater | 627 |
| secondary radiation | 54 | Stishovite | 132 |
| travel times | 49 | Stone Mountain | 32, 351, 514, 624, 625 |
| Solar cycle | 49, 50, 52, 56 | Stubby Crater | 624 |
| Solar flares (see Solar cosmic rays) | | Sulfide minerals | 150, 151, 179 |
| Solar history | 354–356 | chalcopyrite | 151 |
| Solar maximum | 49 | chemical composition | 179 |
| Solar nebula | 361 | cubanite | 151 |
| Solar protons | 51 | mackinawite | 151 |
| Solar radiation (history of measurement) | 47, 52 | pentlandite | 151 |
| Solar wind | 47, 48, 54, 310, 315, 436, 440, 552 | sphalerite | 151 |
| composition | 48 | troilite | 150 |
| cumulative abundance | 54 | Sulfur | 422, 432–434 |
| penetration | 54 | abundance in mare basalt | 422 |
| saturation of regolith | 440 | as metamorphic fluid | 434 |
| Solar-flare history | 356 | correlation with titanium in mare basalt | 432 |
| Solar-wind history | 355 | in pyroclastic deposits | 434 |
| Solar-wind-implanted elements | 436–448 | isotopic fractionation | 433 |
| and soil maturity | 315, 319, 337–342 | Sulpicius Gallus | 598 |
| as resources | 448, 647 | Sunspots | 49, 50 |
| Solid solutions | 121 | Surface area (Moon) | 28 |
| South-Apollo Crater | 618 | Surface temperatures | 28, 34, 36, 566 |
| South Massif (Apollo 17 site) | 34, 348, 627, 628 | Surveyor | 5, 483 |
| South Ray Crater | 32, 249, 256, 257, 624 | Surveyor 3 | 5, 34, 610 |
| Space Exploration Initiative | 633 | Surveyor Crater | 31, 615, 616 |
| Spacesuits | 27, 28 | Synodic month | 57 |
| Spallation | 53 | Taenite | 151, 399 |
| Specific circularity | 569 | Taurus Mountains | 100, 626 |
| Specific gravity | 481, 482 | Taurus-Littrow Valley | 33, 37, 41, 627, 631 |
| Specific surface area (SSA) | 480 | Taylor Crater | 623 |
| | | Tectonic activity | 107–110 |
| | | compression | 110 |

- extension 109
 Tektites 79
 Telescopic data (See
 Observation of the Moon
 from Earth) 596, 597
 resolution 596
 wavelengths 596
 Temperature (lunar surface) 28, 34, 36, 566
 Temperature profiles (across
 craters) 565
 Terminal cataclysm 120, 212
 Terrain 30–34
 ejecta ridges 31
 highland 32
 mare 31
 mare-highland boundaries 32
 Tetraenaite 151, 399
 Textures of mare basalts 195–201
 intergranular 195
 intersertal 195
 ophitic 195
 pilotaxitic 201
 porphyritic 195
 radiate 198
 trachytic 201
 vitrophyric 195
 Theophilus Crater 625
 ejecta at Apollo 16 625
 Thermal conductivity
 (regolith) 37, 38
 Thermal infrared astronomy 566
 Thermal insulation (regolith) 38
 Thermal solifluction 493
 Thermoluminescence 54
 Thorium 603
 mapping from orbit 603, Plate 10.1
 Thrust faults 111, 113
 Tidal forces 108
 Tides 27, 109
 Titanium 603
 mapping from orbit 603, Plate 10.3
 valence states 126, 148
 Tortilla Flat 627
 Track density 54, 316, 339
 Track maturity 339
 Track maturity index 315–317, 319, 337–342
 Trafficability 522–530
 parameters 526
 Tranquillityite 133, 170
 chemical composition 133, 170
 crystal structure 133
 Trap Crater 624
 Trident Crater 627
 Tridymite 132
 Triple Craters 615
 Triplet Craters 618
 Troctolite 185, 365, 368, 369, 370, 409,
 453
 Troilite 150, 179, 398, 432–434
 chemical composition 150, 179
 Tsunami hypothesis (basin
 formation) 68
 Tungsten 413
 Tycho Crater 39, 596, 606, 628, 631, 638
 age 631
 impact effects at Apollo 17 628
 Unanswered questions 650–654
 Unconformities
 (stratigraphic) 88
 Uranium-thorium correlation 431
 Vallis (definition) 60
 Vallis Schröter 60
 Van de Graaf Crater 605
 Van Serg Crater 627
 Vapor-mobilized elements 205, 414–436
 correlation with each other 426
 correlation with maturity 421
 correlations with rubidium
 and cesium 423
 depletion in monomict
 rocks 415
 indigenous concentrations 422
 in pyroclastic deposits 205, 427
 in vesicles 428
 leaching 428
 minimal solar-wind
 contribution 422
 surface correlation on
 pyroclastic fragments 268, 303, 428
 thermal mobilization 430
 vapor-phase transport 424
 whole-Moon composition 424
 Very-high-alumina (VHA)
 melt 247, 250, 625
 Very-high-K (VHK) basalt 135, 186, 190
 Very-low-Ti (VLT) basalt 186, 192, 198
 Vesicles 105, 428
 Victory Crater 627
 Viscosity (of magmas) 95, 99, 193
 Visibility (astronauts) 29
 Void ratios (of soil) 481–483, 496
 minimum and maximum 496
 Volatility 406, 410, 413, 415, 422, 431
 antimony 413
 germanium 410
 gold 406
 lead 431
 rubidium, cesium, sodium,
 potassium 422
 sodium 415
 vapor-mobilized elements 415
 Volcanism 94, 95, 100, 103, 105, 184,
 186, 208, 209
 Volcanic glasses 186, 303
 Walking (astronauts) 28
 Waste heat 38
 Water 39, 40, 56, 150, 406, 634

Weightlessness		Yamato 791197	9, 394, 395, 397
(physiological problems)	637	Yamato 793274	9
Weird Crater	618	Yamato 82192	9
Weird Rock	618	Yamato 82193	9
Wessex Cleft	627	Young, John W.	30
West Crater	613		
Whitlockite	154, 181, 372, 384, 391, 398,	Zhamanshin impact	
chemical composition	434	structure	79
Wollastonite	181	Zircon	134, 372, 384
Wreck Crater	125	chemical composition	134, 169
Wrinkle ridges	624	structure	134
Wüstite	108	Zirconolite	137, 150
	138	Zond	5, 596

L · U · N · A · R

s o u r c e b o o k

a user's guide to the moon

The *Lunar Sourcebook*, a concisely presented collection of data gathered during the American and Soviet missions, is an accessible and complete one-volume reference encyclopedia of current scientific and technical information about the Moon. This book provides a thorough introduction to lunar studies and a summary of current information about the nature of the lunar environment. It explores the formation and evolution of the Moon's surface, the chemical and mineralogical nature of lunar rocks and soils, and the current state of scientific knowledge about the nature, origin, and history of the Moon.

The book is written and edited by scientists active in every field of lunar research, all of whom are veterans of the Apollo program. The contributors are from universities, national laboratories, industry, and NASA.

Engineers, mission planners, planetary scientists, educators, and students interested in scientific study and exploration of the Moon will find this book to be a unique and essential reference. Cover design by Christy Owens.

Cambridge University Press

CAMBRIDGE
UNIVERSITY PRESS

ISBN 0-521-33444-6



9 780521 334440